



LIBRARY OF CONGRESS.

Chap. ^{RS125} Copyright No.

Shelf ⁴³⁸²

UNITED STATES OF AMERICA.





1500 PRESCRIPTIONS

OF ALL KINDS


RIGHT AND WRONG

SELECTED FROM
PRESCRIPTION FILES. JOURNALS,
FORMULARIES, PHARMACOPŒIAS, AND MEDICAL WORKS,
ILLUSTRATING CORRECT AND INCORRECT CONSTRUCTION,
LATINITY, ABBREVIATIONS, DOSES, AND
PHARMACY, AND COVERING ALL THE PRINCIPAL
FORMS IN WHICH MEDICINES ARE
COMMONLY ADMINISTERED.

INTENDED AS AN AID TO
Pharmaceutical Teachers, Students and Examiners

✓
BY OSCAR OLDBERG, PH.D.

PROFESSOR OF PHARMACY, NORTHWESTERN UNIVERSITY.



PUBLISHED BY
THE APOTHECARIES' COMPANY
CHICAGO
1892

P

RS125
.038

COPYRIGHT, 1892
OSCAR OLDBERG, PH. D.
ALL RIGHTS RESERVED

PREFACE.

The object of this little volume is to present in the most convenient form an adequate variety of illustrations of various phases of the construction of extemporaneous formulas, correct and incorrect, for purposes of study.

The selected examples contained in this book will be found to afford a far more complete and effective assortment than any prescription files, however large, can possibly furnish.

The 1,500 Prescriptions include correct formulas and prescriptions, Latinic and English, in metric terms as well as in the customary weights and measures, unabbreviated and abbreviated, covering all the usual forms of exhibition and numerous kinds of medicinal substances, new and old.

There are prescriptions for species, powders, triturations, confections, electuaries, troches, masses, pills, liquid preparations for internal use, cataplasms, ointments, cerates, plasters, liniments, lotions, injections, and other forms of administration or application of medicines, of the greatest variety of materials, and illustrating numerous phases of the details of manipulation.

There are also many faulty, incomplete, incorrect, dangerous, incompatible, and even impossible prescriptions. Nearly all of these have

been reproduced from prescription files, journals, examination papers, books and formularies, and are *bona fide* prescriptions written by physicians in the regular course of their medical practice. The original authors can not be held responsible for the many errors which have been introduced by compilers and printers, and the large number of incorrect prescriptions in this collection should not cause any apprehension, for they are certainly not common.

In studying and criticizing these prescriptions the student should carefully examine into:—

1. The form, construction, nomenclature, orthography and abbreviations.

2. The intent of the prescriber; any ambiguities, uncertainties, omissions, accidental transposition of quantities, "slips of the pen," etc.

3. Physical compatibility of the ingredients; kind and quantity of excipients, solvents, etc.

4. Chemical compatibility; is any chemical reaction likely to take place? and, if so, is it one that the prescriber had in view? Formation of new compounds, harmful or not, precipitations, gelatinization, generation of gaseous products, explosive mixtures, slow chemical changes, etc.

5. Doses; single and daily; whether safe or not, according to age of the patient, etc.

6. Practicability of the directions as to the mode of dispensing; can the materials and proportions prescribed be made to produce such a preparation as the prescription calls for,

whether pills, powders, ointment, suppositories, mixture, or other specified form.

7. Mode of manipulation; how shall the prescription be dispensed? Order and manner in which the ingredients should be combined; details of manipulation; are any modifications or additions pharmaceutically necessary and therapeutically unobjectionable?

8. Directions for using the medicine. Are they safe and probably correct and in harmony with the character of the medicine?

In order to make the collection as complete as practicable I have constructed and inserted additional prescriptions wherever it seemed necessary for the purpose of supplying good examples of points not illustrated by the formulas and prescriptions accessible to me.

Students using this book, who have not studied latinic pharmaceutical nomenclature, will find what is necessary for that purpose contained in my "Pharmaceutical Problems and Exercises."

OSCAR OLDBERG.

CHICAGO, *September, 1892.*

CONTENTS.

PART I.

	PAGES.
UNABRIDGED LATINIC PRESCRIPTIONS.....	1-15

PART II.

PRESCRIPTION WRITING.....	16-18
---------------------------	-------

PART III.

PRESCRIPTIONS in Customary Weights and Measures to be Transposed into Metric Terms.....	19-27
---	-------

PART IV.

METRIC PRESCRIPTIONS to be Transposed into Terms of the Customary Apoth- ecaries' Weights and Measures.....	28-39
---	-------

PART V.

PRESCRIPTIONS for Species, Powders, Cap- sules, Confections, Troches, etc.....	40-61
---	-------

PART VI.

PILLS, etc.....	62-99
-----------------	-------

PART VII.

MIXTURES—Ordinary Formulas and Pre- scriptions.....	100-150
--	---------

PART VIII.

MIXTURES—Faulty Prescriptions.....	151-191
------------------------------------	---------

PART IX.

LIQUID PREPARATIONS for External Use..192-209

PART X.

SOLID PREPARATIONS for External Use...210-230

PART XI.

MISCELLANEOUS—Faulty Prescriptions for
External Applications.....231-242

EXAMPLES OF PRESCRIPTIONS.

PART I.

UNABRIDGED LATINIC PRESCRIPTIONS.

These are to be rewritten in proper abbreviated form. Each of them is also to be translated into English, using proper technical terminology, the proper abbreviations or symbols for the respective units of measure, and Arabic numerals for metric quantities, but Roman numerals in connection with the units of apothecaries' weight or measure.

1.

Recipe: Rhei Pulveris.....*grammata quinque*;
Magnesii Carbonatis..*grammata quindecim*;
Sacchari.....*grammata decem*;
Olei Anisi.....*guttas decem*.

Miscetur ut fiat pulvis. Detur in scatula.

Signetur. Capiat cochlear parvum ter in die.

2.

Recipe: Sabinæ,
Zingiberis*ana grana sex*.
Sodii Boratis.....*grana quindecim*.

Misce. Fiat pulvis.

3.

Recipe: Morphinæ Sulphatis*milligrammata*
.....*quinque*.

Sacchari.....*milligrammata decem*.

Miscetur.

Signa: Sumat nocte.

4.

R̄ Quininæ Sulphatis.....*drachmam dimidiam*
Fiant pulveres numero viginti.

Signa: Pulvis una sumatur quater in die.

These are to be rewritten in proper abbreviated form. Each of them is also to be translated into English, using proper technical terminology, the proper abbreviations or symbols for the respective units of measure, and Arabic numerals for metric quantities, but Roman numerals in connection with the units of apothecaries' weight or measure.

5.

℞ Morphinæ Sulphatis.....*milligrammata quindecim;*

Sacchari*milligrammata triginta.*

Misce et divide in chartulas tres.

Signa: Capiat unam nocte.

6.

℞ Calomelanos*gramma unum;*

Sacchari Lactis.....*gramma unum et dimidium.*

Miscentur, fiant pulveres decem.

Capiat unum quaque quarta hora.

7.

℞ Hydrargyri Chloridi Mitis,

Sacchari Lactis.....*ana grana quindecim.*

Misce et divide in partes æquales decem.

Sumat unum bis vel ter in die.

8.

℞ Hydrargyrosi Chloridi,

Sacchari Lactis.....*āā granum unum.*

Miscentur. Da tales doses numero decem.


Signa: Harum pulverum sumatur unam nocte maneque.

9.

℞ Chloreti Hydrargyrosi*grana quatuor;*

Sacchari Albi*grana viginti.*

Fiant pulveres quatuor. Capiat unum more dictu.



These are to be rewritten in proper abbreviated form. Each of them is also to be translated into English, using proper technical terminology, the proper abbreviations or symbols for the respective units of measure, and Arabic numerals for metric quantities, but Roman numerals in connection with the units of apothecaries' weight or measure.

10.

℞ Opii Pulveris *granum semisse.*

Da in quadruplo.

Sumat unum alternis horis.

11.

℞ Morphinae Acetatis ... *sextam partem grani;*

Sacchari Albi *grana tres.*

Dentur tales doses decem. Hora decubitus

sumatur unum.

12.

℞ Chloralis *gramma unum.*

Detur statim.

13.

℞ Cantharidis Pulveratæ *grana duo.*

Sabinæ Pulveratæ *drachmam unam.*

Misce et in pulveres numero quatuor divide.

Signa. Decubitu pulverem unum sumat.

14.

℞ Hydrargyri cum Creta,

Pulveris Nucis Myristicæ *āā grana tres;*

Bismuthi Subnitratis *grana duodecim.*

Misce bene et divide in chartulas sex.

Sumat unum quaque tertia hora.

15.

℞ Sodii Salicylatis, *gramma unum et dimidium;*

Sodii Bicarbonatis *grammata duo.*

Misce ut fiat pulvis, et divide in chartulas duodecim.

Signa: Capiat unum quater in die.

These are to be rewritten in proper abbreviated form. Each of them is also to be translated into English, using proper technical terminology, the proper abbreviations or symbols for the respective units of measure, and Arabic numerals for metric quantities, but Roman numerals in connection with the units of apothecaries' weight or measure.

16.

℞ Sodii Bicarbonatis.....*drachmas tres.*
In pulveres numero duodecim dividenda.
Signa: Capiat pulverem unum ex aqua cyatho
post cibo.

17.

℞ Ipecacuanhæ.....*granum semisse;*
Rhei.....*grana duo;*
Sodii Bicarbonatis.....*grana duodecim.*
Misce et in chartulas duodecim divide.
Signa: Pulvis unus ter in die sumatur.

18.


℞ Camphoræ, in pulverem reductæ.....*grana*
quinque;
Pulveris Ipecacuanhæ Compositi.....*grana*
decem.
Potassii Nitratis.....*grana viginti.*
Mixta in charta cerata dentur.
Signa: Quantum dimidium pro dose sumendum.

19.

℞ Quininæ Sulphatis.....*drachmam.*
Divide in partes æquales triginta ingerendas in
capsulas gelatinosas.
Signetur: Harum capsularum una sumatur omni
trihorio.

20.

℞ Caffeinæ Citratis.....*gramma unum;*
Phenacetini.....*grammata duo;*
Sacchari Albi.....*gramma unum.*
Misce. Dispensa in capsulas decem.



These are to be rewritten in proper abbreviated form. Each of them is also to be translated into English, using proper technical terminology, the proper abbreviations or symbols for the respective units of measure, and Arabic numerals for metric quantities, but Roman numerals in connection with the units of apothecaries' weight or measure.

21.

℞ Bismuthi Subnitratis.....*scrupuli duo cum dimidio;*

Pepsini Saccharati....*drachmam dimidiam;*

Zinci Oxidi.....*grana sex.*

Tritura et divide in chartulas duodecim.

Signa: Capiat unam ter in die.

22.

℞ Sulphuris Loti,

Potassii Bitartratis...*āā unciam dimidiam;*

Confectionis Sennæ.....*uncias duas;*

Syrupi.....*drachmas tres.*

Miscentur ut fiat electuarium. Cochleare medium omnibus noctibus.

23.

℞ Potassii Sulphatis..*grammata duodecim cum dimidio;*

Sulphuris Sublimati..*grammata septem cum dimidio;*

Confectionis Sennæ.....*grammata octo;*

Syrupi.....*grammata duo-et-viginti.*

Fit electuarium.

Signa: Capiat cochlearia duo parva quoties requiritur.

24.

℞ Extracti Colocynthis Compositi, *grana sex;*

Extracti Hyoscyami.....*grana duo;*

Calomelanos.....*grana duo.*

Misce et fiant pilulæ duæ.

Signa: Sumant hora somni, et cras mane haustus.

These are to be rewritten in proper abbreviated form. Each of them is also to be translated into English, using proper technical terminology, the proper abbreviations or symbols for the respective units of measure, and Arabic numerals for metric quantities, but Roman numerals in connection with the units of apothecaries' weight or measure.

25.

℞ Opii Pulverati.....*milligrammata centum;*
Tincturæ Tolutanæ.*milligrammata ducenta,*
Conterendo mixtis adduntur:
Extracti Glycyrrhizæ,
Acaciæ, singulorum.....*gramma unum et*
dimidium;
Sacchari Albi.....*grammata tres,*
quo facto omnia in massam coguntur,
quæ in trochiscos numero decem æquales
dividenda est.

Signa: Trochiscum unum subinde capiat.

26.

℞ Myrrhæ.....*grammata duo cum dimidio;*
Crocī.....*grammata duo cum dimidio;*
Aloes.....*grammata quinque;*
Syrupi.....*quantum sufficit,*
ut fiat massa, e qua formentur pilulæ
numero centum æquales.

Signetur: Pilulæ quatuor pro dose sumantur.

27.

℞ Argenti Nitratis.....*granum unum;*
Argillæ Albæ.....*grana decem;*
Tragacanthæ,
Aquæ.....*āā quantum requiritur,*
ut fiat massa, in pilulas sex formanda.

Signa: Capiat pilulam unam horæ tertiam
partem ante prandium.



These are to be rewritten in proper abbreviated form. Each of them is also to be translated into English, using proper technical terminology, the proper abbreviations or symbols for the respective units of measure, and Arabic numerals for metric quantities, but Roman numerals in connection with the units of apothecaries' weight or measure.

28.

℞ Quininæ Sulphatis.....*grana duo-de-viginti*.
Fiat massa; divide in pilulas sex.
Signa: Capiat omnes cursu hodie.

29.

℞ Rhei.....*grana sexdecim*;
Aloes,
Saponis, singulorum.....*grana octo*.
Fit massa. Divide in pilulas ponderis gran-
orum quatuor.
Signetur: Capiat pilulas duas omni nocte.

30.

℞ Cambogii,
Acaciæ, singulorum.....*grammata tria*;
Galbani.....*grammata quatuor*;
Aloes.....*grammata septem*;
cum
Olei Carui.....*grammate uno et dimidio*,
et Syrupi, quantitate sufficiente subi-
guntur in massam, e qua formentur
pilulæ numero centum æquales.
Signetur: Alvo adstricta harum pilularum tres
decubitu sumantur.

31.

℞ Acidi Benzoici.....*granum dimidium*;
Sodii Boratis.....*granum unum et dimidium*;
Acaciæ,
Syrupi.....*āā quantum satis*.
Fit trochiscus unus. Mitte tales quatuor et
viginti.
Signa: Ad libitum sumantur.

These are to be rewritten in proper abbreviated form. Each of them is also to be translated into English, using proper technical terminology, the proper abbreviations or symbols for the respective units of measure, and Arabic numerals for metric quantities, but Roman numerals in connection with the units of apothecaries' weight or measure.

32.

℞ Extracti Leptandræ..... *semigranum*;
 Massæ Hydrargyri,
 Extracti Hyoscyami, singulorum. *grana duo*;
 Extracti Colocyntidis Compositi.....
ad grana decem.

Fiant pilulæ duæ. Pro re nata sumantur nocte. Mitte duodecim.

33.

℞ Fellis Bovini Purificati, ... *drachmam unam*;
 Magnesii Sulphatis Exsiccati, ... *scrupuli duo*;
 Resinæ Podophylli, *grana quinque*.
 Miscentur ut fiat massa, e qua formentur pilulæ viginti æquales.

Signa: Capiat unam vel duas hora decubita.

34.

℞ Potassii Carbonatis ... *drachmam dimidiam*;
 Myrrhæ. *drachmam unam*;
 Tere simul; dein adde—
 Ferri Sulphatis,
 Sacchari Albi,
singulorumdrachmam dimidiam


Fiant pilulæ quadriginta.


Signetur: Unam bis terve die.

35.

℞ Tincturæ Opii *gramma unum*.
 Syrupi. *grammata novem et nonaginta*.
 Commiscentur.

Signetur: More dictu sumendum.





These are to be rewritten in proper abbreviated form. Each of them is also to be translated into English, using proper technical terminology, the proper abbreviations or symbols for the respective units of measure, and Arabic numerals for metric quantities, but Roman numerals in connection with the units of apothecaries' weight or measure.

36.

℞ Sodii Arsenatis.....*grana duo;*
Aquæ Destillatæ..... *quantum sufficit.*
Solve et adde—

Pulveris Guaiaci.....drachmam dimidiam.

Antimonii Sulphurati. *scrupulum unum;*

Mucilaginis.....*quantum requiritur.*

Misce caute ut fiat massa, in pilulas numero quatuor et viginti dividenda.

Signa. Pilulæ duæ vel tres quotidie sumantur.

37.

R Ammoniacci.....grammata quatuor;

Aquæ Puræ.....*grammata centum.*

Fiat emulsum secundum artem.

Signa: Cochleare minimum alternis horis.

38.

R Camphoræ Pulveris.....*gramma dimidium:*

Acaciæ Pulveris.....*grammata duo cum*
dimidio;

Misturæ Amygdalæ. . . . grammata centum et
quinguaginta.

Fit emulsio.

Signetur: Cochleare minimum alternis horis.

39.


R. Olei Ricini *unciam dimidiam*:

Olei Tiglii *guttam*:

Mucilaginis *unciam.*

Misce. Fiat haustus cum aquæ unciis duabus.

Signa: Capiat dimidiam mane et alteram post
duas horas.



These are to be rewritten in proper abbreviated form. Each of them is also to be translated into English, using proper technical terminology, the proper abbreviations or symbols for the respective units of measure, and Arabic numerals for metric quantities, but Roman numerals in connection with the units of apothecaries' weight or measure.

43.

℞ Potassii Bromidi *grana viginti*;
Chloral Hydratis *scrupulum*;
Morphinæ Hydrochloratis . . *quintam partem*
grani;
Aquæ Camphoræ *quantum sufficit ad*
sesquiunciam.

Misce et fiat haustus.

Signa: Cursu nocte sumendus.

44.

℞ Potassii Acetatis *drachmas quinque;*
Tincturæ Digitalis *drachmam unam;*
Syrupi Aurantii *unciam unam;*
Decocti Scoparii *ad uncias octo.*
Fac mistura. Capiat cochlearia duo magna
quarta quaque hora ex paululo aquæ.

45.

℞ Chloral.....*drachmas duas;*
Syrupi.....*uncias duas;*
Aquæ.....*ad uncias octo.*

Misce.

Signa: Uncia una si opus sit sumenda.

46.

R Potassii Chloratis..... *drachmam;*
Acidi Hydrochlorici
drachmam unam et dimidiam;

Misce et adde—

Tincturæ Ferri Chloridi drachmas duas
Aquæ, quantum sufficit ut fiat,
uncias quatuor.

Signa: Cochleare parvum ter quaterve in die.

These are to be rewritten in proper abbreviated form. Each of them is also to be translated into English, using proper technical terminology, the proper abbreviations or symbols for the respective units of measure, and Arabic numerals for metric quantities, but Roman numerals in connection with the units of apothecaries' weight or measure.

47.

℞ Atropinæ Sulphatis.....*semigranum*;
 Aconitinæ.....*granum unum et dimidium*;
 Olei Tiglii.....*guttas duas*;
 Petrolati.....*drachmas duas*

Misce accuratissime.

Signetur: Ad partes dolentes applicetur.

48.

℞ Digitalis Foliorum.....*gramma unum*;
 Aquæ Fervidæ, tantum ut digerendo per
 horam habeas infusum pondere,
 grammatum centum.

Detur.

Signetur: Cochleare minimum ter quaterve in die.

49.


℞ Rosæ Gallicæ Petalorum....*grammata tres*;
 Acidi Sulphurici Diluti.....*grammata duo*;
 Aquæ Fervidæ, tantum, ut, digestionem in vase
 vitreo ocluso per horam dimidiam
 institutam, fiat colatura tanti ponderis,
 ut, solutis in ea
 Sacchari Albi.....*grammata octo*
 infusum habeas.....grammatum
 ducentorum.

Adde—

Quininæ Sulphatis.....*grammata quinque.*

Fit solutio.

Signetur: Cochleare magnum bis vel ter in die sumatur.



These are to be rewritten in proper abbreviated form. Each of them is also to be translated into English, using proper technical terminology, the proper abbreviations or symbols for the respective units of measure, and Arabic numerals for metric quantities, but Roman numerals in connection with the units of apothecaries' weight or measure.

50.

℞ Illicii.....*drachmam*;
Verbasci Florum.....*drachmas duas cum*
dimidia;

Althææ,

Glycyrrhizæ.. *singulorum unciam dimidiam*.

Tussilaginis.....*unciam et dimidiam*;

Seorsum contusa et incisa ponderantur et miscentur. Macera in vaso leviter clauso per horas bis quatuor et viginti cum

Aquæ Fervidæ.....*Octarium*,
et cola. Deinde adde—

Sacchari, uncias sexdecim.

Signa: Quantum vis sumendum.

51.

℞ Sodii Boratis Pulveris.....*grammata tres*;
Mellis Despumati.....*grammata triginta*.

Conteruntur donec sal solutum sit.

Fit linctus, ad libitum utendus.

52.

℞ Aquæ Ammoniæ.....*unciam unam*;
Linimenti Camphoræ.....*uncias tres*.

Miscentur conquassando.

Signetur: Pars affecta fricetur nocte manequæ.

53.

℞ Plumbi Acetatis,
Zinci Sulphatis.....*ana scrupulum*;
Tincturæ Opii.....*drachmas duas*;
Aquæ.....*ad uncias sex*.

Fiat lotio, sæpe utenda.

These are to be rewritten in proper abbreviated form. Each of them is also to be translated into English, using proper technical terminology, the proper abbreviations or symbols for the respective units of measure, and Arabic numerals for metric quantities, but Roman numerals in connection with the units of apothecaries' weight or measure.

54.

℞ Crimnorum Avenæ *grammata quinquaginta*;
Paratur inde decoctum ponderis, *grammatum*
quadringentorum
in quo etiam nunc calido solvuntur.

Sodii Chloridi.....*grammata quinquaginta*
Solutis tandem inter quassandum addenda sunt
Olei Olivæ.....*grammata quinquaginta*.
Fiat enema.

Signetur: Injiciatur statim.

55.

℞ Lini Farinæ.....*uncias quatuor*;
Aquæ Ebullientis, quantum satis
ut fiat cataplasma.

Signa: Admoveatur durante dolore.

56.

℞ Acidi Carbolici.....*drachmam dimidiam*;
Adipis Benzoinati.....*drachmas sex*.
Misce intime. Fiat unguentum.


Signa: Utendum quaque tertia hora.


57.

℞ Acidi Tannici.....*gramma unum*;
Olei Theobromæ.....*grammata triginta*.
Misce. Fiant suppositoria numero decem.
Sæpe utenda more solitu.

58.

℞ Tincturæ Krameriz.....*unciam*;
Liquoris Calcis.....*uncias sex*.
Signetur: Cochleare magnum ter quotidie.





These are to be rewritten in proper abbreviated form. Each of them is also to be translated into English, using proper technical terminology, the proper abbreviations or symbols for the respective units of measure, and Arabic numerals for metric quantities, but Roman numerals in connection with the units of apothecaries' weight or measure.

59.

℞ Potassii Iodidi *grammata duo*;
Aquæ *gramma unum*;
Contritæ admiscantur inter terendum
Glyceriti Amyli *grammata septemdecim*.
Fiat unguentum, more dictu utendum.

PART II.

PRESCRIPTION WRITING.

Write complete formulas in the form of prescription for the following, writing the correct latinic titles without abbreviation:—

60.

For 40 Gm. of *species* for a laxative tea consisting of 10 parts elder flowers, 16 parts senna, 5 parts each of fennel and anise, and 4 parts cream of tartar. (Without directions for use.)

61.

One ounce of a compound powder consisting of equal parts of cardamom and ferrous sulphate, twice as much German worm seed as of the iron salt, and as much tansy flowers as of the worm seed.

62.

For two powders, each consisting of $\frac{1}{6}$ grain of morphine acetate and 3 grains of white sugar.

63.

For a compound powder of 4 grains of calomel and 20 grains of sugar, to be divided into four equal parts and so dispensed.

64.

For 12 pills, each containing one grain of each of jalap, rhubarb, aloes and soap.

65.

For a mass made up of 1 Gm. of ferrous sulphate, 1.50 Gm. of quinine sulphate, and 500 milligrams of extract of nux vomica, to be divided into twelve pills.

Write complete formulas in the form of prescription for the following, writing the correct latinic titles without abbreviation:—

66.

For two ounces of an electuary composed of equal parts of rhubarb, guaiac resin, cream of tartar, and sulphur, with as much syrup of manna as the sum of the quantities of the before-named ingredients, and as much confection of senna as of all the other ingredients together.

67.

For 24 troches to be made of a mass composed of 100 milligrams of ipecac; one-half gram, each, of tincture of tolu, powdered cubeb, and potassium chlorate; one and one-half gram of orris root; three Gm. each of acacia and extract of licorice root; ten Gm. of sugar, and a sufficient quantity of simple syrup.

68.

For six suppositories, each containing 1 grain of each of tannin and opium, 2 grains of lead acetate, 1 grain of extract of henbane, and enough oil of theobroma to make each suppository weigh 20 grains.

69.

For an ounce of an ointment consisting of 12.50 per cent. each of blue ointment and extract of belladonna, 25 per cent. lard, and the remainder of simple ointment.

70.

For a sufficient quantity of belladonna plaster to be spread on an oval-shaped piece of kid-skin $4\frac{1}{2}$ inches wide and 6 inches long.

71.

For 200 C.c. of an emulsion of cod liver oil containing 40 per cent. of the oil,

Write complete formulas in the form of prescription for the following, writing the correct latinic titles without abbreviation:—

72.


For 100 C.c. of an emulsion of oil of turpentine containing 10 per cent. of the volatile oil.

73.

For a gargle composed of one fluid ounce each of the fluid extracts of sumach berries and golden seal, with two and one-half drachms of potassium chlorate, one fluid ounce of glycerin, and enough water to make the whole measure one-half pint.

74.

An eight-ounce mixture of which each tablespoonful shall contain about 5 grains quinine sulphate, the bitterness of the quinine to be masked by a sufficient quantity of fluid extract of glycyrrhiza, and the rest of the body of the mixture to consist of equal parts of simple syrup and water.





PART III.

TRANSPOSITION OF WEIGHTS.

COMMON AND METRIC.

Transpose the following prescriptions into metric terms:—

75.

℞ Digitalis Pulv..... ℥j
Div. in pulv. No. x.

76.

℞ Potassii Iodidi,
Potassii Chloratis..... āā ʒj
Potassii Bicarbonatis..... ʒiij
M. in chartulas No. xii div.

77.

℞ Hydrarg. Chloridi Mitis. gr.xv
Sacchari Albi. ʒiv
M.

78.

℞ Pulveris Opii
Pulveris Ipecacuanhæ
Hydrargyri Chloridi Mitis āā gr.iiij
Potassii Nitratis gr.xxx
Misce et divide in chartulas vi.

79.

℞ Morphinae Sulphatis gr.ss
Quininæ Sulphatis gr.xx
Misce et fiant chartulæ No. ii.

80.

℞ Bismuthi Subnitratis,
Pepsini..... āā ʒij
M. In pulv. No. xii div.

Transpose the following prescriptions into metric terms:—

81.

℞ Hydrarg. Chloridi Mitis..... gr. j
 Cretæ Præp..... gr. xxxvj
 Plumbi Acetatis..... gr. xij
 Pulv. Ipecac..... gr. iij
 M. In chart. No. XII div.

82.

℞ Mannæ..... ℥vj
 Magnesiae,
 Sulphuris Loti..... āā ℥iss
 Mellis..... f℥vj
 M. f. elect.

83.

℞ Sulphuris Loti..... ℥ij
 Potassii Bitartr..... ℥j
 Pulv. Rhei..... ℥ij
 Guaiaci Resinæ..... ℥j
 Mellis Despum..... lb. j
 Myristicam Pulv..... j
 M. fiat electuarium.

[Chelsea Pensioner.]

84.

℞ Rhei,
 Extr. Gentianæ..... āā ℥j
 M. f. pil. xv.


85.

℞ Olei Terebinth..... ℥ xv
 Ceræ Albæ..... gr. iij
 Magnesiae..... gr. viij
 M. f. pil. x.

86.

℞ Iodoformi..... ℥ j
 Sacch. Lactis..... gr. x
 Glycer. Tragac..... q. s.
 M. f. pil. xx.





Transpose the following perscriptions into metric terms:—

87.

℞ Ferri Sulph. Exsicc.....gr.xv
 Pot. Bicarb.....3j
 Extr. Stramonii,
 Extr. Aloes.....āā ʒj
 M. f. pil xv.

88.

℞ Acidi Benzoici.....gr.xl
 Tereb. Canad.....gr.x
 M. f. pil. x.

89.

℞ Calcis Sulphuratæ.....gr.j
 Sacch. Lactis.....gr.x
 Glycer. Tragac.....q. s
 M. f. pil. viii.

90.

℞ Tinct. Ferri Chloridi.....f3j
 Potassii Chloratis.....3j
 Glycerinif3j
 Aquæ Cinnamomiad f3iv
 M.

91.

℞ Tinct. Ferri Chlor.f3j
 Potassii Chloratis.....3j
 Glycerinif3j
 Aquæad f3iv
 M.

92.

℞ Ammonii Bromidi,
 Potassii Iodidi.....āā ʒviij
 Potassii Bromidi.....3vj
 Sodii Bicarbonatis.....3ij
 Tincturæ Calumbæ.....f3ij
 Aquæ Destillatæ.....f3vj
 M.

Transpose the following prescriptions into metric terms:—

93.

℞ Tinct. Ferri Chlor. fʒiv
 Pot. Chloratis ℥iv
 Syr. Simplicis fʒj
 Aquæ Menthæ Pip. q. s. ad fʒiv
 M.

94.

℞ Tinct. Ferri Chloridi fʒiij
 Acidi Acet. Dil. fʒij
 Syr. Simplicis fʒiiss
 Liqu. Ammonii Acet. q. s. ad fʒiv
 M.

95.

℞ Pot. Chloratis ℥ij
 Tinct. Ferri Chloridi fʒj
 Syr. Simpl. fʒvj
 Aquæ Cinnam q. s. ad fʒij
 M.

96.

℞ Sodii Bromidi ʒiv
 Chloral Hydratis ʒiiss
 Syr. Aurantii Cort. fʒiv
 Aquæ ad fʒiv
 M.


97.

℞ Sodii Sulphatis,
 Potassii et Sodii Tartr. aa ʒj
 Infusi Cascarillæ. fʒviiij
 M.

98.

℞ Sodii Bicarb. ʒiv
 Tinct. Zingiberis fʒj
 Tinct. Gent. Comp. fʒvj
 Aquæ Menthæ Pip. fʒiij
 M.





Transpose the following prescriptions into metric terms:—

99.

℞ Sodii Bicarb. gr.℞x.
 Extr. Rhei Fluidi f̄j
 Spir. Menthæ Pip. f̄j
 Aquæ q.s. ut f. f̄iv

M.

100.

℞ Syrupi Scillæ f̄j
 Syrupi Pruni Virg f̄ij
 Syrupi Tolut. ad f̄iv

M.

101.

℞ Acidi Nitrosi f̄j
 Tincturæ Opii gtt. xl
 Aquæ Camphoræ f̄viiij

M.

102.

℞ Tinct. Ferri Chloridi f̄j
 Syrupi Tolutani f̄iiss
 Liqu. Potassii Citratis ʒiiss

M

103.

℞ Ammonii Carbonatis, gr. xl
 Infusi Serpentariæ f̄iv

M.

104.

℞ Potassii Iodidi gr. j
 Ferri et Ammonii Citratis gr. iiij
 Syrupi Sarsaparillæ Compositi f̄ss
 Aquæ Destillatæ f̄ij

M.

105.

℞ Santonini gr. viiij
 Extracti Sennæ et Spigeliæ Fluidi f̄j

M.

Transpose the following prescriptions into metric terms:—

106.

℞ Copaibæ,
Spir. Ætheris Nitrosi,
Spir. Lavandulæ Comp.....āā f̄ss
Liqoris Potassæ.....f̄j
Mucil. Acaciæ.....q.s. ad f̄iv

M.

107.

℞ Tincturæ Ferri Chloridi,
Tincturæ Nucis Vomicae,
Acidi Phosphorici Diluti,
Syrupi Simplicis.....āā f̄j

M.

108.

℞ Unguenti Hydrargyri Nitratis.....f̄ss
Unguenti Picis Liquidæ.....f̄j

M.

109.

℞ Hydrargyri Nitratis.....f̄ss
Adipis.....f̄j

M. Fit unguentum.

110.

℞ Olei Cadini,
Ungu. Hydrarg.āā f̄ij
Vaselini.f̄j

M.

111.


℞ Ungu. Hydrarg.,
Ungu. Aquæ Rosæ.....āā f̄ij

M.

112.

℞ Extr. Pilocarpi Fluidi.....f̄j
Tinct. Cantharidis.f̄ss
Linimenti Saponis.....q.s. ad f̄iv

M.



Transpose the following prescriptions into metric terms:—

113.

℞ Tinct. Iodi fʒij
 Tinct. Aconiti Rad fʒiij
 Chloroformi fʒiv
 Linimenti Saponis Comp. ad fʒiij

M.

114.

℞ Chrysarobini
 Iodoformi ʒiij gr.iss
 Extracti Belladonnæ gr.¼
 Butyri Cacao gr. xxx

Make one suppository.

115.

℞ Duboisinæ Sulphatis gr. j
 Aquæ Destillatæ fʒij

M. fiat collyrium.

116.

℞ Hydrarg. Chloridi Corrosivi gr. j
 Aquæ Destillatæ, fʒiv

M. f. collyrium.

117.

℞ Liquoris Ferri Chloridi fʒij
 Aquæ fʒij

M.

118.

℞ Ferri et Potassii Tartr. ʒss
 Aquæ, fʒij

M. f. lotio.

119.

℞ Hydrarg. Chloridi Corrosivi ʒj
 Aquæ Rosæ fʒiv

M. f. lotio.

Transpose the following prescriptions into metric terms:—

120.

℞ Pulv. Camphoræ ʒss
 Spir. Vini Rectificati fʒj
 Sodii Boratis ʒij
 Aquæ Rosæ ad fʒviij
 M. f. lotio.

121.

℞ Acidi Boracici ʒj
 Hydrarg. Bichlor gr. 4
 Zinci Sulphatis gr. xij
 Morphinae Sulphatis gr. j
 Aquæ Destillatæ fʒiv
 M.

122.

℞ Acidi Hydrochlorici Diluti ʒj
 Potassii Chloratis ʒss
 Decocti Hordei Oij
 M.

123.


℞ Bismuthi Subcarb ʒi
 Extracti Opii Aquosi gr. ij
 Glycerini et Aquæ aa fʒij
 M. f. enema.

124.

℞ Olei Terebinthinae fʒj
 Olei Olivæ fʒiss
 Camphoræ gr. xx
 Decocti Avenæ fʒviij
 M. f. enema.

125.

℞ Olei Terebinthinae fʒij
 Lactis Asafœtidæ fʒiij
 Aquæ Ferventis fʒiv
 M.



Transpose the following prescription into metric terms:—

126.

℞ Olei Tereb.....f̄iv
Olei Olivarum.....f̄ijj
Saponis.....ēj
Aquæ Fervidæ.....Oj
Natrii Chloridi.....̄iv
M. f. enema.

PART IV.

TRANSPOSITION OF WEIGHTS.

METRIC TO COMMON.

Metric prescriptions to be transposed into terms of the customary apothecaries' weights and fluid measures.

127.

℞ Morph. Sulph. 100 mGm
Sacchari 1.50 Gm
M. f. pulv. xii.

128.

℞ Pulv. Opii 0.50 Gm
Bismuthi Subnitr. 5 Gm
M. f. pulv. xvi.

129.

℞ Bismuthi Subnitr.
Sodii Bicarb. āā 5 Gm
M. f. pulv. xii.

130.

℞ Hydrarg. Chloridi Corros. 100 mGm
Sodii Carb. Exsicc. 600 mGm
Pulv. Cretæ Comp. 1300 mGm
M. f. pulv. vi.

131.

℞ Pot. et Antim. Tartr. 30 mGm
Ipecacuanhæ 1 Gm
M. f. pulvis.

132.

℞ Camphoræ 150 mGm
Pulv. Ipecac. Comp. 250 mGm
Pot. Nitratis 600 mGm
M. f. pulv. x.



Metric prescriptions to be transposed into terms of the customary apothecaries' weights and fluid measures.

133.

℞ Magnesii Carb.....	15 Gm
Sulph. Præcip.....	20 Gm
Sodii Bicarb.....	8 Gm
Sacch. Albi.....	5 Gm
Zingiberis.....	2 Gm

M. f. pulvis.

134.

℞ Rhei.....	2 Gm
Magnesii Oxidi.....	7 Gm
Zingiberis.....	1 Gm

M. f. pulvis.

135.

℞ Bismuth Salicylate,	
Magnesia,	
Sodium Bicarbonate	of each, 10 Grams

Divide into thirty powders.

136.

℞ Rhei.....	1 Gm
Myristicæ,	
Guaiaci Resinæ.....	500 mGm
Sulph. Præcip.....	8 Gm
Pot. Bitartr.....	16 Gm
Mellis Despum.....	24 Gm

M. f. elect.

137.

℞ Ammonii Chloridi.....	1.50 Gm
Sacchari.....	7.50 Gm
Tragacanthæ.....	0.20 Gm
Syr. Tolut.....	q.s.

M. f. troch. xii.

138.

℞ Opii.....	500 mGm
Camphoræ.....	1 Gm

M. f. pil. x.

Metric prescriptions to be transposed into terms of the customary apothecaries' weights and fluid measures.

139.

℞ Ferri Reducti.....700 mGm
 Quin. Sulph.....800 mGm
 Arseni Oxidi.....15 mGm

M. f. pil. x.

140.

℞ Rhei.....200 mGm
 Acidi Tannici.....1500 mGm

M. f. pil. x.

141.

℞ Asafoetidæ.....500 mGm
 Camphoræ.....500 mGm
 Opii.....100 mGm
 Extr. Bellad.....150 mGm

M. f. pil. x.

142.

℞ Acidi Borici.....5 Gm
 Pot. Bitartr.....1 Gm
 Glycer. Tragac.....q.s

M. f. pil. xxx.

143.

℞ Camphoræ.....3 Gm
 Saponis1 Gm
 Alcoholq.s.

M. f. pil. xx.

144.

℞ Zinci Oxidi,
 Extr. Hyoscyami.....āā 1 Gm

M. f. pil. x.

145.

℞ Opii,
 Ipecac.
 Camph.āā 500 mGm

M. f. pil. x.



Metric prescriptions to be transposed into terms of the customary apothecaries' weights and fluid measures.

146.

℞ Plumbi Acet. 300 mGm
 Morph. Acet. 150 mGm
 Extr. Hyoscyami. 1500 mGm
 M. f. pil. x.

147.

℞ Argenti Nitr.,
 Opii āā 200 mGm
 M. f. pil. x.

148.

℞ Quininæ Sulph.,
 Potassii Iodidi,
 Acidi Citrici. āā 800 mGm
 M. f. pil. x.

149.

℞ Ipecac. 100 mGm
 Opii 200 mGm
 Massæ Hydrarg. 200 mGm
 M. f. pil. x.

150.

℞ Aloës Purific,
 Ipecac. āā 750 mGm
 M. f. pil. xii.

151.

℞ Cambogii 1,500 mGm
 Calomelanos 6,000 mGm
 Extr. Jalapæ Alc 2,000 mGm
 Extr. Coloc. Comp 8,000 mGm
 M. f. pil. o.

152.

℞ Ferri Reducti 1 Gm
 Quin. Sulph. 1 Gm
 Strychn. Sulph. 12 mGm
 M. f. pil. xii.

Metric prescriptions to be transposed into terms of the customary apothecaries' weights and fluid measures.

153.

℞ Olei Morrhuæ.....60 C.c.
 Liquoris Calcis.....20 C.c.
 Syr. Pruni Virg.....20 C.c.

M.

154.

℞ Ammonii Chloridi.....10 Gm
 Extr. Glycyrrh. Fl.....10 Gm
 Aquæ Foeniculi.....250 C.c.

M.

155.

℞ Quin. Sulph.....2 Gm
 Extr. Glycyrrh. Fl.....20 C.c.
 Syrupi Aurantii.....80 C.c.
 Aquæ.....100 C.c.

M.

156.

℞ Ant. et. Pot. Tartr.,
 Morph. Sulph.....āā 100 mGm
 Syr. Tolut.,
 Aquæ.....āā 100 C.c.

M.

157.

℞ Acidi Phosph. Dil.....10 C.c.
 Tinct. Ferri Chlor.....20 C.c.
 Syr. Limonis.....170 C.c.

M.

158.

℞ Ferri Sulph.....1 Gm
 Pot. Carb.....1,200 mGm
 Myrrhæ.....3 Gm
 Sacchari.....3 Gm
 Spir. Lavand.....10 C.c.
 Aquæ Cinnam.....q. s. ut fiat 200 C.c.

M.



Metric prescriptions to be transposed into terms of the customary apothecaries' weights and fluid measures.

159.

℞ Quin. Sulph.....5 Gm
Tinct. Ferri Chlor.....20 C.c.
Aquæ.....180 C.c.

M.

160.

℞ Hydr. Iodidi Rubri.....100 mGm
Pot. Iodidi.....10 Gm
Aquæ.....200 C.c.

Fiat solutio.

161.

℞ Sodii Bicarb.....3 Gm
Extr. Rhei Fl.....3 C.c.
Spir. Menthæ Pip.....3 C.c.
Aquæ.....94 C.c.

M.

162.

℞ Tinct. Ferri Chlor.....2 C.c.
Acidi Acet. Dil.....3 C.c.
Liqu. Ammon. Acet.....20 C.c.
Elix. Aurantii.....10 C.c.
Syrupi.....12 C.c.
Aquæ.....50 C.c.

M.

163.

℞ Succu Limonis100 C.c.
Pot. Bicarb., quantum sufficit ad saturan-
dum.

Fiat solutio.

164.

℞ Pot. Chloratis.....5 Gm
Tinct. Ferri Chlor.....20 C.c.
Syr. Zingiberis.....30 C.c.
Aquæ.....150 C.c.

M.

Metric prescriptions to be transposed into terms of the customary apothecaries' weights and fluid measures.

165.

℞ Extr. Glycyrrh. Puri;.... 3 Gm
 Sacchari 3 Gm
 Acaciæ 3 Gm
 Tinct. Opii Camph. 12 C.c.
 Vini Antimon. 6 C.c.
 Spir. Ætheris Nitrosi 3 C.c.
 Aquæ 70 C.c.

M.

166.

℞ Creasoti 1 C.c.
 Acidi Hydrocyan. Dil. 1 C.c.
 Acaciæ 10 Gm
 Sacchari 10 Gm
 Aquæ q. s. ad 60 C.c.

M.

167.

℞ Magnesii Carb. 5 Gm
 Tinct. Asafoetidæ 8 C.c.
 Tinct. Opii 1 C.c.
 Sacchari 10 Gm
 Aquæ q. s. ut f. 100 C.c.

M.

168.


℞ Chloroformi Purif. 8 Gm
 Camphoræ 2 Gm
 Vitelli Ovi 10 Gm
 Aquæ 80 C.c.

M.

169.

℞ Pot. et Sodii Tartr.,
 Magnes. Sulph. āā 20 Gm
 Aquæ Menthæ Pip. 200 C.c.

M. f. Sol.



Metric prescriptions to be transposed into terms of the customary apothecaries' weights and fluid measures.

170.

R̄	Extr. Bellad.	15 Gm
	Empl. Plumbi	50 Gm
	Empl. Hydrargyri	35 Gm

M. f. empl.

171.

R̄	Acidi Carbolici	1 Gm
	Unguenti	19 Gm

M. f. ungu.

172.

R̄	Bals. Peruv.	2 Gm
	Ungu. Resinæ	18 Gm

M. f. ungu.

173.

R̄	Acidi Borici	3 Gm
	Unguenti	17 Gm

M. f. ungu.

174.

R̄	Pot. Iodidi	3.60 Gm
	Sodii Hyposulphitis	0.30 Gm
	Aquæ Ebullientis	2 Gm
	Adipis Benzoinati	24 Gm

M.

175.

R̄	Iodi	1 Gm
	Pot. Iodidi	0.25 Gm
	Aquæ	0.50 Gm
	Adipis Benzoinati	25 Gm

M.

176.

R̄	Hydrarg. Ammoniat.	1 Gm
	Adipis Benzoinati	9 Gm

M.

Metric prescriptions to be transposed into terms of the customary apothecaries' weights and fluid measures.

177.

℞ Sulphuris,
 Olei Cadini āā 6 Gm
 Cretæ Præp..... 4 Gm
 Saponis Viridis,
 Petrolati..... āā 12 Gm
 M. f. ungu.

178.

℞ Olei Olivæ 70 C.c.
 Liquoris Calcis..... 30 C.c.
 M. f. linim.

179.

℞ Linim. Saponis Camph..... 200 C.c.
 Olei Terebinthinæ..... 50 C.c.
 M. f. linim.

180.

℞ Extr. Bellad..... 100 mGm
 Olei Theobromæ..... 10 Gm
 M. f. suppos. vi.

181.


℞ Pot. Bromidi..... 1 Gm
 Extr. Bellad..... 100 mGm
 Butyri Cacao..... 10 Gm
 M. f. supp. vi.

182.

℞ Tinct. Ferri Chlor..... 20 C.c.
 Pot. Chloratis..... 20 Gm
 Aquæ..... 300 C.c.
 M. f. gargarisma.

183.

℞ Extr. Bellad..... 0.20 Gm
 Morph. Sulph..... 0.15 Gm
 Olei Theobromæ..... q.s
 M. f. suppos. No. vi.



Metric prescriptions to be transposed into terms of the customary apothecaries' weights and fluid measures.

184.

℞ Iodoformi.....1 Gm
Olei Eucalypti.....0.25 Gm

M. f. suppos. urethrales No. iii.

185.

℞ Morph. Sulph.,
Extr. Bellad.....āā 100 mGm

M. f. suppos. rectales No. vi.

186.

℞ Acidi Carbolici.....400 mGm
Butyri Cacao.....12 Gm

M. f. suppos. vi.

187.

℞ Iodoformi.....600 mGm
Olei Theobromæ.....10 Gm

M. f. suppos. vi.

188.

℞ Pot. Permang.....3 Gm
Aquæ.....300 C.c.

M. f. gargarisma.

189.

℞ Pot. Chloratis.....15 Gm
Aquæ.....300 C.c.

M. f. gargarisma.

190.

℞ Plumbi Acetatis.....400 mGm
Extr. Opii.....200 mGm

M. f. suppos. No. vi.

191.

℞ Plumbi Acet.....5 Gm
Tinct. Opii.....10 C.c.
Aquæ.....250 C.c.

M. f. lotio.

Metric prescriptions to be transposed into terms of the customary apothecaries' weights and fluid measures.

192.

℞ Acidi Tannici.....2 Gm
 Aquæ.....300 C.c.
 M. f. collunarium.

193.

℞ Aluminis.....1 Gm
 Aquæ.....100 C.c.
 M. f. collyrium.

194.

℞ Acidi Tannici.....10 Gm
 Pot. Chloratis.....5 Gm
 Glycerini.....100 C.c.
 Aquæ.....200 C.c.
 M. f. gargarisma.

195.

℞ Zinci Sulphocarbollatis1,500 mGm
 Aquæ.....300 C.c.
 M. f. lotio.

196.


℞ Acidi Tannici20 Gm
 Glycerini80 C.c.
 M. f. lotio.

197.

℞ Sodii Thiosulphatis.....20 Gm
 Acidi Carbolici.....1 Gm
 Glycerini.....50 C.c.
 Aquæ.....50 C.c.
 M. f. lotio.

198.

℞ Zinci Sulph.....400 mGm
 Morph. Sulph.....100 mGm
 Boli Armen. Pulv.....800 mGm
 Aquæ.....100 C.c.
 M. f. injectio.





Metric prescriptions to be transposed into terms of the customary apothecaries' weights and fluid measures.

199.

℞ Tinct. Asafœtidæ 15 fGm
Decocti Amyli 600 fGm

M. f. enema.

200.

℞ Extracti Ergotæ 10 Gm
Aquæ Destillatæ 70 Gm
Glycerini 20 Gm
Acidi Salicylici 0.20 Gm

M.

PART V.

SPECIES, POWDERS, CONFECTIONS,
ELECTUARIES, BOLI, TROCHES
AND PASTÆ.

SPECIES.

201.

℞	Rad. Althææ Incisi	40 Gm
	Rad. Glycyrrh. Decort. Inc.	15 Gm
	Rad. Iridis Florent. Cont.	5 Gm
	Herbæ Tussilag. Concisæ	20 Gm
	Florum Verbasci Thapsi	10 Gm
	Fructus Illicii Cont.	10 Gm

M. f. species.

[German Breast Tea.]

202.

℞	Althææ Foliorum,	
	Malvæ Foliorum,	
	Meliloti Herbæ,	
	Matricariæ Florum,	
	Lini Seminorum	āā partes æquales


M. f. species.

[Ph. G.]

203.

℞	Gentianæ Incisæ,	
	Quassiaæ Rasæ,	
	Fructus Auranti Contusi,	
	Foliorum Aurantii Concisorum,	
	Florum Anthemidis,	
	Glycyrrhizæ	āā ʒss

M. f. species.



POWDERS.

204.

℞ Olei Cinnamomi.....1 Gm
 Sacchari.....50 Gm

M.

[Oleosaccharum Cinnamomi.]

205.

℞ Sacchari.....2 Gm
 Olei Limonis.....gtt.j

M. f. pulvis.

[Oleosaccharum Limonis.]

206.

℞ Flavedinem Fructus Aurantii Dulcis unius,
 Sacchari.....20 Gm

Tritura ut fiat pulvis.

207.

℞ Vanillæ.....1 Gm
 Sacchari.....9 Gm

M. f. pulvis.

[Codex.]

208.

℞ Vanillini.....2 Gm
 Alcohol.....q.s.
 Sacchari.....98 Gm

M. f. pulvis.

[Codex.]

209.

℞ Acaciæ.....gr. xxx
 Glycyrrh.....gr. xx
 Sacchari.....gr. x

M.

[Pulv. Gummosus; Ph.G.]

210.

℞ Jalapæ.....1 Gm
 Potassii Bitartratis.....2 Gm

M. f. pulvis.

[U.S.P.]

211.

℞ Tragacanthæ,
 Acaciæ,
 Amyli.....āā 1 Gm
 Sacchari 3 Gm

M. f. pulv.

[B.P.]

212.

℞ Amygd. Dulc. 8 Gm
 Sacchari..... 4 Gm
 Acaciæ 1 Gm

M. f. pulvis. Use this quantity to make 100 C.c.
 of Almond Milk.

[B.P.]

213.

℞ Cretæ Præparatæ..... 3 Gm
 Acaciæ 2 Gm
 Sacchari 5 Gm

M.

[U.S.P.]

214.

℞ Althææ 1 Gm
 Acaciæ 2 Gm
 Sacchari 2 Gm

M.

[Pulvis Gummosus; Ph. Su.]

215.

℞ Antimoni Oxidi 1 Gm
 Calcii Phosph. Præcip. 2 Gm

M. f. pulvis.


[James' Powder.]

216.

℞ Ipecac. 10 mGm
 Opii 10 mGm
 Sacch. Lactis..... 80 mGm

M. f. pulvis.

[U.S.P.]



217.

R Calomelanos 1 Gm
 Jalapæ 2 Gm

M.

218.

R Kino gr.xv
 Opii gr.j
 Cinnamomi gr.iv

M. f. pulv. n.

[B.P.]

219.

R Resinæ Guaiaci 1 Gm
 Sulphuris 5 Gm
 Potassii Bitartr. 10 Gm
 Sacchari 34 Gm

M.

220.

R Kermetis Mineralis 1 Gm
 Sacchari 9 Gm
 Pulveris Gummosi 30 Gm

M.

[Ph. Su.]

221.

R Cinnamomi 7 Gm
 Zingiberis 7 Gm
 Cardamomi 3 Gm
 Myristicæ 3 Gm

M. f. pulvis.

[B. P.]

222.

R Sennæ 9 Gm
 Glycyrrhizæ 3 Gm
 Fœniculi 4 Gm
 Sulphuris Loti 4 Gm
 Sacchari 25 Gm

M. f. pulvis.

[Kurella's Powder.]

223.

R	Flavedinis Aurantii	1 Gm
	Fructuum Fœniculi	1 Gm
	Sacch. Lactis	1 Gm
	Magnesii Carb.	4 Gm

M. f. pulvis.

[Ph. Su.]

224.

R	Rhei	5 Gm
	Magnesiæ	13 Gm
	Zingiberis	2 Gm

M. f. pulvis.

[U. S. P.]

225.

R	Magnesiæ Pond	℥vj
	Rhei	℥iij
	Olei Anisi	℥xl
	Alcohol	f℥j

M. f. pulvis.

[Comp. Anise Powder.]

226.

R	Morph. Sulph	gr.ij
	Camphoræ	℥j
	Glycyrrhizæ	℥j
	Calcii Carb. Præcip.	℥j

M. f. pulv. xij.

[Tully's Powder.]

227.

R	Cinnamomi	400 mGm
	Myristicæ	300 mGm
	Croci	300 mGm
	Caryophylli	150 mGm
	Cardamomi	100 mGm
	Sacchari	2,500 mGm
	Cretæ	1,250 mGm

M. f. pulvis.

[B. P.]





228.

℞	Myricæ Corticis.....	12 Gm
	Zingiberis.....	6 Gm
	Capsici.....	1 Gm
	Caryophylli.....	1 Gm

M. f. pulvis.

[“Composition Powder.”]

229.

℞	Sodii Bicarbonatis.....	2 Gm
	Acidi Tartar.....	1.80 Gm
	Sacchari.....	4 Gm

M.

[Ph. G.]

230.

℞	Magnesii Carb.....	1 Gm
	Acidi Tartarici.....	2 Gm
	Potassii Nitratis.....	10 Gm
	Sacchari.....	30 Gm

M. f. pulvis.

[Ph. Su.]

231.

℞	Olei Menthæ Pip.....	1 Gm
	Sacchari.....	200 Gm

Contritris admiscetur

	Magnesii Carb.....	50 Gm
	Acidi Tartarici.....	50 Gm

M. f. pulvis.

[Ph. Su.]

232.

℞	Cocainæ Hydrochloratis.....	gr.iss
	Caffææ Tostæ,	
	Sacchari Albi.....	āā gr. l

M. f. pulvis.

233.

℞	Sodii Boratis.....	3 Gm
	Sodii Benzoatis.....	4 Gm

M.

234.

	GRAMMES.
℞ Tinct. Aconiti.....	065
Morph. Sulph.	0025
Ant. et Pot. Tartr.....	005
Magnesii Sulph.....	8

M. f. pulvis.

235.

℞ Carbonis Veget.	200 Gm
Cinch. Pallidæ	100 Gm
Olei Menthæ Pip.....	1 Gm

M. f. pulv. S. Tooth-Powder.

[Codex.]

236.

℞ Camphoræ.....	10 Gm
Calcii Carb. Præcip.	90 Gm

M. f. pulvis subtilissimus. S. Tooth-Powder.

[Codex.]

237.

℞ Potassii Bitartr.....	200 Gm
Sacch. Lactis.....	200 Gm
Carmini.....	400 mGm
Olei Menthæ Pip.....	1 Gm

M. f. pulvis. S. Tooth-Powder.

[Codex.]

238.

℞ Calcii Carb. Præcip.	100 Gm
Magnesii Carb.	100 Gm
Cinchonæ Pallidæ	100 Gm
Olei Menthæ Pip.....	1 Gm

M. f. pulvis. S. Tooth-Powder.


[Codex.]


239.

℞ Iodoformi.....	25 Gm
Cumarini.....	1 Gm

M.

[' Deodorized Iodoform.']





240.

℞ Cocainæ Hydrochlor. gr.ij
 Acaciæ ʒij
 Bismuthi Subnitr. ʒvj

M. f. pulvis.

S. To be used as a Catarrh Snuff.

[N.F.]

241.

℞ Iodoformi,
 Lycopodii āā ʒij

M.

242.

℞ Zinci Oleatis,
 Pulv. Talci āā ʒj

M.

243.

℞ Acidi Salicyl gr.ij
 Amyli gr.x
 Talci gr.lxxxvij

M.

[Ph. G.]

244.

℞ Saloli ʒiv
 Amyli ʒj

M.

245.

℞ Coccionellæ,
 cum guttis aliquot solutionis acidi cit-
 rici tritæ, 10 Gm
 Iridis Florent. Rhizomatis 100 Gm
 Potassii Bitartr. 300 Gm
 Commixtis additur mistio parata ex
 Olei Caryophylli 5 Gm
 Myrrhæ 100 Gm
 Kino 100 Gm

M. f. pulvis. S. Tooth-Powder.

[Ph. Su.]

246.

℞ Pulv. Acidi Tannici.....ʒj
 Pulv. Acidi Borici.....ʒiij
 M.

247.

℞ Iodoformi.....ʒss
 Sacchari Lactis.....ʒiij
 M.

248.

℞ Iodoformi.....2 Gm
 Acidi Borici.....3 Gm
 aphthalini5 Gm
 Olei Bergamii.....gtt.x
 M. f. pulvis.
 [N. F.]

249.

℞ Iodoformi,
 Acaciæ.....āā 2
 Cocainæ Hydrochlor......065
 M.

250.

GRAMMES.

℞ Cocainæ Hydrochlor.... | 01
 Sacchari :..... | 5
 M.

251.


℞ Pulv. Benzoini,
 Bismuthi Salicylatis......āā ʒiiss
 Quininæ Sulphatis.....gr.xxx
 M.

252.

℞ Hydrargyri Chloridi Mitis Lævigati.....ʒij
 Detur in scatula.

253.

℞ Lactucarii.....ʒj
 Div. in pulv. vi.



254.

R Sodæ,
Calcis.....āā 10 Gm

M.

["London Paste." N. F.]

255.

R Pulv. Carbonis Ligni,
Pulv. Quininæ Sulphatis,
Pulv. Myrrhæ.....āā partes æquales

M.

256.

R Triturationis Morphinæ Sulphatis..... gr.x
Div. in pulv. vi.

257.

R Hydrargyri Cum Creta.....gr.iv
Sacchari Lactis..... ℥j

M. In pulv. No. xii div.

258.

R Potassii Iodidi..... ℥j
In pulv. No. xii div.

259.

R Hydrargyri Chloridi Mitis.....gr.v
Sodii Bicarbonatis..... ℥ij

Misce et fiant chartulæ No. x.

260.

R Tinct. Opiigttxx
Sacchari5 Gm

M. f. pulv. No. x.

261.

R Strychninæ.....gr. $\frac{1}{2}$
Sacch. Lactis.....gr.xx

M. f. pulv. xx.

262.

R Aconitinæ......003 Gm
Sacchari.....4. Gm

M. f. pulv. xii.

263.

℞ Elaterini gr. ss
 Sacch. Lactis gr. xx
 M. div. in pulv. xx.

[B.P.]

264.

℞ Antimonii et Potassii Tartratis gr. ij
 Pulveris Scillæ ℥j
 Potassii Sulphatis ℥ ss
 Potassii Bitartratis ℥ iss
 M. Fiat pulvis et divide in partes æquales
 No. xx.

265.

℞ Extr. Belladonnæ gr. j
 Sacchari gr. x
 M. f. pulv. viii.

266.

℞ Extr. Hyoscyami gr. vj
 Sacchari Lactis gr. x
 M. f. pulv. No. vi.

267.

℞ Lactucarii ℥j
 Sacchari ℥ ij
 M. f. pulv. vi.


268.

℞ Extr. Aconiti,
 Antim. Sulphureti
 Præcipitati āā gr. j
 Magnesiae Carb. ℥ ss
 Tere simul ut fiat pulvis.

269.

℞ Cambogiæ Contritæ gr. iij
 Sacchari ℥ j
 Tere optime simul ut fiat pulvis, tertia quaque
 hora sumendus, donec alvus commode pur-
 getur.





270.

℞ Ferri Ammoniat. gr.v
 Rhei Rad. Contrit. gr.iiij
 Fiat pulvis ex quolibet vehiculo idoneo quotidie
 sumendus.

271.

℞ Bismuthi Subnitr. gr.ij
 Catechu gr.iss
 Morph. Hydrochlor. gr.j
 M. f. pulv. xvi.

272.

℞ Pulveris Ipecacuanhæ gr.vj
 Pulveris Myrrhæ gr.xij
 Potassii Nitratis 3ss
 Misce et divide in partes vi.

273.

℞ Antimonii et Potassii Tartratis,
 Morphinae Sulphatis, āā gr.j
 Hydrargyri Chloridi Mitis gr.iiij
 Potassii Nitratis 3j
 Misce et fiant chartulæ No. xii.

274.

℞ Tinct. Opii 1 Gm
 Plumbi Acet. 1 Gm
 Sacchari 2 Gm
 M. f. pulv. vi.

275.

℞ Potassii Chloratis gr.iv
 Sulph. Præcip. gr.vj
 Ant. Sulphurati gr.j
 Zinci Valer, gr.j
 Sacchari gr.x
 M. f. pulv. ii.

276.

℞ Calomelanos,
 Bism. Subnitr. āā gr.x
 M. f. pulv. xx.

277.

℞ Plumbi Acet. gr.vj
 Hydrarg. Iodidi Rubri..... gr.j
 Morph. Sulph. gr.ss
 M. f. pulv. vi.

278.

℞ Calomel gr.x
 Bism. Subnitr..... gr.xx
 Sodii Bicarb. gr.tr
 M.

279.

℞ Calomel gr.x
 Pot. et Ant. Tartr. gr.x
 Sacchari..... gr.o.
 M.

280.

℞ Calomel gr.iiij
 Pot. Chloratis..... gr.v
 M.

281.

℞ Sodii Sulph.,
 Potassii Citr..... āā ʒj
 M.

282.


℞ Sodii Acetatis,
 Magnesii Sulphatis..... āā 15 Gm
 M. f. pulvis.

283.

℞ Potassii Tartratis,
 Sodii Sulphatis..... āā ʒiv
 M. f. pulvis.

284.

℞ Hydrarg. Subchlor gr.ij
 Sacchar. alb gr.x
 Misce. Fiat pulv. 8. i omnis 3 horis.



285.

- ℞ Salol,
 Sacchari Lactis.....āā ʒiij
 M. In pulv. No. XII div.

286.

- ℞ Bism. Subnitr.....ʒij
 Sodii Hypophosphitis.....ʒiss
 Extr. Nuc. Vom.....gr.vj
 M. f. pulv. xxix.

287.

- ℞ Potassii Chloratis.....ʒiv
 Acidi Tannici.....ʒj
 M. f. pulv. S. Dissolve in half a pint of water and
 use as a gargle.

288.

- ℞ Hydrargyri Ammoniati.....gr.ivss
 Sacchari Albiʒss
 Misce et fiat pulvis et detur in scatula.

289.

- ℞ Morph. Sulph.....0.12 Gm
 Atrop. Sulph.....0.06 Gm
 Sacch. Albi.....1 Gm
 M. f. Pulv. x.
 S. One every three hours.

290.

- ℞ Calomel.....gr.iiij
 Sodii Bicarb.....gr.x
 Sacchari.....gr.x
 M.

291.

- ℞ Hydrarg. Iodidi.....gr.iiij
 Pot. Chloratis.....gr.xv
 M. f. pulv. xii.

292.

- ℞ Granulated efferv. lithii citrat.....ʒiv
 Dr.

293.

℞ Ammonii Chloridi.....gr.xxij

Sig. To be taken thrice daily in a glass of fresh milk.

294.

℞ Magnesii Sulphatis.....℥viiij

In pulv. No. viii div.

Sig.: A powder in two table-spoonfuls of water before food, and no fluids for some time afterward.

295.

℞ Plumbi Acetatis.

Zinci Sulphatis.... āā 2 Gm

M. f. pulv.

S. To be dissolved in a tumblerful of water and used as directed.

296.

℞ Quininæ Sulphatis.....gr.ij

Ammonii Carbonatis.....gr.iv

Misce et fiat chartula.

297.

℞ Pulv stramonii fol.,

Pulv. belladonnæ fol.....āā℥j

Pulv. potass. nit.....℥iss

Pulv. opii.....gr.xv

M.

298.

℞ Magnesii Sulphatis.....℥ij

Sodii et Pot. Tartr.... ℥j

Acidi Tartarici.....gr.xl

M. Sig.: Dissolve in a glass of water, and drink, an hour before breakfast.

CAPSULES, ETC.

299.

℞ Ext. Cannabis Indicæ℥ij

Sig: A teaspoonful every hour or two, as required. (*For restlessness.*)



300.

- ℞ Terpinol.,
 Sodii Benzoatis.....āā gr.xv
 Sacchari Albiq.s.
 M. In capsulas No. x div.

301.

- ℞ Salol,
 Oleores. Cubebæ,
 Copaibæ,.....āā ℥j
 Aluminis,℥iv
 Pepsinæ Sacch.,℥ss
 Ol. Gaultheriæ,.....gtt.x
 M. Capsul. No. xx.

302.

- ℞ Extracti Belladonnæ.....gr.iv
 Olei Terebinthinæ.....f℥ij
 Olei Theobromæ.....q.s.
 M. fiat capsulæ No. xii.

303.

- ℞ Ol. Terebinth.....℥ss
 Camphorægr.xv
 Ext. Hyoscyami.....gr.ss
 Fiat Massa.

Sig. Take a piece the size of a cherrystone
 morning and evening.

CONFECTIONS.

304.

- ℞ Pulv. Resinæ Guaiaci,℥j
 Pulv. Rhei,℥ij
 Potassii Bitartratis,
 Sulphuris Sublimati,āā ℥j
 Pulv. Nucis Moschatae,℥ij
 Mellis℥xvj

M. f. elect.

Sig.: Two tablespoonfuls night and morning.

305.

℞ Sennæ.....10 Gm
 Syrupi.....40 Gm
 Pulpæ Tamarindorum50 Gm

M. f. elect.

[Ph.G.]

306.

℞ Sulphuris Subl.....℥j
 Potassii Bitartr.℥ij
 Syr. Aurantii.....℥j
 Tragacanthægr.v

M. f. conf.

[B.P.]

307.

℞ Pulv. Stanni℥iij
 Conf. Rosæ.....℥ss
 Syrupiq.s.

M. f. elect.

Capiat coch, ampl. quotidie mane, et repetatur
 dosis ad tres vices, et deinde capiat æger
 haustum aliquem purgantem.

308.

℞ Piperis℥ij
 Cari.....℥iij
 Mellis℥xv

M. f. conf.

[B.P.]

BOLI.

309.


℞ Moschigr.xv
 Camph.gr.v
 Spir. Rectific.....℥ij
 Conf. Rosæq.s.

M. f. bolus.

310.

℞ Carbonis Animalis.....gr.iij
 Ammonii Chloridi℥j
 Extracti Conii.....gr.ij
 Pulveris Glycyrrhizæq.s.

Fiat bolus.



PASTÆ.

311.

℞ Acidi Arsenosi gr.ij
 Morphinae Sulphatis gr.j
 Creasoti q.s.

M. pasta.

312.

℞ Pulv. Acidi Arsenosi,
 Iodoformi partes æq.
 Sol. Acidi Carbolici (5 per cent.) q.s.

M. f. pasta.

313.

℞ Acidi Arsenosi,
 Pulv. Acaciæ āā ʒj
 Aquæ fʒv

M. f. pasta.

314.

℞ Pulv. Acidi Arsenosi,
 Cocainæ Hydrochloratis, āā gr.xxx
 Menthol Crystall. gr.viiss
 Glycerini q.s.

M.f. pasta.

315.

℞ Barii Sulphidi gr.x
 Amyli,
 Zinci Oxidi, āā gr.v
 Aquæ, q.s.

M.

316.

℞ Zinci Chloridi ʒij
 Pulveris Radicis Althææ ʒvj
 Aquæ Destillatæ q.s.

M. f. pasta.

317.

℞ Acidi Sulphurici,
 Pulv. Carbonis Ligni āā q.s.

M. f. pasta.

318.

℞ Zinci Chloridi,
 Antimonii Chloridi āā ʒj
 Pulv. Iridis Florentinæ Radicis gr.x
 Acidi Hydrochlorici Puri ℥x
 M.

TROCHES.

319.

℞ Oleores. Cubebæ 325 mGm
 Olei Sassafras 100 mGm
 Extr. Glycyrrh 2,600 mGm
 Acaciæ 1,300 mGm
 Syr. Tolut. q. s.
 M. f. troch. x.

[U.S.P.]

320.

℞ Ipecac gr.iiss
 Tragacanthæ gr.iiss
 Sacchari gr.c.
 Syr. Aurantii q.s.
 M. f. troch. x.

[U.S.P.]

321.


℞ Morph. Sulph 16 mGm
 Ipecac 50 mGm
 Sacchari 650 mGm
 Olei Gaultheriæ 6 mGm
 Mucil. Tragac q.s.
 M. f. troch. x.

[U.S.P.]

* 322.

℞ Acidi Tannici 650 mGm
 Sacchari 6,500 mGm
 Tragacanthæ 160 mGm
 Aquæ Aurantii Florum q.s.
 M. f. troch. x.

[U.S.P.]



323.

R̄	Catechu.....	gr.xij
	Sacchari.....	gr.cxx
	Tragacanthæ.....	gr.iiij
	Aquæ Aurantii Florum.....	q.s.

M. f. troch. xii.

[U.S.P.]

324.

R̄	Extr. Krameriæ.....	gr.xij
	Sacchari.....	gr.cxx
	Tragacanthæ.....	gr.iiij
	Aquæ Aurantii Florum.....	q.s.

M. f. troch. xii.

[U.S.P.]

325.

R̄	Extr. Glycyrrh.....	1,300 mGm
	Extr. Opii.....	32 mGm
	Acaciæ.....	1,300 mGm
	Sacchari.....	2 Gm
	Olei Anisi.....	20 mGm

M. f. troch. x.

[U.S.P.]

326.

R̄	Terebeni.....	gr.ccxxv
	Pulv. Acaciæ.....	3iv
	Aquæ.....	3xv
	Pulv. Sacchari Albi.....	3xlvi
	Pulv. Tragacanthæ.....	3ij

M. f. trochisci No. c.

S. One three times daily.

327.

R̄	Tinct. Zingiberis.....	gr.xx
	Tragacanthæ.....	gr.v
	Sacchari.....	gr.cc
	Syrupi Zingiberis.....	q.s.

M. f. troch. x.

[U.S.P.]

328.

℞ Sodii Santoninatis.....gr.x
 Sacchari.....gr.ꝰꝰ
 Tragacanthæ.....gr.v
 Aquæ Aurantii Florum.....q.s.

M. f. troch. x.

[U.S.P.]

329.

℞ Cretæ Præpar.....gr.xlviiij
 Acaciæ.....gr.xij
 Myrist.....gr.xviiij
 Sacchari.....gr.lxxij

M. f. troch. xii.

[U.S.P.]

330.

℞ Potassii Chloratis.....gr.l
 Sacchari.....gr.ꝰꝰ
 Tragacanthæ.....gr.x
 Spir. Limonis.....gr.iiij

M. f. troch. No. x.

[U.S.P.]

331.

℞ Sodii Bicarb.....ʒss
 Sacchari.....ʒiiss
 Myristicæ.....gr.iiss
 Mucil. Tragac.....q.s.

M. f. troch. x.

[U.S.P.]

332.

℞ Ammonii Chloridi.....gr.xx
 Sacchari.....gr.ꝰ
 Tragacanthæ.....gr.iiss
 Syr. Tolut.....q.s.

M. f. troch. x.


[U.S.P.]

333.

℞ Olei Menthæ Pip.....gr.iiss
 Sacchari.....gr.ꝰꝰ
 Mucil. Tragac.....q.s.

M. f. troch. x.

[U.S.P.]



334.

℞ Magnesiae..... 2 Gm
Myristicæ..... 100 mGm
Sacchari..... 6 Gm
Mucil. Tragac..... q.s.

M. f. troch. x.

[U.S.P.]

335.

℞ Ferrici Hydratis in temp. graduum
+ 80 Sicci..... gr. D
Vanillæ..... gr. X
Sacchari..... gr. MD

M. f. troch. c.

[U.S.P.]

PART VI.

PILLS, ETC.

336.

℞ Extr. Rhamni Pursh.....gr.xxiv
F. pil. xii.

337.

℞ Extr. Hyoscyami.....1 Gm
Ulmi.....q.s.
M. f. pil. xxx.

338.

℞ Extr. Taraxaci.....2 Gm
Amyli.....q.s.
M. f. pil. xii.

339.

℞ Extr. Nuc. Vom.....gr.vj
Extr. Hyoscyami.....gr.xxiv
Ipecac.....gr.vj
M. f. pil. xii.


340.


℞ Extr. Bellad.....100 mGm
Extr. Stramonii.....120 mGm
Extr. Cannab. Ind.....150 mGm
Extr. Aconiti Fol.....200 mGm
Extr. Opii.....300 mGm
Extr. Ignatiæ.....300 mGm
Extr. Conii Fol.....400 mGm
Extr. Hyoscyami.....400 mGm
M. f. pil. x.

341.

℞ Aloes.....1 Gm
Mellis.....q.s.
M. f. pil. x.

[Codex.]





342.

℞ Aloes,
 Mastiches.....āā gr.xviij
 Ipecac.....gr.xij
 Olei Fœniculi.....℥ iiij

M. f. pil. xii.

[Chapman's Dinner Pill.]

343.

℞ Aloes,
 Saponis,
 Glycyrrhizæ.....āā gr.vj

M. f. pil. vi.

344.

℞ Aloes,
 Extr. Glycyrrh.,
 Saponis,
 Syrupi Fuscii.....āā gr.xij

M. f. pil. xii.

[Hall's Dinner Pill.]

345.

℞ Opii.....gr.ij
 Extr. Aloes.....gr.x

M. ut f. massa in pil. iij div. e quibus sumatur
 una h. s.

346.

℞ Aloes Barbad.....gr.xvj
 Saponis.....gr.viiij
 Olei Cari.....℥ j
 Conf. Rosæ.....gr.viiij

M. f. pil. xvi.

[B. P.]

347.

℞ Aloes Purif.....2 Gm
 Mastiches.....500 mGm
 Rosæ Gallicæ.....500 mGm

M. f. pil. xvi.

[“Lady Webster's Dinner Pills.”]

348.

℞ Aloes Purific,
 Saponis.....āā 3 Gm
 M. f. pil. xxiv.

[U.S.P.]

349.

℞ Aloes Purif.....2 Gm
 Myrrhæ.....1 Gm
 Pulv. Arom.....500 mGm
 Syrupi.....q.s
 M. f. pil. xvi.

[U.S.P.]

350.

℞ Aloes Purific,
 Asafoetidæ,
 Saponis.....āā 1 Gm
 M. f. pil. xii.

[U.S.P.]

351.

℞ Aloes,
 Cambogii,
 Pulv. Arom.....āā 1 Gm
 Saponis.....2 Gm
 Syrupi.....q.s.
 F. pil. No. xxx.

[B.P.]

352.

℞ Aloes.....1 Gm
 Cambogii.....1 Gm
 Ammoniaci.....1 Gm
 Acidi Acet. Dil.....6 Gm
 M. f. massa e qua formentur pil. No. xx.

[Codex.]

353.

℞ Aloes.....gr.xxiv
 Massæ Hydrarg.....gr.xij
 Resinæ Podophylli.....gr.iiij
 M. f. pil. xii.

[N. F.]



354.

R	Aloes.....	gr.xij
	Resinæ Podophylli.....	gr.vj
	Extr. Bellad. Alc.....	gr.iiij
	Extr. Nuc. Vom.....	gr.iiij

M. f. pil. xii.

[Jayneway's Pills.]

355.

R	Aloes.....	gr.xlviiij
	Saponis.....	gr.viiij
	Colocynthis.....	gr.ij
	Cambogii.....	gr.ij
	Olei Anisi.....	gr.j

M. f. pil. xx.

[Anderson's Scot's Pills.]

356.

R	Extr. Colocynth.....	gr.ij
	Aloes.....	gr.xxiv
	Resinæ Scammonii.....	gr.xxiv
	Olei Caryophylli.....	℥ iiij

M. f. pil. xii.

[N. F.]

357.

R	Extr. Coloc. Comp.....	℥j
	Opii.....	gr.iiij
	Olei Nucis Moschatae.....	℥ iv

F. pil. xii.

S. Capiat duas omni hora donec bis dejecerit alvus.

358.

R	Extr. Colocynth.....	gr.ij
	Aloes.....	gr.xxx
	Resinæ Scammonii.....	gr. xxx
	Olei Caryophylli.....	℥ iiij
	Extr. Hyoscyami.....	gr.xxx

M. f. pil. xx.

[N. F.]

359.

℞ Pulpæ Coloc. Pulv.....gr.xx
 Aloes Barbad.....gr.xl
 Resinæ Scammonii.....gr.xl
 Potass. Sulphatis.....gr.v
 Olei Caryophylli.....℥v
 Aquæ.....q.s.

M. f. pil. xxxvi.

[B. P.]

360.

℞ Aloes,
 Scammonii,
 Massæ Hydrarg.....āā gr.xvj
 Olei Tiglii.....℥.j
 Olei Cari.....℥.v
 Tinct. Aloes et Myrrhæ :... q.s.

M. f. pil. xx.

[Dr. Francis' Triplex Pills.]

361.

℞ Aloini.....gr.vj
 Resinæ Podophylligr.iss
 Extr. Belladgr.iiij

M. f. pil. xii.

[N.F.]

362.

℞ Aloinigr.iiss
 Strychninægr. $\frac{1}{10}$
 Extr. Bellad. Alc.gr.iss

M. f. pil. xii.

[N.F.]

363.

℞ Extr. Coloc. Comp.....℥j
 Aloes.....gr.x
 Extr. Nuc. Vom.....gr.v
 Resinæ Podophylli,
 Ipecac.....āā gr.j
 Extr. Hyoscyamigr.xv

M. f. pil. xii.

[Barker's Post Partum Pills.]



364.

R	Aloini.....	gr.iss
	Strychninæ.....	gr. $\frac{1}{10}$
	Extr. Bellad. Alc.....	gr.iss
	Extr. Rhamni Pursh.....	gr.vj

M. f. pil. xii.

[N.F.]

365.

R	Extr. Coloc. Comp.....	℥ss
	Resinæ Podophylli.....	gr.ijj

M. f. pil. xii.

[N.F.]

366.

R	Extr. Coloc. Comp.....	.650 mGm
	Abstracti Jalapæ.....	.500 mGm
	Hydrarg. Chloridi Mitis.....	.500 mGm
	Cambogii.....	.125 mGm

M. f. pil. viii.

[U.S.P.]

367.

R	Extr. Coloc. Comp.....	gr.xij
	Resinæ Podophylli,	
	Extr. Leptandræ.....	āā gr.ijj
	Abstracti Jalapæ,	
	Extr. Hyoscyami,	
	Extr. Gentianæ.....	āā gr.vj
	Olei Menthæ Pip.....	℥.iss

M. f. pil. xii.

[“Improved Veg. Cathart. Pills.”]

368.

R	Rhei.....	2 Gm
---	-----------	------

F. pil. vi.

369.

R	Rhei.....	3 Gm
	Saponis.....	1 Gm

M. f. pil. xvi.

[U.S.P.]

370.

℞ Aloes,
 Rhei.....āā 1Gm
 M. f. pil. xii.

371.

℞ Rhei.....gr.xxiv
 Aloes.....gr.xij
 Calomel.....gr.ij
 Ant. et Pot. Tartr.....gr.j
 M. f. pil. xii.

[Dr. Mitchell's Aperient Pills.]

372.

℞ Jalapæ,
 Rhei,
 Aloes.....āā 1Gm
 Alcohol.....gtt.5
 Syrupi.....q.s.
 M. f. pil. xv.

373.

℞ Rhei.....5 Gm
 Jalapæ.....3 Gm
 M. f. pil. xxiv.

374.


℞ Jalapæ,
 Rhei,
 Aloes,
 Saponis.....āā 1 Gm
 Alcohol,
 Syrupi.....āā q.s.
 M. f. pil. xvi.

375.

℞ Rhei.....4 Gm
 Ipecac.....1 Gm
 M. f. pil. xvi.

376.

℞ Rhei.....2 Gm
 Zingiberis.....200 mGm
 Mellis.....1 Gm
 M. f. pil. xii.



377.

℞ Rhei ℥ij
 Ipecac gr.viiij
 Olei Cari ℥.vj
 Mucil. Acaciæ q.s.

M. f. pil. xii.

[Dr. Chapman's Liver Pills.]

378.

℞ Ammoniæ Subcarb. gr.v
 Extr. Phei gr.viiij

Fiat massa in pil. binas dividenda.

379.

℞ Aloes,
 Massæ Hydrarg,
 Jalapæ āā ℥j
 Ant. et Pot. Tartr gr.j

M. f. pil. XLVIII.

[Cole's Dinner Pills.]

380.

℞ Pil. Hydrarg gr.xij
 Extr. Nuc. Vom. Fl.,
 Extr. Bellad. Fl. āā gtt.iv
 Podophyllini gr.j

M. f. pil. iv.

381.

℞ Pilulæ Massæ Hydrargyri gr.x
 Morphinæ Sulphatis gr.j
 Acidi Tannici ℥j
 Mucilaginis Acaciæ q.s.

M. Divide in pilulas x.

382.

℞ Opii 1 Gm
 Saponis 250 mGm

M. f. pil. xvi.

[U.S.P.]

383.

℞ Camphoræ 1 Gm
 F. pil. xii.

384.

℞ Opii.....1 Gm
 Styracis Liquidī.....2 Gm
 Glycyerrhizæ.....3 Gm
 M. f. pil. l.

[Ph. Su.]

385.

℞ Pulveris Opii.....gr.xij
 Fellis Bovini Inspissati.....᠐iiss
 Fiat massa in pilulas No. xxiv dividenda.

386.

℞ Acidi Tannici.....᠐j
 Opii.....᠐ij
 Glycerini.....gtt xij
 M. f. pil. xl.

387.

℞ Opii,
 Plumbi Acet.....āā gr.xij
 M. f. pil. xii.

[N.F.]

388.

℞ Plumbi Acet.....3 Gm
 Opii.....500 mGm
 Conf. Rosæ.....500 mGm
 F. pil. xxx.

[B.P.]


389.

℞ Opii.....gr.xij
 Camphoræ.....gr.xxiv
 M. f. pil. xii.

[N.F.]

390.

℞ Pulv. Opii,.....gr.v
 Pulv. Camphoræ,.....᠐iv
 Pulv. Acaciæ,
 Syr. Simplicis,.....āā q.s.
 M. f. massa; divide in pil. No. xl.



391.

℞ Opii 1 Gm
 Camphoræ 1.50 Gm
 Saponis Pulveris 0.50 Gm
 Aquæ q.s.
 M. f. pil. xxx.

392.

℞ Opii 1 Gm
 Camphoræ,
 Saponis āā 2 Gm
 Syrupi q.s.
 M. f. pil. xxiv.

393.

℞ Camphoræ gr.xxiv
 Opii gr.vj
 Alcohol ℥vj
 Conf. Rosæ q.s.
 M. f. pil. xii.

394.

℞ Plumbi Acet. gr.xvj
 Camphoræ gr.xij
 Opii gr.iiij
 Bismuthi Subnitr. gr.xij
 Extr. Gentianæ q.s.
 M. f. pil. xii.

[Wm. Thompson's Diarrhœa Pills.]

395.

℞ Opii 1 Gm
 Saponis 4 Gm
 Glycerini q.s.
 M. f. pil. xvi.

[B.P.]

396.

℞ Camphoræ gr.xij
 Saponis gr.iiij
 Olei Ricini gtt iv
 M. f. pil. vi.

397.

℞ Extr. Hyoscyami 1 Gm
 Camphoræ 300 mGm
 M. f. pil. xvi.

398.

℞ Morphinæ Sulphatis gr.ss
 Hydrarg. Chloridi Mitis gr.j
 Pulv. Camphoræ ℥j
 Mucil. Acaciæ q.s.
 M. f. massa et in pil. No. xii div.

399.

℞ Lupulini,
 Camphoræ āā gr.x
 M. f. pil. x.

400.

℞ Terebinthinæ (Strassbourg),
 Magnesii Carb. āā 1 Gm
 M. f. pil. v.

401.

℞ Lupulini gr.x
 Pulv. Camphoræ gr.vj
 Extr. Belladonnæ gr.ij
 M. et in pil. No. xii div.

402.

℞ Thymol, ℥j
 Ft. massa et in pil. No. xxiv div.

403.

℞ Asafœtidæ 3 Gm
 Saponis 1 Gm
 M. f. pil. xvi.

[U.S.P.]

404.

℞ Galbani 1,500 mGm
 Myrrhæ 1,500 mGm
 Asafœtidæ 500 mGm
 Syrupi q.s.
 M. f. pil. xvi.

[U.S.P.]





405.

℞ Resinæ Scammonii	1 Gm
Resinæ Jalapæ	1 Gm
Saponis Animalis	1 Gm
Extr. Zingib. Fl.	1 C.c.
Alcohol	2 C.c.

M. f. pil. xxiv.

[B.P.]

406.

℞ Lupulini	5j
Camph.	gr. xv
Tereb. Venetæ	3ij

M. f. pil. cxx.

[Codex.]

407.

℞ Picis Liquidæ	
Anisi	āā ʒiiss
Magnesia	q.s.

M. f. pil. c.

408.

℞ Cubebæ	3 Gm
Copaibæ	2 Gm
Ceræ Flavæ	1 Gm

M. f. pil. xx.

409.

℞ Bals. Peruv.	3 Gm
Ceræ Flavæ	1 Gm

M. f. pil. xx.

410.

℞ Olei Terebinth.	fʒj
Magnesii Carb.	ʒss
Ceræ Albæ	gr. xij

M. f. pil. xxx.

411.

℞ Terpini Hydrat.	3i
------------------------	----

In pil. No xxx div.

412.

℞ Rhei.....2 Gm
 Aloes Purific.....1,500 mGm
 Myrrhæ.....1 Gm
 Olei Menthæ Pip.....100 mGm
 M. f. pil. xvi.

[U.S.P.]

413.

℞ Pulv. Cantharidis.....gr.iiij
 Olei Terebinth.....℥j
 M. f. pil. No. xii.

414.

℞ Rhei,
 Zingiberis,
 Olei Carui.....āā 1 Gm
 M. f. pil. xii.

415.

℞ Potassæ Sulphureti.....gr.xv
 Saponis.....℥j
 Bals. Peruv.....q.s.
 F. pil. xxx. Sum. iii quarta quaque hora.

416.


℞ Sodæ Carbonatis.....℥j
 Saponis.....℥iv
 Olei Juniperi.....℥.xv
 Syr. Zingiberis.....q.s.
 M. f. pil. xxx.

417.

℞ Ferri. Sulph. Exsicc.....5 Gm
 Extr. Aloes Aquosi.....4 Gm
 Olei Sabinæ.....3 Gm
 M. f. pil. lx.

418.

℞ Strychn. Sulph.....gr.j
 Acidi Carbolici.....℥ss
 Extr. Aloes.....℥j
 M. f. pil. xx



419.

- ℞ Olei Copaibæ,
 Olei Cubebæ,
 Olei Santali Flavi.....āā ʒj
 Magnesiae.....ʒij

Misce et fiant pilulæ No. LX.

420.

- ℞ Olei Eucalypti.....gtt.c
 Piperini,
 Ceræ Albæ.....āā ʒj
 Pulv. Althææ.....ʒij

M. f. massa et in pil. No. c div.

421.

- ℞ Olei Crotonis.....gtt vj
 Saponis Animalis.....1 Gm
 Glyceriti Tragac,
 Farinæ Tritici.....āā q.s.

M. f. pil. vi.

422.

- ℞ Olei Tiglii.....℥v
 Saponis,
 Pulveris Acaciæ.....āā ʒj

Misce et fiant pilulæ No. xx.

423.

- ℞ Olei Tiglii.....gtt. vj
 Micæ Panis.....q.s.

Ft. massa et in pil. No. vi div.

424.

- ℞ Olei Tiglii.....gtt.viiij
 Elaterii.....gr. j
 Micæ Panis.....q.s.

M. f. massa in pil. No. viii div.

425.

- ℞ Pil. Scillæ Comp.,
 Pil. Colocynth. Comp.....āā ʒij
 Olei Tiglii.....℥vj

M. f. massa et in pil. No. xviii div.

426.

℞ Olei Tiglii.....gtt.v
 Olei Caryophylli.....gtt.ij
 Micæ Panis.....q.s.

Misce et fiant pilulæ No. v.

427.

℞ Scillæ,
 Extr. Coloc. Comp.āā gr.ij
 Olei Tiglii.....℥j

M. f. pil. iii.

428.

℞ Creasoti.....℥.xij
 Glycyrrhizæ.....gr.xxx
 Mucilaginis.....q.s.

M. f. pil. xii.

429.

℞ Creasoti....gtt.xij
 Saponis Animalis....gr.vj
 Calcii Phosph.....q.s.

M. f. pil. xii.

430.

℞ Phenol.....2 Gm
 Althææ3 Gm
 Tragacanthæ,
 Glyceriniāā q.s.

M. f. pil. xvi.

431.

℞ Acidi Carbolici.....gr.ij
 Pulv. Acaciæ.....gr.iss

M. f. pil. Mitte viii.

432.

℞ Ol. Cubebæ,
 Ol. Copaivæ,
 Ol. Terebinth.....āā ʒj
 Ceræ Albæ.....[ʒj]
 Magnesiae.....[āā] q.s.

M. f. pil. l. [c]



433.

℞ Ungu. Hydrarg 1 Gm
Althææ q.s
M. f. pil. xv.

434.

℞ Ungu. Hydrarg 1 Gm
Calcii Phosph. q.s
M. f. pil. vi.

435.

℞ Ungu. Hydrarg 3 Gm
Saponis 2 Gm
Glycyrrhizæ 1 Gm
M. f. pil. xxx.

[Codex.]

436.

℞ Podophyllini,
Zingiberis āā gr.xii
Mellis q.s. ut ft. massa
M. ft. massa et in pil. No. xxxvi div.

437.

℞ Ipecac. gr. iv
Calomel. gr. ij
Extr. Taraxaci. gr. xij
M. f. pil. xii.

[Cutler's Pills.]

438.

℞ Saponis Jalapæ 3 Gm
Jalapæ Pulveris 1 Gm
M. f. pil. xl. Consperge Lycopodio.

[Ph.G.]

439.

℞ Cannabini gr. ivss
Sacchari Lactis q.s
M. f. pil. No. v.

440.

℞ Sodii Bicarb 3 Gm
Zingiberis 1 Gm
M. f. pil. xxx.

441.

℞ Sodii Bicarb.....1.50 Gm
 Pulv. Rhei.....1 Gm
 Olei Menthæ Pip.....0.50 Gm

M. f. pil. xii.

442.

℞ Pulv. Jaborandi,
 Resinæ Guaiaci.....āā ʒj
 Lithii Benzoatis.....ʒij

M. f. massa et in pil. No. xl div.

443.

℞ Sodii Benzoatis,
 Lithii Carbonatis,
 Extr. Stigmat. Maydis.....āā ʒj
 Olei Anisi.....gtt. iv

M. f. massa et in pil. No. lxxx div.

444.

℞ Ferri Sulph.....5 Gm
 Glycyrrhizæ.....1 Gm
 Glucosi.....q.s.

M. f. pil. xii.

445.

℞ Ferri Sulph. Exsicc.,
 Aloes.....āā 1 Gm
 Spir. Saponati.....q.s.

M. f. pil. x.

[Ph. G.]

446.

℞ Ferri Sulph.....2 Gm
 Quin. Sulph.....3 Gm
 Extr. Nuc. Vom.....1 Gm
 Glycerini,
 Alcohol,
 Aquæ.....āā q.s.

M. f. pil. xxx.

447.

℞ Ferri et Quin. Citr.....ʒj
 F. pil. vi.



448.

℞ Quin. Sulph.....gr.xv
 Extr. Bellad.....gr.x
 Ferri Sulph. Exsicc.....gr. lx
 M. f. pil. xxx.

449.

℞ Ferri Sulph. Exsicc.....gr.xvj
 Aloes.....gr.iv
 Terebinthinæ.....gr.x
 Olei Terebinth.....℥iij
 M. f. pil. xii.

[Otto's Emenagogue Pills.]

450.

℞ Aloes Purific.,
 Ferri Sulph. Exsicc.,
 Pulv. Aromat.....āā 1 Gm
 Conf. Rosæ.....q.s.
 M. f. pil. xvi.

[U. S. P.]

451.

℞ Ferri Sulph.....3j
 Potassii Carb.....gr.xxxvj
 Sacchari.....gr. xij
 Tragacanthæ.....gr. iv
 Glycerini.....℥ iiss
 Aquæ.....q.s.
 M. f. pil. xxiv.

[Blaud's Pills.]

452.

℞ Potassii Bromidi,
 Ferri Sulph.....āā 1 Gm
 Extr. Gentianæ.....q.s.
 M. f. pil. xii.

453.

℞ Ferri Sulph.,
 Pot. Bicarb.....āā 1 Gm
 Conf. Rosæ.....q.s.
 M. f. pil. x.

454.

℞ Myrrhæ..... 1,500 mGm
 Sodii Carb..... 750 mGm
 Ferri Sulph..... 750 mGm
 Syrupi..... q.s.

M. f. pil. xii.

[U. S. P.]

455.

℞ Ferri Carb. Sacch..... 4 Gm
 Conf. Rosæ..... 1 Gm

F. pil. xxiv.

[B. P.]

456.

℞ Ferri Reducti..... 4 Gm
 Iodi..... 5,200 mGm
 Glycyrrhizæ..... 3,250 mGm
 Sacchari..... 3,250 mGm
 Extr. Glycyrrh..... 750 mGm
 Acaciæ..... 650 mGm
 Aquæ..... q.s.

M. f. massa. Hinc formantur pil. ferri iodidi
 centum æquales, solutione bals. tolut.
 obductæ.

[Blancard's Pills.]

457.

℞ Scillæ..... gr. iv
 Digitalis..... gr. x
 Hydrarg. Submur..... gr. vj
 Myrrhæ..... ℥ j

Simul tere et adde—

Asafoetidæ..... ℥ ss
 Extr. Gent..... q.s.


M. f. pil. xv. Sumatur una nocte maneque.

458.

℞ Strychninæ..... 100 mGm
 Acidi Arsenosi..... 100 mGm
 Ferri Sulph. Exsicc..... 1 Gm

M. f. pil. xvi.





459.

℞ Ferri et Quin. Citr.....2 Gm
 Aquæ,
 Ulmi.....āā q.s.
 M. f. pil. xii.

460.

℞ Ferri Pyrophosph.....2 Gm
 Mannæ.....1 Gm
 Tragacanthæ.....100 mGm
 Aquæ.....q.s.
 M. f. pil. x.

461.

℞ Sulphuris Præcip.....2 Gm
 Tragacanthæ.....100 mGm
 Syrupi.....q.s.
 M. f. pil. x.

462.

℞ Sulphuris Loti,
 Potassii Borotartr.....āā 2Gm
 Tragacanthæ,
 Glucosi.....āā q.s.
 M. f. pil. xii.

463.

℞ Ferri Reducti.....3 Gm
 M. f. pil. xxiv.

464.

℞ Ferri Reducti.....2 Gm
 Mannæ.....1 Gm
 Aquæ.....q.s.
 M. f. pil. xii.

465.

℞ Hydrarg. Iodidi Vir.....gr.x
 Extr. Taraxaci.....gr.xxx
 M. f. pil. xx.

466.

℞ Argenti Oxidi.....gr.xv
 Quin. Hydrochlor.....gr.xxx
 Extr. Taraxaci.....q.s.
 M. f. pil. xxx.

467.

℞ Ferri et Quin. Citr..... 2 Gm
 Alcohol Dil..... q.s.
 F. pil. xv.

468.

℞ Calomel,
 Micæ Panis.... āā 1 Gm
 M. f. pil. xv.

469.

℞ Calomelanos..... 2 Gm
 Mannæ..... 1 Gm
 Glucosi..... q.s.
 M. f. pil. x.

470.

℞ Bisumthi Subnitr..... 3 Gm
 F. pil. xii.

471.

℞ Cerii Oxalatis..... 2 Gm
 F. pil. xxiv.

472.

℞ Zinci Oxidi..... 3 Gm
 Pot. et Sodii Borotartr..... 1.50 Gm
 Tragacanthæ..... 300 mGm
 Aquæ..... q.s.
 M. f. pil. xii.

473.

℞ Antimoni Sulphurati..... 500 mGm
 Hydrarg. Chloridi Mitis..... 500 mGm
 Guaiaci..... 1 Gm
 Mucil. Tragac..... q.s.
 M. f. pil. xvi.

[U.S.P.]

474.

℞ Hydrarg. Chloridi Mitis,
 Antimoni Sulphurati..... āā 1 Gm
 Resinæ Guaiaci..... 2 Gm
 Olei Ricini..... 1 Gm vel. q.s.
 M. f. pil. xxx.

[Plummer's Pills, B.P.]

475.

℞ Hydrarg. Iodidi Vir..... 1 Gm
 Extr. Opii..... 400 mGm
 Glycyrrhizæ..... 1 Gm
 Mellis..... q.s.

M. f. pil. xx.

[Codex.]

476.

℞ Ferri Phosph. Cœrul.... gr.xij
 Extr. Nuc. Vom..... gr.j
 Extr. Gent..... q.s.

M. f. pil. vi.

[Grissolle's Pills.]

477.

℞ Zinci Oxidi..... gr.xxiv

M. f. pil. xii.

478.

℞ Cerii Valerianatis..... gr.xv

In pil. No xx div.

479.

℞ Extr. Hyoscyami Sem.,
 Extr. Valerianæ,
 Zinci Oxidi..... āā 1 Gm

M. f. pil. xx.

[Codex.]

480.

℞ Asafœtidæ..... 8 Gm
 Zinci Oxidi..... 1 Gm
 Camphoræ..... 500 mGm
 Extr. Bellad..... 250 mGm
 Alcohol Dil..... q.s.

M. f. pil. xxiv.

481.

℞ Acidi Arsenosi gr.j
 Sacchari Albi gr.j

Tere simul in pulverem subtilem; dein adde—

Micæ Panis..... q.s.

Misce bene et divide in pilulas xx.

482.

℞ Arseni Oxidi.....100 mGm
 Sacch. Lactis.....4 Gm
 Acaciæ1 Gm
 Mellis,
 Aquæāā q.s.

M. f. pil. C. arg. invol.

[Codex.]

483.

℞ Zinci Oxidi3j
 Piperinæᵒj

Misce et fiant pilulæ No. xx.

484.

℞ Acidi Arsenosigr.j
 Piperis Nigri.....gr.x
 Tere simul per horam dimidiam; dein adde—
 Mucilaginis Acaciæ.....q.s. ut
 Fiant pilulæ xv.

485.

℞ Hydrarg. Chloridi Corros.....200 mGm
 Micæ Panis,
 Sacchari.....āā 1 Gm
 Aquæq.s.

M. f. pil. xl.

486.

℞ Hydrargyri Cyanidi.....gr.j
 Quininæᵒj
 Extr. Gentianæ.....ʒss

M. f. massa et in pil. no. xx div.

487.

℞ Potassii Acet.....2 Gm
 F. pil. xii.


488.

℞ Sodii Salicyl3 Gm
 F. pil. x.

489.

℞ Calcii Sulphidi.....gr.vj
 Glycyrrhizægr.x

M. f. massa, in pilulas No. xii dividenda.



490.

R Chloral 3 Gm
Tartari Boraxati.....1.50 Gm
Tragacanthæ.....600 mGm

M. f. pil. xv.

491.

R Ammonii Chloridi.....3 Gm
Tartari Boraxati.....2 Gm
Tragacanthæ.....400 mGm
Aquæq.s.

M. f. pil. xx.

492.

R Potassii Iodidi.....10 Gm
Aquæ.....1 Gm
Glycyrrhizæ.....3.50 Gm
Mucilaginisq.s.

M. f. pil. xxx.

493.

R Potassii Iodidi,
Manganesii Sulphatis Exsiccati.....āā 3j
Mellis Despumati.....q.s.

Fiat massa, in pilulas No xxx dividenda.

494.

R Acidi Tannici.....5 Gm
F. pil. xxx.

495.

R Acidi Gallici.....5 Gm
F. pil. xxiv.

496.

R Acidi Benzoici.....2 Gm
F. pil. xvi.

497.

R Antipyrini.....5 Gm
F. pil. xxiv.

498.

R Acetanilidi.....2 Gm
F. pil. xii.

499.

℞ Iodol,
 Glycyrrhizæ,
 Extr. Glycyrrh.....āā 1 Gm
 M. f. pil. xii.

500.

℞ Hydrarg. Salicylatis.....gr.xv
 Glycyrrhizæ,
 Extr. Glycyrrhizæ..... āā ʒj
 M. f. pil. lx.

501.

℞ Hydrarg. Carbolatis..... ʒj
 Glycyrrhizæ,
 Extr. Glycyrrhizæ.....āā ʒj
 M. f. pil. lx.

502.

℞ Naphthalini.....2 Gm
 F. pil. xii.

503.

℞ Terpini Hydratis3j
 F. pil. xxx.

504.

℞ Sodii Succinat.....ʒj
 In pilulas No. xvi div.

505.

℞ Ammonii Picratis..... ʒj
 Ft. massa et in pilulas No. xl div.

506.

℞ Zinci Valer.....1 Gm
 F. pil. xxiv.

507.

℞ Zinci Valeratis,
 Ferri Valeratis, *
 Quininæ Valeratis.....āā ʒss
 M. f. massa et in pil. No. xxx div.

508.

℞ Quin. Sulph.....2 Gm
 Mellis.....q.s.
 M. f. pil. xxx.



509.

R̄ Quin. Sulph..... 1 Gm
Glycerini..... q.s.
M. f. pil. vi.

510.

R̄ Quin. Sulph..... 2 Gm
Glycerini,
Tragacanthæ..... āā q.s.
M. f. pil. xii.

511.

R̄ Zinci Valeratis,
Extr. Hyoscyami,
Bismuthi Subnitratis..... āā gr.xv
M. f. pil. No. xxx.

512.

R̄ Quin. Sulph..... 1 Gm
Glucosi..... q.s.
M. f. pil. xii.

513.

R̄ Quin. Sulph..... 1 Gm
Extr. Gentianæ..... q.s.
M. f. pil. xii.

514.

R̄ Quin. Sulph..... 5 Gm
Farinæ Triticæ..... 1 Gm
Acaciæ..... 1 Gm
Syrupi..... q.s.
M. f. pil. xxiv.

515.

R̄ Quin. Sulph..... 2 Gm
Acidi Tart..... 200 mGm
Aquæ,
Tragacanthæ..... āā q.s.
M. f. pil. xv.

516.

R̄ Quin. Sulph..... 2 Gm
Acidi Sulph. Dil..... q.s.
M. f. pil. x.

517.

℞ Quin. Sulph. 2 Gm
 Acidi Sulph. Arom. q.s.
 M. f. pil. x.

518.

℞ Cupri Sulphatis,
 Morphinae Sulphatis āā gr. j
 Quininæ Sulphatis gr. xxiv
 Misce et fiant pilulæ No. xii.

519.

℞ Quininæ Sulphatis gr. xxij
 Pepsini ℥ vss
 Extracti Absinthii q.s.
 Misce et fiant pilulæ No. xl.

520.

℞ Pulv. Digitalis gr. vj
 Quininæ Sulphatis gr. xij
 Extr. Opii,
 Extr. Ipecacuanhæ āā gr. iij
 M. f. massa et in pil. No. xii. div.

521.

℞ Colchicinae gr. j
 Extracti Colocynthis Compositi ℥ss
 Quininæ Sulphatis 3j
 Misce et divide in pilulas No. lx.


522.


℞ Quin. Sulph. 3j
 Morph. Sulph. gr. iss
 Strychninae gr. j
 Acidi Arsenosi gr. iss
 Extr. Aconiti Rad. gr. iv
 M. f. pil. xxx.

[Gross' Antineuralgic Pills.]

523.

℞ Extracti Nucis Vomicae gr. iss
 Argenti Nitratis gr. ij
 Extracti Humuli gr. xij
 Misce et divide in pilulas vi.





524.

R Ferri Phosphat (Cœrul.)gr.xvj
 Quin. Sulph.gr.xvj
 [or Quininæ gr. xij]
 Strychninægr.ss
 Saccharigr.viiij
 Acid. Phosph.gtt.xx
 or q.s.

M. f. pil. xvi.

525.

R	Ferri Reducti	3ss
	Quin. Sulph.....	gr.℥
	Strychninæ,	
	Acidi Arsenosi	āā gr.ij

M. f. pil. XLVIII.

[Aitken's Tonic Pills.]

526.

R Ferri Reducti	℥ j
Quin. Sulph.	℥ j
Strychninæ	gr. j
Acidi Arsenosi	gr. j

M. f. pil. xx.

[“*Pilulæ Metallorum.*”]

527.

R. Cinchoninæ Sulph. 3j
F. pil. xx.

528.

℞ Cinchonid. Sulph. 5 Gm
Glycer. Tragac. 1 Gm

M. f. pil. xxx.

529.

R_x Morph. Sulph.....10 mGm

M. f. pil. i. Mitte XII.

530.

R Morph. Sulph.....	120 mGm
Amyli	600 mGm
Glucosi,	
Syrupi.....	āā q.s.

M. f. pil. XII.

531.

℞ Strychninæ Sulph..... 10 mGm
 Extr. Bellad. 40 mGm
 Extr. Coloc. Comp..... 1.50 Gm
 Misce et divide in pilulas numero decem.

532.

℞ Strychninæ..... gr.ss
 Ipecacuanhæ..... gr.ij
 Extr. Bellad. Alc..... gr.ij
 Massæ Hydrarg. ℥ij
 Extr. Coloc. Comp..... ℥ij

M. f. pil. xx.

[N.F.]

533.

℞ Pulv. Ipecac. Comp. 3 Gm
 Scillæ 1 Gm
 Ammoniaci 1 Gm
 Glucosi..... q.s.

F. pil. xxiv.

[B.P.]

534.

℞ Pepsini..... 300 mGm
 Rhei..... 600 mGm
 Extr. Gentianæ..... 200 mGm
 Acidi Hydrochlor. 2 drops

M. f. pil. xii.

535.

℞ Phosphori..... 100 mGm
 Chloroformi..... 12 Gm
 Amyli..... 10 Gm
 Glycyrrh..... 4 Gm
 Glucosi..... 5 Gm


M. f. pil. cl.

536.

℞ Kaolini,
 Paraffini,
 Petrolati āā partes æquales

M.

[Kaolin Paraffin.]



537.

℞ Pot. Permang. 1.50 Gm
F. pil. xii.

538.

℞ Potassii Permang. 2 Gm
Paraffini Kaolini 3 Gm.
F. pil. xxx.

539.

℞ Phosphori 50 mGm
Fiant pilulæ Lxxx.

540.

℞ Resinæ Podophylli. gr.vj
Extr. Bellad. Alc. gr.iiij
Capsici. gr.xij
Sacch. Lactis gr.xlviiij
Acaciæ gr.vj
Glycerini,
Syrupi. āā q.s.
M. f. pil. xxiv.

[Squibb's Podophyllum Pills.]

541.

℞ Phosphori. 60 mGm
Althææ 5,200 mGm
Acaciæ 1,300 mGm
Glycerini. 2,600 mGm
Aquæ 1,300 mGm
Chloroformi. 3,200 mGm
M. f. pil. c., quæ solutione bals. tolut. æthereæ
conc. irrorantur ita ut loco tepido siccatae
tegumine resinaceo obductæ sint.

[U. S. P.]

542.

℞ Argenti Nitratis. 200 mGm
Kaolini. 2 Gm
Tragacanthæ,
Aquæ āā q.s.
M. f. pil. xx.

543.

℞ Ferri Sulph. Exsicc.,
 Quin. Sulph.,
 Aloes.....āā gr.xij
 Extr. Nuc. Vom.....gr.iiij
 Extr. Gentianæq.s.

M. f. pil. xii.

[“Quatuor Pills.”]

544.

℞ Argenti Nitratis.....gr.xv
 Aquæ Destillatæ.....q.s.
 Extracti Belladonnæ.....gr.x
 Olei Caryophylli.....gtt.x
 Pulveris Gentianæ Radicis,
 Extracti Gentianæ.....āā q.s.

Fiat massa in pilulas No. lx dividenda.

545.

℞ Iodoformi.....gr.ij
 In pil. No. xii div

546.

℞ Iodoformi.....2 Gm
 Sacch. Lactis.....1 Gm
 Glyceriti Tragacanthæ.....q.s.

M. f. pil. xii.

547.


℞ Iodoformi,
 Ferri Redacti.....āā gr.xliij
 Extracti Glycyrrhizæ.....q.s.


Misce et divide in pilulas No. lx.

548.

℞ Terpinol,
 Ammonii Benzoatis,
 Ceræ Flavæ.....āā ʒj
 Acaciæ,
 Sacchari,
 Glycyrrhizæ.....āā ʒj
 Mucil. Tragac.....q.s.

M. f. pil. xl.





549.

℞ Crotonis Chloralis.....gr.xxiv
 Pulveris Tragacanthæ,
 Glycerini.....āā q.s.

Misce et fiant pilulæ No. xii.

550.

℞ Plumbi Bromidi,
 Lupulini,
 Extr. Belladonæ.....āā gr.xv

M. f. massa et in pil. No. xxx div.

551.

℞ Potassii Iodidi.....gr.xv
 Spiritus Vini Rectificati.....f̄ij
 Extracti Dulcamaræ.....3ij
 Pulveris Glycyrrhizæ,
 Aquæ Destillatæ.....āā q.s.

Fiat massa in pilulas clxxx dividenda.

552.

℞ Ext. Aloe Aq.....3j
 Ferri Sulph. Exsic.....3ij
 Asafoetidæ.....3iv

M. ft. massa et in pilulæ No. c div.

553.

℞ Acetanilidi,
 Salol.....āā 3j
 Camph. Monobrom.....3ss

M. f. pil. lx.

554.

℞ Quiniæ Sulph.....gr.xx
 Ferri Sulph. Exsicc.....gr.xl
 Strychninæ Sulph.....gr.ss

M. et div. in pil. No. xx.

555.

℞ Morphiæ Sulphat.....gr. $\frac{1}{6}$
 Ergotinæ.....gr.iiij

M.

556.

℞ Hydrarg. Prot.....gr.v
 Pulv. Ipecac. et Opii.....gr.xl
 Ex. Gentian.....q.s.
 M. et ft. pil. No. xx.

557.

℞ Extr. Coloc. Comp.....gr.lx
 Extr. Nuc. Vom.,
 Extr. Hyoscyami.....āā gr.vj
 Extr. Leptandræ.....gr.xxx
 M. f. pil. xii.

558.

℞ Argenti Oxidi.....gr.vj
 Glycyrrhizæ.....gr.xij
 Creasoti.....gtt.vj
 Saponis.....gr.vj
 M. f. pil. vi.

559.

℞ Sodii Arsenitis.....gr.j
 Div. in pil. No. xl.

560.

℞ Hyoscyamiæ,
 Strychniæ.....āā gr.ss
 Extr. Gentianæ.....ᵒj
 M. Sig.: One every ten minutes.
 In pil. No. xxxiii div.

561.


℞ Spartein. Sulphatis.....gr.iiij
 In pil. No. xv div.

562.

℞ Delphinii (alkaloid of staphisagria)...gr.xv
 Extr. Tritici Repentis.....ʒss
 Pulv. Althææ.....q.s.
 M. Ft. massa et in pil. No. l div.

563.

℞ Aconitiæ Niträt. Cryst.....gr.½
 Quiniæ Hydrobromat.....gr. lxxv
 Syrupi.....q.s. ut ft. massa.
 M. Ft. massa et in pil. No. l div.



564.

- ℞ Ferri. Phosph.....gr.xvj
 Quinæ.....gr.xij
 Strychnine.....gr. $\frac{1}{2}$
 Acid Phosph. Conc.....q.s.

Divid. in pil. xvi misce.

565.

- ℞ Naphthalini.....gr.viiss
 Iodoform.....gr.iiij
 Acid. Tannic.,
 Antipyrin.....āā gr.vx

M. Et ft. pil. No. x.

566.

- ℞ Hydrarg. Bichlorid.....gr.iv
 Sodii Arsenit.....gr.iiss
 Strichn. Sulph.....gr. $\frac{1}{4}$
 Potass. Carb. Pur.....gr.ix
 Ferri Sulph. Exsic.....gr.ix

M. Et. ft. pil. No. x.

567.

- ℞ Potassii Permang.....gr.xxiv
 Tragacanthæ,
 Glycerini.....āā q.s.

M. f. pil. xii.

568.

- ℞ Digitalinæ.....gr.j
 Pulveris Acaciæ.....℥ij
 Syrupi Simplicis.....q.s.

Fiat massa, in pilulas No. xxxv dividenda.

569.

- ℞ Picrotoxin.....gr. $\frac{1}{30}$
 Aq. ex. ergot.....gr.iiss

M. Ft. pil.

570.

- ℞ Argenti Nitras.....gr.iv
 Acidi Tannici.....3j

M. f. pil. xxx.

571.

- ℞ Auri et Sodii Chlor:.....gr.iiij
 Hydrarg. Chlor. Corr.....gr.v
 Ex. Gentian.....q. s.
 M. Ft. pil. No. LX.

572.

- ℞ Pulv. Cantharidis.....gr.iiij
 Olei Terebinth.....ʒj
 M. f. pil. XII.

573.

- ℞ Auri Bromidi.....gr.j
 Arsenici Bromidi.....gr.j
 Ferri Bromidi.....gr.xl
 M. Et div. in pil. No. xx.

574.

- ℞ Extr. Bellad.....1 Gm
 Extr. Hyoscyami.....5 Gm
 Extr. Stramonii.....3 Gm
 Morph. Sulph.....1 Gm
 M. f. pil. LX.

575.

- ℞ Quin. Sulph.....gr.i
 Morph. Sulph.....gr.viiij
 M. f. pil. x.
 S. One pill every 3 hours.

576.

- ℞ Extr. Bellad.....gr.iiij
 Extr. Physostigmæ.....gr.iss
 M. f. pil. vi.

577.

- ℞ Extracti Ergotæ Aquosi (ergotinæ).....ʒj
 Extracti Nucis Vomicæ.....gr.v
 Extracti Opii.....gr.x
 Misce et fiant pilulæ No. xx.

578.

- ℞ Ferri Arsenitis.....gr.v
 Ergotini (aq. ext.).....ʒss
 M. f. pil. No. xxx.



579.

℞ Ferri Sulph.,
 Potassii Iodidi.....āā ʒss
 Saponis.....gr.℥
 Opii.....gr.ij
 M. f. pil. vi.

580.

℞ Gummi Camphoræ,
 Pulv. Zingiberis,
 Pulv. Capsici.....āā gr.ʒ
 M. f. pil. vi.

581.

℞ Extr. Coloc. Comp.....3ʒ
 Extr. Rhei.....5ʒ
 Extr. Hyoscyami.....gr.xij
 M. f. pil. xii.

PECULIAR MASSES AND SEMI-FLUIDS.

582.

℞ Sodii Bromidi,
 Phenacetini.....āā 5 Gm
 M. f. pil. xv.

583.

℞ Antipyrini,
 Beta-naphthol.....āā 100 mGm
 Bismuthi Salicylatis......250 mGm
 M. f. pil. i.

584.

℞ Antipyrini,
 Salol.....āā 1 Gm
 M.

585.

℞ Antipyrini.....1 Gm
 Beta naphthol......1 Gm
 M.

586.

℞ Antipyrini,
 Butyl-Chloral.....āā 1 Gm
 M.

587.

℞ Antipyrini.....1 Gm
Sodii Salicylatis.....1 Gm
M.

588.

℞ Antipyrini,
Chloral.....āā 1 Gm
M.

589.

℞ Camphoræ.....1 Gm
Chloral.....1 Gm
M.

590.

℞ Phenol.....3 Gm
Chloral.....1 Gm
M.

591.

℞ Thymol,
Phenol.....āā 1 Gm
M.

592.

℞ Thymol.....1 Gm
Camphoræ.....1 Gm
M.

593.


℞ Thymol.....3 Gm
Chloral.....2 Gm
M.


594.

℞ Menthol.....2 Gm
Phenol.....1 Gm
Butyl-Chloral.....1 Gm
M.

595.

℞ Menthol.....2 Gm
Butyl-Chloral.....1 Gm
M.





596.

℞ Menthol.....3 Gm
Camphoræ.....2 Gm

M.

597.

℞ Menthol,
Chloral.....āā 1 Gm

M.

598.

℞ Menthol,
Phenol.....āā 1 Gm

M.

599.

℞ Acidi Salicylici.....13 Gm
Camphoræ.....17 Gm

In balneo vaporis liquando miscentur.

600.

℞ Menthol
Thymolāā 1 Gm

M.

PART VII.

MIXTURES.

A.

601.

R̄ Aquæ,
Glycerini.....āā partes æquales
M.

[Hydroglycerol.]

602.

R̄ Glycerini
Alcohol
Aquæ.....āā partes æquales.
M.

[Alcoholic Hydroglycerol.]

603.

R̄ Chloroformi.....f̄ss
Aquæ Destill.f̄x
M.

[Chloroform Water.]

604.

R̄ Mellis100 Gm
Aquæ Ebullientis.....q.s. ad 1,000 C.c.
M.

[“Hydromel.”]


605.

R̄ Acidi Acetici.....6 Gm
Mellis Despumati100 Gm
M.

[Oxymel.]

606.

R̄ Acaciæ Pulveris5 Gm
Aquæ.....10 C.c.
F. Mucil.





607.

℞	Liquoris Calcis,	
	Chlorinatæ.....	10 C.c.
	Aquæ.....	40 C.c.
	Mellis Despumati	65 C.c.

Agitando miscentur.

[Ph.Su.]

608.

℞	Acidi Sulphurici.....	10 Gm
	Alcohol....	30 Gm

M.

[Haller's Acid Drops.]

609.

℞	Spir. Vini Gallici	
	Aquæ Cinnam.....	āā f̄iv
	Vitelli Ovorum.....	No. ij
	Sacchari	℥ss

Fiat mistura.

[B.P.]

610.

℞	Aceti Scillæ.....	100 Gm
	Mellis Depurati	300 Gm

Mixtæ in balneo vaporis evaporant donec residuæ sint grammata tricenta.

[Oxymel Scillæ.]

611.

℞	Acaciæ	℥j
	Sacchari	℥j
	Aquæ	f̄xiij

Fit solutio.

[N.F.]

612.

℞	Acaciæ Pulv.	10 Gm
	Syr. Simplicis.....	30 Gm
	Aquæ Aurantii Florum.....	10 Gm
	Aquæ Destillatæ.....	100 Gm

M. f. potio.

[Codex.]

613.

℞ Tragacanthæ 1 Gm
 Aquæ 100 C.c.
 M. f. mucil.

614.

℞ Tragacanthæ Pulveris 1 Gm
 Aquæ q. s. ut fiat 70 C.c.
 M. f. mucil.

615.

℞ Tragacanthæ Pulveris 1 Gm
 Aquæ 15 C.c.
 F. mucil.

616.

℞ Salep Pulveris 1 Gm
 Aquæ 10 C.c.
 Aquæ Fervidæ 90 C.c.
 M. f. mucil.

[Ph.G.]

617.

℞ Amyli 10 Gm
 Aquæ 100 C.c.
 Aquæ Fervidæ 900 C.c.
 M. f. mucil.

618.

℞ Amyli 30 Gm
 Aquæ q.s.

Make a decoction measuring one liter.

[Starch Decoction.]

619.

℞ Quassia 3j
 Aquæ q.s.
 F. inf. f $\frac{3}{4}$ x

[B.P.]

620.

℞ Buchu ʒss
 Aquæ Ferv q.s.
 F. inf. f $\frac{3}{4}$ x.

[B.P.]





621.

R Aurantii Amari Cort..... \bar{z} ss
 Aquæ Ebull.....q.s.
 F. inf. f \bar{z} x. •

[B.P.]

622.

R Calumbæ..... \bar{z} ss
 Aquæ Ferv.....q.s.
 F. inf. f \bar{z} x.

[B.P.]

623.

R Caryophylli..... \bar{z} ij
 Aquæ Ferv.....q.s.
 F. inf. f \bar{z} x.

[B.P.]

624.

R Ergotæ..... \bar{z} ij
 Aquæ Ferv.....q.s.
 F. inf. f \bar{z} x.

[B.P.]

625.

R Pilocarpi..... \bar{z} ss
 Aquæ Ferv.....q.s.
 F. inf. f \bar{z} x.

[B.P.]

626.

R Uvæ Ursi..... \bar{z} ss
 Aquæ Bullientis.....q.s.
 F. inf. f \bar{z} x.

[B.P.]

627.

R Serpentariæ..... \bar{z} ij
 Aquæ Ebull.....q.s.
 F. inf. f \bar{z} x.

[B.P.]

628.

R Valerianæ..... \bar{z} ij
 Aquæ Ebull.....q.s.
 F. inf. f \bar{z} x.

[B.P.]

629.

℞ Cascarillæ.....ʒj
 Aquæ Ebull.....q.s.
 F. inf. fʒx.
 [B.P.]

630.

℞ Anthemidis.....ʒiv
 Aquæ Ebull.....q.s.
 F. inf. fʒx.
 [B.P.]

631.

℞ Senegæ.... ʒss
 Aquæ Fervidæ.....q.s.
 F. inf. fʒx.
 [B.P.]

632.

℞ Rhei.....ʒij
 Aquæ Ebull.....q.s.
 F. inf. fʒx.
 [B.P.]

633.


℞ Humuli.....15 Gm
 Aquæ Ebull.....q.s.
 F. inf. 300 C.c.
 [B.P.]

634.

℞ Gentianæ,
 Aurantii Amari Cort... āā ʒj
 Limonis Cort.....ʒij
 Aquæ Ebull.....q.s.
 F. inf. fʒx.
 [B.P.]

635.

℞ Sennæ.... ʒj
 Zingiberis.....ʒss
 Aquæ Ebullientis.....fʒx
 F. infusio.
 [B.P.]



636.

℞ Lini Semin.....10 Gm
 Glycyrrh.....3 Gm
 Aquæ Ebull.....q.s.

F. inf. 300 C.c.

[B.P.]

637.

℞ Aurantii Amari Cort.....3ij
 Limonis Cort.....3j
 Caryophylli.....3ss
 Aquæ Fervidæ.....q.s.

F. inf. f $\frac{3}{4}$ x.

[B.P.]

638.

℞ Sennæ.....30 Gm
 Mannæ.....60 Gm
 Magnesii Sulph.....60 Gm
 Fœniculi.....10 Gm
 Aquæ Bullientis.....q.s.

F. inf. 500 C.c.

639.

℞ Rosæ Gall. Petal.....3ij
 Acid. Sulph. Dil.....f3j
 Aquæ Ebullientis.....f $\frac{3}{4}$ x

F. inf.

[B.P.]

640.

℞ Brayeræ Pulveris Grossi.....18 Gm
 Aquæ Ebullientis.....300 C.c.

Macerantur donec refrixerint. Dispensa non
 colatum.

[U.S.P.]

641.

℞ Juniperi Contusi.....5iv
 Aquæ Bullientis.....f3xij

Macera per horas duodecim et experime,
 dein adde:—

Spiritus Juniperi Compositi.....f5iv

M.

642.

℞ Salviæ,
 Eupatarii.....āā ℥ss
 Cascarillæ.....℥j
 Aquæ Bullientis.....Oj
 Digere per horas duas et cola.

643.

℞ Aloes Capensis.....℥v
 Sodii Bicarbonatis.....℥iss
 Spiritus Lavandulæ Compositi.....f℥ss
 Aquæ Destillatæ.....Oj

M.

Macera per dies quatuordecim et cola.

644.

℞ Pulveris Radicis Rhei℥j
 Pulveris Aloes.....℥ij
 Sodii Bicarbonatis.....℥ij
 Valerianæ Contusæ,
 Serpentariæ Contusæ,
 Gentianæ Contusæ,
 Quassia Contusæ.....āā ℥ss
 Spiritus Frumenti.....Oij

Macera in vaso leviter clauso, per horas bis
 quatuor et viginti, et cola.

645.

℞ Sarsaparillæ.....℥j
 Aquæ.....f℥xij
 Digere per horam unam; deinde coque per sext.
 part. horæ. Adde aquæ fervidæ q. s. ut fiat
 colaturæ f℥viiij.

[B.P.]

646.

℞ Hæmatoxyli.....℥ss
 Cinnamomi.....gr.℥ss
 Aquæ.....q.s.
 Coque per sext. part. horæ., cinnam. sub fin.
 coct. add. Fiat colat. Oss.

[B. P.]



647.

℞ Hordei.....℥ij
Aquæ.....q.s.

F. decoct. Oj.

[B. P.]

648.

℞ Cetrariæ.....25 Gm
Aquæ.....q.s. ad 400 C.c.

Fiat decoctio sec. artium leges.

[B. P.]

649.

℞ Scoparii.....℥j
Aquæ.....q.s.

F. decoctionis Oj.

[B. P.]

650.

℞ Cort. Quercus.....℥j
Aquæ.....q.s.

F. decoctionis Oj.

[B. P.]

651.

℞ Papaveris.....℥ij
Aquæ.....q.s.

F. decoct. Oj.

[B. P.]

652.

℞ Cort. Cinch. Rubræ, Pulveris Grossi.....℥j
Aquæ.....q.s.

Coque per sext. part. horæ. Fiat colat. Oj.

[B. P.]

653.

℞ Cort. Rad. Granati.....℥j
Aquæ.....Oj

Coque donec hab. colat. f℥viii.

[B. P.]

654.

℞ Calumbæ.....℥j
Aquæ.....q.s.

F. decoct. f℥x.

655.

℞ Sarsaparillæ 12 Gm
 Aquæ 900 C.c.
 in olla ferrea vitreata decoquuntur, donec habeas
 colaturæ 300 C.c., additis sub finem coc-
 tionis
 Anisi 5 Gm
 Fœniculi 5 Gm
 Glycyrrhizæ 15 Gm
 Sennæ 30 Gm
 Decoctum sine expressione colatum et per ali-
 quod tempus sepositum, a sedimento de-
 funditur.

656.

℞ Extr. Aloes 2 Gm
 Myrrhæ,
 Croci,
 Potassii Carb. 55 1 Gm
 Extr. Glycyrrh. 8 Gm
 Tinct. Card. Comp. 60 C.c.
 Aquæ q.s. ad 200 C.c.

M. f. decoctio, sec. leg. art.

[Comp. Decoction of Aloes.]

657.

℞ Amygdalæ 12 Gm
 Acaciæ 2 Gm
 Sacchari 6 Gm
 Aquæ q.s. ad 200 C.c.

M. f. emulsio.


[U. S. P.]

658.

℞ Amygd. Dulcis 30 Gm
 Amygd. Amaræ 2 Gm
 Sacchari 30 Gm
 Tragacanthæ 500 mGm
 Aquæ Aurantii Florum 10 Gm
 Aquæ 120 Gm

M. f. emulsio.

[Codex.]



659.

℞ Peponis Decort.....ʒj
 Sacchari Albi.....ʒiiss
 Lactis Recentis.....ʒiiss

M. f. emulsio.

660.

℞ Asafœtidæ2 Gm
 Aquæq. s. ad 50 C.c.

M. f. emulsio.

[B.P.]

661.

℞ Ammoniaciʒj
 Aquæq. s. ad fʒiij

M. f. emulsio.

[U.S.P.]

662.

℞ Ammonii Chloridiʒj
 Mist. Asafœtidæfʒij

Misce. Sig. Tablesp. as required.

663.

℞ Syrupi Scillæ.....fʒss
 Tinct. Opii Camph.fʒij
 Ammoniaciʒss
 Syrupi Tolutanifʒx

M. Sig. A teasp. p. r. n.

664.

℞ Lactis Recentis,
 Aquæ Calaisāā fʒj
 Pulveris Myrrhægr.xij

M.

665.

℞ Ferri Sulph.	1	2
Myrrhæ.	3	6
Sacchari	3	6
Potassii Carb.	1	6
Spir. Lavand.	3	
Aquæ Rosæ	180	

M.

[Griffith's Mixture.]

666.

℞ Copaibæ.....50 C.c.
 Acaciæ,
 Syrupi,
 Aquæ Menthæ Pip.....q. s. ad 200 C.c.
 M. f. emulsio.

667.

℞ Copaibæ.....f℥j
 Spir. Ætheris Nitrosi.....f℥j
 Tinct. Lavand. Comp.....f℥j
 Liquoris Potassæ.....f℥ij
 Syrupi.....f℥iiss
 Mucil. Acaciæ.....q. s. ad f℥viij

M.

[Lafayette Mixture.]

668.

℞ Copaibæ.....f℥iij
 Spir. Ætheris Nitrosi.....f℥ij
 Tinct. Lavand. Comp.....f℥ij
 Tinct. Opii.....f℥ij
 Mucil. Acaciæ.....f℥vj
 Aquæ.....q. s. ad f℥viij

M.

[Chapman's Mixture.]

669.

℞ Balsami Copaibæ,
 Spir. Ætheris Nitrosi.....āā f℥j
 Liqu. Potassæ.....f℥ij
 Extr. Glycyrrhizæ.....f℥ss

Misce et adde—

Olei Gaultheriæ.....gtt.xvj
 Syr. Acaciæ.....f℥vj

M.

670.

℞ Olei Morrhuæ.....50 C.c.
 Acaciæ,
 Aquæ.....āā q.s.

F. emuls. 200 C.c.



671.

- ℞ Copaibæ,
 Tinct. Ferri Chlor.,
 Tinct. Canthar. āā 10 fGm
 Glycerini 20 fGm
 Syrupi 50 fGm
- M. S. Dose a teaspoonful.

672.

- ℞ Copaibæ,
 Spir. Ætheris Nitrosi āā f3iss
 Extr. Cubebæ Fl. f3iv
 Tinct. Cardam. Comp. f3ij
 Mucilaginis f3j
- M.

673.

- ℞ Olei Morrhuae f3viiij
 Acaciæ f3iss
 Syr. Tolut. f3ij
 Spir. Arom. f3ij
 Aquæ q. s. ad f3xvj
- M. f. emulsio.

[N.F.]

674.

- ℞ Olei Morrhuae f3viiij
 Glyceriti Vitelli f3iiss
 Syr. Tolut. f3ij
 Olei Amygd. Amaræ ℥xxx
 Aquæ ad f3xvj
- M. f. emulsio.

[N.F.]

675.

- ℞ Olei Morrhuae f3iv
 Glyceriti Vitelli 3iiss
 Acidi Phosph. Dil. f3v
 Olei Amygd. Amaræ ℥x
 Spir. Jamaicensis f3iv
 Aquæ Aurantii Flor. q. s. ad f3xvi
- M. f. emulsio.

[N.F.]

676.

℞ Olei Morrhuæ f̄viiij
 Tragacanthæ ℥iiij
 Aquæ q. s. ad f̄xvi
 M. f. emulsio.

677.

℞ Olei Morrhuæ f̄viiij
 Mucil. Chondri f̄v
 Syr. Tolut. f̄ij
 Olei Gaultheriæ ℥xxx
 Aquæ q. s. ad f̄xvi
 M. f. emulsio.

[N.F.]

678.

℞ Olei Morrhuæ 30
 Mucil. Chondri 15
 Aquæ Amygd. Am. 15
 M.

679.

℞ Olei Morrhuæ f̄viiij
 Mucil. Dextrini f̄v
 Syr. Tolut. f̄ij
 Aquæ q. s. ad f̄xviij
 M. f. emulsio.

[N.F.]

680.


℞ Olei Morrhuæ f̄viiij
 Mucil. Dextrini f̄ij
 Extr. Malti f̄vj
 M. f. emulsio.

[N.F.]

681.

℞ Olei Morrhuæ f̄iv
 Tragacanthæ gr. xij
 Extr. Malti f̄iiij
 Aquæ f̄j
 M.





682.

℞ Olei Morrhuae.....f̄iv
 Extr. Carnis Pept.....f̄ij
 Aquæ.....q.s. ad f̄iv

M. f. emulsio.

683.

℞ Olei Morrhuae.....f̄viiij
 Tinct. Quillaia.....f̄ij
 Syr. Tolut.....f̄ij
 Aquæ.....ad f̄xij

M. f. emulsio.

684.

℞ Olei Morrhuae.....f̄viiiiss
 Tinct. Quillaia.....f̄ij
 Syr. Tolu.....q.s. ad f̄x

M. f. emulsio.

685.

℞ Calcii Phosph. Præcip.....10 Gm
 Olei Morrhuae.....50 C.c.
 Glycerini.....10 C.c.
 Mucilaginis.....40 C.c.
 Olei Amygd. Amaræ.....gtt.j

M.

686.

℞ Olei Ricini.....10 fGm
 Mucilaginis.....10 fGm
 Tinct. Opii.....5 fGm
 Tinct. Rhei Arom.....10 fGm
 Aquæ Menthæ Pip.....65 fGm

M. S. Dose: 5 fGm.

687.

℞ Olei Ricini.....f̄v
 Mucil. Chondri.....f̄v
 Tinct. Vannillæ.....f̄iiij
 Syrupi.....f̄iiij
 Aquæ.....ad f̄xvj

M. f. emulsio.

[N.F.]

688.

℞ Olei Ricini,
Glycerini.....āā 50 C.c.
M.

689.

℞ Olei Ricini.....f3vj
Olei Limonis.....℥x
Olei Caryoph.....℥ij
Syrupi.....f℥iss
Liquoris Potassæ.....f3j
Aquæ Aurantii Flor.... :q.s. ad f3ij
M.

[Castor Oil Mixture; B.P.]

690.

℞ Cetacei.....5 Gm
Tragacanthæ.....2 Gm
Alcohol.....q.s.
Syrupi.....25 C.c.
Aquæ.....q.s. ad 150 C.c.
M. f. emulsio.

691.

℞ Ceræ.....3 Gm
Vitelli Ovi.....2 Gm
Sacchari.....6 Gm
Aquæ.....140 C.c.
M. f. emulsio.

692.

℞ Camphoræ.....1 Gm
Tragacanthæ.....1 Gm
Syrupi.....10 C.c.
Aquæ.....50 C.c.
M. f. emulsio.

693.

℞ Olei Terebinth.... :10 C.c.
Acaciæ.....10 Gm
Syrupi.....20 C.c.
Aquæ.....q.s. ad 100 C.c.
M. f. emulsio.



694.

℞ Olei Tereb.....10 C.c.
 Aquæ q.s.ut f. emulsionis.....100 C.c.

M. s. art.

695.

℞ Camphoræ..... ℥j
 Alcoholq.s. ut fiat pulvis.

Dein adde:—

Pulveris Acaciæ,
 Sacchari Albi.....āā ℥j
 Aquæ Cinnamomi.....f℥j

Fiat mistura.

696.

℞ Olei Terebinth.....f℥ss
 Acaciæ.....gr.xxx
 Vitellum Ovi Unius,
 Elixir Aurantii.....f℥ss
 Aquæ Cinnamomi.....q.s. ad f℥iv

M. f. emulsio.

[N.F.]

697.

℞ Olei Terebinth..... f℥ss
 Tragacanthæ.....gr.xxx
 Syrupi.....f℥j
 Aquæ.....q.s. ut fiat f℥iv

M.

698.

℞ Olei Terebinthinæ.....f℥ij
 Olei Ricini.....f℥iv
 Tincturæ Cardamomi Compositæ.....f℥j
 Mucilaginis Acaciæ,
 Aquæ Destillatæ.....āā q.s ad f℥ij

Misce et fiat emulsio.

699.

℞ Terebeni.....℥iv
 Pulv. Acaciæ.....℥iij
 Syr. Zingiberis.....f℥viiss
 Aquæ.....f℥xv

M.

700.

℞ Olei Terebinthinæ.....f̄ij
 Olei Amygdalæ Expressi.....f̄ij
 Tinct. Opii Deod.....f̄ss
 Mucil. Acaciæ.....f̄ij
 Aquæ Laurocerasi.....ad f̄ij

M.

701.

℞ Olei Terebinthinæ,
 Oleoresinæ Filicis Maris.....āā 3j
 Mucilaginis Acaciæ.....f̄ij

M. f. emulsio.

702.

℞ Scammonii.....gr.vj
 Lactis.....f̄ij

Fiat mistura.

[B.P.]

703.

℞ Guaiaci Res.,
 Sacchari.....āā 3 Gm
 Acaciæ.....1,500 mGm
 Aquæ Cinnam.....120 C.c.

F. mistura.

[B.P.]

704.


℞ Creasoti.....1 C.c.
 Mucilaginis,
 Syrupi.....āā 50 C.c.


M.

705.

℞ Guaiaco.....℥xij
 Olei Morrhuae.....f̄iv
 Acaciæ.....f̄iv
 Spir. Vini Gallici.....f̄ij
 Aquæ.....q.s. ad f̄xij

M. S. Dose two tablespoonfuls three times
 daily.





706.

R	Chloroformi.....	f3j
	Olei Amygd. Dule.....	f3iss
	Tragacanthæ.....	gr.xviiij
	Aquæ.....	q.s. ad f3iiij

M.

707.

R	Chloroformi.....	4 Gm
	Camphoræ.....	1 Gm
	Vitelli Ovi.....	5 Gm
	Aquæ.....	40 C.c.

M

[U.S.P.]

708.

R	Hypnori.....	f3j
	Olei Amygd. Dule.....	f3j
	Acaciæ.....	3iv
	Syr. Tolut.....	f3j
	Aquæ.....	ad f 3iiij

M

709.

R	Amyleni Hydratis.....	f3iv
	Acaciæ.....	3iiij
	Aquæ.....	f3iv
	Extr. Glycyrrh. Fl.....	f3iv
	Aquæ.....	ad f3iiij

M.

710.

R	Sulphonal.....	3j
	Acaciæ,	
	Tragacanthæ.....	āā gr.x
	Syrupi.....	f3j
	Aquæ Aurantii Flor.....	ad f3iiij

M. Take one-half at bedtime.

711.

R	Extracti Cimicifugæ Fluidi.....	f3iss
	Mucilaginis Acaciæ.....	f3j
	Aquæ Destillatæ.....	f3iiss

M.

712.

R Tincturæ Cannabis Indicæ.....fʒvj
 Syrupi Acaciæ.....fʒiss
 Aquæ Destillatæ.....q.s. ad fʒvj
 M.

713.

R Tinct. Cannabis Ind.....fʒiv
 Tinct. Digitalis.....fʒj
 Extr. Taraxaci.....ʒiv
 Ammonii Chloridi.....ʒiv
 Aquæ Chloroformi.....ad fʒvj
 M.

714.

R Potassii Bromidi.....ʒj
 Tincturæ Cannabis Indicæ.....fʒj(!)
 Mucilaginis Acaciæ.....fʒij
 Aquæ Cinnamomi.....fʒj
 Misce et fiat haustus.

715.


R Ammonii Chloridi.....5 Gm
 Potassii Chloratis.....5 Gm
 Tinct. Tolut.....10 C.c.
 Syrupi Zingib.,
 Aquæ.....āā 75 C.c.
 M.

716.

R Extr. Cannab. Ind. Fl.....fʒij
 Pot. Brom.....ʒj
 Morph. Sulph.....gr.ij
 Aquæ.....q.s. ad fʒviiij
 M. D. S. A dessertspoonful.

717.

R Tinct. Cannab. Ind.....fʒj
 Potassii Bromidi,
 Chloral.....āā ʒss
 Extr. Hyoseyami.....gr.j
 Aquæ.....q.s. ad fʒj
 M.



718.

R	Extr. Cubebæ Fl.....	f ^{ss} j
	Extr. Buchu Fl.....	f ^{ss} j
	Aquæ Menthæ Pip.....	f ^{ss} iv

M.

719.

R	Extracti Buchu Fluidi,	
	Extracti Uvæ Ursi.....	āā f ^{ss} j
	Syrupi Acaciæ.....	f ^{ss} ss
	Aquæ Menthæ Viridis.....	f ^{ss} j

M.

720.

R	Olei Santali.....	f ^{ss} ij
	Olei Copaibæ.....	f ^{ss} ss
	Tinct. Cubebæ.....	f ^{ss} j
	Olei Menthæ Pip.....	℥xij
	Alcohol.....	f ^{ss} ij
	Tinct. Buchu.....	f ^{ss} j
	Decocti Pareiræ,	
	Inf. Uvæ Ursi.....	āā f ^{ss} v

M.

721.

R	Potassii Iodidi.....	3iss
	Tinct. Cimicifugæ.....	f ^{ss} j
	Tinct. Guaiaci Ammon.....	f ^{ss} j
	Tinct. Nucis Vomicæ.....	f ^{ss} iss
	Aquæ Chloroformi.....	ad f ^{ss} iv

M.

722

GRAMMES.

R	Ammonnii Chloridi.....	5
	Pot. Chloratis.....	5
	Syr. Senegæ.....	20
	Syr. Ipecac.....	20
	Syr. Tolut.....	50
	Extr. Glycyrrh. Fl.....	5
	Tinct. Cubebæ.....	5
	Aquæ.....	100

M.

723.

℞ Tinct Cannab. Ind. 25 C.c.
 Spir. Menthæ Pip. 2 C.c.
 Glycerini. 173 C.c.

M.

724.

℞ Olei Copaibæ. fʒij
 Tinct. Cubebæ. fʒj
 Acaciæ. q.s.
 Syrupi Zingiberis. fʒj
 Aquæ. q.s. ad fʒiv

M.

725.

℞ Tinct. Asafoetidæ,
 Tinct. Valer. Ammon.,
 Tinct. Castorei. āā fʒij
 Aquæ Camph. fʒvij

M.

726.

℞ Sulphuris Præcip. 5 Gm
 Acaciæ. 5 Gm
 Syrupi,
 Aquæ Foeniculi. āā 40 C.c.

M.

727.

℞ Pulv. Cretæ Comp. 10 Gm
 Aquæ Cinnam. 20 C.c.
 Aquæ. 20 C.c.

M.

[U.S.P.]

728.


℞ Elix. Paregor. 15 fGm
 Tinct. Catechu Comp. 15 fGm
 Mist. Cretæ Comp. 70 fGm


M.

729.

℞ Liquoris Potassæ. ℥xx
 Misturæ Cretæ. fʒj
 Tincturæ Calumbæ. fʒj

Misce et fiat haustus.





730.

R	Pulveris Aromatici.....	3iij
	Spiritus Ammonii Aromatici.....	f3iij
	Tincturæ Catechu.....	f3x
	Tincturæ Cardamomi Compositæ.....	f5vj
	Tincturæ Opii Deodoratæ.....	f3j
	Misturæ Cretæ.....	q.s. ad f3xx

M.

731.

R	Magnes. Sulph.....	10 Gm
	Magnes. Carb.....	.3 Gm
	Rhei.....	5 Gm
	Aquæ Menthæ Pip.....	100 C.c.

M.

732.

R	Magnesium Carbonatis.....	3j
	Sodii Biboratis,	
	Acidi Citrici.....	āā 3ij
	Aquæ Bullientis.....	ad f3viiij

M.

733.

R	Magnesium Carb.....	5 Gm
	Tinct. Asafœtidæ.....	8 C.c.
	Tinct. Opii.....	1 C.c.
	Sacchari.....	10 Gm
	Aquæ.....	q.s. ad 100 C.c.

M.

[Dewee's Carminative.]

734.

R	Magnesium Carb.....	3iv
	Potassii Carb.....	gr.xij
	Sacchari.....	5iiss
	Tinct. Opii.....	f3iiss
	Olei Cari.....	℥j
	Olei Fœniculi.....	℥j
	Olei Menthæ Pip.....	℥j
	Aquæ.....	q.s. ut f. f5iv

M.

[Dalby's Carminative.]

735.

℞ Rhei ʒj
 Cinnamomi ʒij
 Magnesiae ʒij
 Aquæ ad fʒiv

M.

736.

℞ Liq. Potassii Arsenitis ℥v
 Massæ Ferri Carb gr.v
 Vini Xerici fʒj
 Aquæ Destillatæ q.s. ad fʒiss

M.

737.

℞ Moschi gr.iiij
 Camphoræ gr.xv
 Chloral Hydratis gr.viiss
 Vitelli Ovi No.j
 Aquæ Destillatæ fʒiv ʒvj

M.

738.

℞ Mucunæ ʒj
 Syrupi Simplicis ʒss

M.

739.

℞ Pelletierinæ Tannatis gr.vij
 Syr. Simplicis fʒss

M.

740.


℞ Pulveris Kamalæ gr.viiij
 Syrupi Aurantii Florum fʒss
 Mucilaginis Tragacanthæ ʒj
 Aquæ Destillatæ fʒj


Misce et fiat haustus.

741.

℞ Pulveris Ergotæ ʒss
 Syrupi Simplicis fʒss
 Aquæ Ment hæ Piperitæ fʒj

M.





742.

℞	Resinæ Podophylli.....	1
	Sodii Bicarb.....	10
	Extr. Rhei Fl.	10
	Aquæ Camph.....	100
	Inf. Gent. Comp.	140

M.

743.

℞	Potassii Bitartratis	℥ij
	Mucilaginis Acaciæ	f℥j
	Spiritus Ætheris Nitrosi,	
	Extracti Taraxaci Fluidi,	āā f℥ss
	Aquæ Destillatæ.....	f℥ij

M.

744.

℞	Pepsini	gr.xvi
	Bism. Subnitr.....	℥ij
	Magn. Carb.....	gr.xxiv
	Pulv. Arom.....	gr.viiij
	Aquæ	ad f℥iv

M.

745.

℞	Sodii Bicarb.....	3j
	Bism. Subnitr.....	3ij
	Pulv. Aromat.....	3iss
	Mucil. Acaciæ.....	f℥j
	Aquæ Menthæ Pip.....	f℥ij

Misc. Signa: Cochl. parv. ter intra diem.

746.

℞	Bismuthi Subnitr.....	gr.xl
	Pot. Bromidi.....	gr.xxx
	Acidi Hydrocyan. Dil.	gtt.x
	Spir. Chloroformi	gtt.xl
	Mucilaginis	f℥j
	Aquæ.....	f℥iiij

M. S. Two tablespoonfuls for a dose. To be well shaken.

747.

℞ Tinct. Opii Deodoratægtt.xvj
 Spir. Ammoniae Aromat.f℥j
 Bismuthi Subnitratis.....℥ij
 Syrupi Simplicis.....f℥iv
 Mist. Cretæf℥iss

M.

748.

℞ Bism. Subnitr.....℥ij
 Magnesiæ℥j
 Tinct. Gent. Comp.f℥j
 Aquæ.....ad f℥viij

M.

749.

GRAMMES.

℞ Bism. Subnitr.....	15
Acidi Hydrocyan. Dil.	3
Tinct. Gent. Comp.....	40
Syr. Zingiberis.....	60
Spir. Ammoniae Arom.....	15
Aquæ	80

M.

750.

℞ Sodii Bicarb.....℥j
 Pulv. Rhei,℥ss
 Spir. Menthæ Pip.,.....f℥ij
 Aquæ,q. s. ad f℥iv

M.

751.

℞ Tinct. Krameriae,
 Mucilaginisāā 30 C.c.

M.

752.

℞ Liquoris Ferri Dialys.....f℥iv
 Syrupif℥j
 Mucilaginisf℥iv

M.





753.

℞	Olei Gaultheriæ.....	f℥j
	Acidi Salicylici	gr.lxxx
	Sodii Boratis.....	℥j
	Syr. Picis Liquidæ	f℥ij
	Aquæ Anisi.....	f℥ij

M. S. A dessertsp. every 2 hours.

754.

℞	Tinct. Opii Camph.	f℥j
	Tinct. Benz. Comp.	f℥j
	Syrupi	f℥ij

M.

755.

℞	Extr. Glycyrrh.....	℥j
	Liquoris Potassæ	f℥ij
	Syr. Aurantii	f℥vj
	Aquæ	ad f℥vj

M.

756.

℞	Syrup. Prun. Virg.,	
	Syrup. Ipecac.	āā f℥ss
	Morph. Sulph.	gr.j
	Aquæ Anisi	f℥iij

M.

757.

℞	Tinct. Opii Camph.....	20 C.c.
	Spir. Ammon. Arom.....	30 C.c.
	Syr. Pruni Virg.....	40 C.c.
	Extr. Ipecac. Fl.....	3 C.c.
	Extr. Glycyrrh. Fl.	10 C.c.
	Aquæ Anisi	100 C.c.

M.

758.

℞	Quin. Sulph.	℥j
	Morph. Acet.	gr.vj
	Olei Sassafras	gtt.ij
	Syr. Simpl.....	f℥vss

M.

759.

R	Ammonii Chloridi	5
	Spir. Ætheris Comp.....	40
	Syr. Pruni Virg.....	120
	Aquæ.....	40

M.

760.

R	Ammonii Chloridi,	
	Ammonii Carb.....	āā ʒij
	Tinct. Hyoscyami.....	fʒj
	Syr. Acaciæ.....	ad fʒiv

M.

761.

R	Pot. Nitratis.....	10 Gm
	Vin. Coleh. Sem.....	100 fGm
	Extr. Cimicifugæ Fl.....	100 fGm
	Syrupi.....	150 fGm
	Aquæ.....	q. s ad 500 fGm

M.

762.

R	Liqu. Morph. Sulph.,	
	Spir. Ætheris Comp.....	āā 50 C.c.

M.

763.

R	Paraldehydi.....	fʒvj
	Mucilag. Acaciæ,	
	Spir. Viri Gallici.....	āā fʒij

M. Sig.: Shake the vial. A tablespoonful to induce quiet and sleep; repeat in an hour if necessary.

764.

R	Tinct. Opii Deod.....	fʒj
	Sodii Bromidi.....	ʒiij
	Chloral Hydrat.....	ʒiss
	Syr. Acaciæ.....	fʒj
	Aquæ.....	q. s. ad. fʒiij

M. S. A dessert-spoonful in water every four hours.



765.

℞	Acidi Gallici.....	3 Gm
	Magneſii Sulph.....	20 Gm
	Acidi Sulph. Dil.....	2 C.c.
	Extr. Ergotæ Fl.....	5 C.c.
	Aquæ Cinnam.....	q. s. ut f 200 C.c.

M.

766.

℞	Tinct. Myrrhæ.....	f̄ij
	Morph. Acet.....	gr.ij
	Acidi Tannici.....	ʒj
	Spir. Cinnamomi.....	f̄iiv
	Syr. Tolutani.....	f̄ʒj

M.

767.

℞	Syr. Scillæ,	
	Syr. Ipecac,	
	Tinct. Opii Camph.,	
	Glycerini.....	āā 30 C.c.

M.

768.

℞	Ammonii Chloridi,	
	Extr. Glycyrrh. Puri.....	āā ʒiiss
	Aquæ.....	q. s. ad f̄ʒviiij

M.

769.

℞	Tinct. Sennæ Comp.....	f̄ʒj
	Tinct. Aloes et Myrrhæ.....	f̄ʒj
	Extr. Caulophylli Fl.....	f̄ʒij
	Extr. Cypripedii Fl.....	f̄ʒiij
	Glycerini.....	f̄ʒij

M.

770.

℞	Tinct. Capsici.....	f̄ʒj
	Tinct. Benzoini Comp.....	f̄ʒj
	Tinct. Opii Camph.....	f̄ʒj
	Syr. Tolutani.....	f̄ʒij

M.

771.

R Morph. Sulph.....gr.j
Spir. Mindereri.....f̄ij

M.

772.

R Extr. Glycyrrh. Puri.....20 Gm
Aquæ Fœniculi.....60 C.c.
Olei Anisi.....500 mGm
Alcohol.....17 C.c.
Aquæ Ammoniaë.....3 C.c.

M.

773.

R Chloroformi.....f̄ijf̄ij
Ætheris.....f̄ij
Alcohol.....f̄ij
Syrupi Fusci.....f̄iv
Extr. Glycyrrh. Puri.....v̄vj
Morph. Hydrochlor.....gr.ij
Olei Ment hæ Pip.....gr.vj
Acidi Hydrocyan. Dil.....f̄vj
Syrupi.....q. s. ad f̄ix

M.

774.

R Potassii Carb.....gr.iv
Olei Sassafras.....gr.j
Tinct. Opii.....℥.xxx
Alcohol.....℥.xl
Syrupi Fusci.....f̄vj
Aquæ.....q. s. ad f̄ij

M.


[Godfrey's Cordial.]

775.

R Olei Ment hæ Pip.....gr.xxx
Alcohol.....f̄iv
Vini Opii Crocati.....f̄ij
Extr. Ipecac Fl.....f̄ss
Tinct. Valer.....f̄j

M.

[Thielemann's Cholera Drops.]



776.

- ℞ Chloroformi.....f̄iij
 Tinct. Opii,
 Spir. Camphoræ,
 Tinct. Capsici.....āā f̄ij
 Alcohol.....f̄xiij

M.

[Squibb's Diarrhœa Mixture.]

777.

- ℞ Aquæ Camphoræ.....f̄iij
 Tinct. Lavand. Co.....f̄ij
 Sacchari.....ij

M.

[Parrish's Camphor Mixture.]

778.

- ℞ Tinct. Opii,
 Tinct. Catechu Comp.,
 Spir. Camphoræ.....āā 10 C.c.

M.

[Velpéau's Diarrhœa Mixture.]

779.

- ℞ Extr. Rhei Fl.....℥.xx
 Extr. Ipecac. Fl.....℥.iv
 Sodii Bicarb.....ʒij
 Glycerini.....f̄ij
 Aquæ Menthæ Pip.....q.s. ad f̄ijiv

M.

[Squibb's Rhubarb Mixture.]

780.

- ℞ Chloral.....ij
 Potassii Bromidi.....ij
 Extr. Cannabis Ind.....gr.iv
 Extr. Hyoscyami.....gr.iv
 Alcohol.....f̄ij
 Aquæ.....s.q. ad f̄ijiv

M.

[N.F.]

781.

R̄	Extr. Glycyrrh. Puri.....	3 Gm
	Sacchari	3 Gm
	Acaciæ	3 Gm
	Tinct. Opii. Camph	12 C.c.
	Vini Antimonii	6 C.c.
	Spir. Ætheris Nitrosi.	4 C.c.
	Aquæ	70 C.c.

M.

[U.S.P.]

782.

R̄	Sodii Bicarb	3 Gm
	Extr. Rhei Fluidi	3 C.c.
	Spir. Menthæ Pip	3 C.c.
	Aquæ	q.s. ad 100 C.c.

M.

[U.S.P.]

783.

R̄	Chloroformi....	f̄j
	Olei Menthæ Pip	℥.iv
	Tinct. Cannabis Ind	f̄j
	Extr. Bellad. Fl	f̄j
	Tinct. Opii Deod	f̄xj
	Tinct. Capsici	f̄iv
	Extr. Glycyrrh. Puri	℥ij
	Aquæ	f̄j
	Syrupi	q. s. ad f̄viiij

M.

[Chloroform Anodyne.]

784.

R̄	Tinct. Opii,	
	Tinct. Capsici,	
	Tinct. Rhei,	
	Spir. Camphoræ,	
	Spir. Menthæ Pip	āā 10 C.c.

M.

[Sun Cholera Mixture.]



785.

℞ Sodii Bicarb gr. lxxx
 Spir. Ammon. Arom ℥. xv
 Aquæ Menthæ Vir q.s. ad f̄iv

M.

[Soda Mint.]

786.

℞ Vini Ipecac,
 Tinct. Opii āā 5 fGm
 Spir. Ætheris Nitrosi 90 fGm

M.

787.

℞ Spir. Aetheris Nitrosi f̄ij
 Tinct. Tolut f̄iv
 Tinct. Camph. Comp f̄ij

M.

788.

℞ Syr. Prun. Virg f̄ij
 Acid. Hydrocyan. Dil f̄ss
 Syr. Scillæ f̄ij
 Tinct. Thebaicæ f̄ij

M.

789.

℞ Succii Limonis 100 C.c.
 Potassii Bicarb q.s. ad saturandum

Fit solutio.

[U. S. P.]

790.

℞ Potassii Bicarb ℥ij
 Syr. Limonis f̄ij
 Aquæ ad f̄xij

M.

791.

℞ Acidi Acet. Dil f̄iv
 Ammonii Carb q.s. ad sat.

M.

[Spir. Mindereri.]

792.

℞ Tinct. Tolutanæ.....f℥ij
 Syr. Senegæ.....f℥iv
 Acidi Acetici.....f℥iss
 Syr. Pruni Virg.....ad f℥iv
 M. Sig. A teaspoonful as required.

793.

℞ Acidi Citrici.....4 Gm
 Aquæ.....190 C.c.
 Fit solutio; dein adde:—
 Sodii Carbonatis.....9 Gm
 Solve.

[Ph. Su.]

794.

℞ Aceti Op*i*.....℥.xl
 Spir. Aetheris Comp.....f℥j
 Syr. Zingiberis.....f℥j
 Aquæ Menthæ Pip.....f℥iij
 M.

795.

℞ Pot. Citrat.....℥j
 Sodii Bicarb.....℥v
 Syr. Limonis.....f℥j
 Aquæ.....ad f℥iv
 M. S. A teaspoonful every two hours.

796.

℞ Liq. Ammonii Acetat....f℥ss
 Syr. Ipecac.....f℥j
 Liq. Morph. Sulph.....℥xl
 Syr. Acaciæ.....f℥j
 Aquæ.....f℥iss
 M.

797.

℞ Acidi Salicylici.....℥ij
 Ammonii Carbonat.....℥v
 Syrupi Simplicis.....f℥iij
 Aquæ.....ad f℥viiij
 M.

798.

℞	Ammonii Carb.....	gr.vj
	Vini Ipecac.....	f̄ij
	Vini Antimonii.....	f̄ij
	Syrupi Scillæ.....	f̄iij
	Syrupi Rubi Idæi.....	f̄iv
	Aquæ.....	ad f̄iss

M.

799.

℞	Ammonii Carbonat.....	gr.xl
	Inf. Serpentariæ.....	f̄ss

M. S. A tablespoonful every 3 hours.

800.

℞	Ammonii Carb.....	℥ij
	Spir. Chloroformi.....	f̄ss
	Inf. Senegæ.....	f̄viiij

M.

801.

℞	Ammon. Carb.....	gr.xxiv
	Syr. Tolut.....	f̄vj
	Spir. Vini Gall.....	f̄iij
	Syr. Senegæ.....	f̄iiiss
	Syr. Acaciæ.....	f̄iij

M.

802.

℞	Ammonii Carb.....	℥j
	Syrupi Tolut.....	f̄vj
	Tinct. Tolut.....	f̄iij
	Vini Ipecac.....	f̄ij
	Spir. Chloroformi.....	f̄iij
	Inf. Senegæ.....	ad f̄xij

M.

803.

℞	Acidi Salicylici.....	℥iij
	Potassii Bicarbonatis.....	℥vj
	Aquæ.....	f̄ij

M.

804.

℞ Acidi Salicylici,
 Ammon. Carb.,
 Pot. Iodidi,
 Chloral.....āā 5 Gm
 Extr. Colch. Sem. Fl.....5 C.c.
 Aquæ.....q.s. ad 200 C.c.

M.

805.

℞ Acidi Salicyl..... 10 Gm
 Pot. Acet.....20 Gm
 Glycerini.....30 C.c.
 Aquæ.....q.s. ad 200 C.c.

M.

806.

℞ Acidi Salicylici.....10 Gm
 Pot. Iodidi.....5 Gm
 Syr. Pruni Virg.....50 C.c.
 Sol. Ammon. Acet.....q.s. ad 200 C.c.

M.

807.

℞ Sodii Phosphatis.....3iiss
 Aquæ Fermentis.....f3iij
 Solve, et adde:—
 Acidi Salicylici.....3iss

M.

808.

℞ Iodi.....gr.iss
 Potassii Iodidi.....gr.iiij
 Tinct. Aurantii.....f3iij
 Syrupi.....f3v
 Aquæ.....f3iij

M.

809.

℞ Acidi Salicylici.....3iij
 Sodii Boratis.....gr.xv
 Aquæ Menthæ Pip.....ad f3vj

M. f. sol.



810.

℞ Urethani ʒij
 Syrupi fʒj
 Aquæ ad fʒiv

M.

811.

℞ Terpini Hydratis ʒj
 Glycerini,
 Alcohol,
 Syrupi āā fʒij

Fit solutio.

812.

℞ Methylal fʒij
 Syr. Amantii Flor. fʒj
 Aquæ q. s. ad fʒij

M.

813.

℞ Antipyrini ʒiv
 Aquæ fʒiv
 Syr. Aurantii Flor ad fʒvj

M.

814.

℞ Acidi Nitro-Muriatici Dil. ʒij
 Tinct. Gentianæ Comp.,
 Tinct. Cinchonæ Comp. āā fʒj
 Elixir Curacoæ ad fʒiij

M.

815.

℞ Acidi Nitrici Dil.,
 Acidi Hydrochlor. Dil. āā ʒxl
 Infusi Serpentariæ fʒviiij

M.

816.

℞ Quin. Sulph. 5 Gm
 Acidi Sulph. Dil. 5 C.c.
 Aquæ 190 C.c.

M. f. sol.

817.

℞ Cinchoninæ Sulph.....ʒij
 Tinct. Ferri Chlor.....fʒv
 Aquæfʒviiij

M.

818.

℞ Quin. Sulph.....0.....ʒiss
 Inf. Rosæ Acid.fʒviiij

M. f. sol.

819.

℞ Quin. Sulph.2 Gm
 Acid. Sulph. Dil.q.s.
 Elix. Aurantii200 C.c.

Fiat solutio.

820.

℞ Quininæ Sulphatisgr.vj
 Acidi Tartaricigr.iiij
 Syrupi Simplicisfʒj

M.

821.

℞ Quin. Sulph.ʒiv
 Extr. Glycyrrh. Fl.....fʒj
 Syrupi,
 Aquæāā fʒiiiiss

M. S. A tablespoonful 3 times daily.

822.

℞ Quin. Hydrochlor.4 Gm
 Extr. Glycyrrh.....10 Gm
 Aquæ100 C.c.
 Syrupi50 C.c.

M.

823.

℞ Quin. Sulph.2 Gm
 Potassii Iodidi2 Gm
 Acidi Citrici2 Gm
 Aquæ100 C.c.

M.

824.

R	Acidi Sulph. Arom	f̄ij
	Tinct. Cinch. Comp	f̄j
	Glycerini	f̄j
	Aquæ Destill	f̄ij
	Quin. Sulph	ss

M.

825.

R	Quin. Sulph2 Gm
	Pot. Chloratis	20 Gm
	Tinct. Ferri Chlor	30 C.c.
	Glycerini	100 C.c.
	Syrupi	50 C.c.

M.

826.

R	Cinchonid. Sulph.	5 Gm
	Pot. Iodidi	5 Gm
	Acidi Citrici	5 Gm
	Syrupi Aurantii	100 C.c.
	Aquæ	150 C.c.

Fiat solutio.

827.

R	Quin. Sulph	3.50 Gm
	Ferri Phosph	3.50 Gm
	Strychninæ	100 mGm
	Acidi Phosph. Dil	30 C.c.
	Syr. Zingiberis	100 C.c.
	Aquæ	120 C.c.

M. f. Sol.

828.

R	Ammonii Carb	ss
	Extr. Senegæ Fl.	f̄ij
	Extr. Scillæ Fl.	f̄ij
	Tinct. Opii Camph	f̄ss
	Aquæ	f̄vj
	Syrupi Tolut	q.s. ad f̄viiij

M.

[Stokes' Expectorant.]

829.

℞ Quin. Sulph. 2 Gm
 Tinct. Ferri Chlor. 20 C.c.
 Spir. Chloroformi 30 C.c.
 Glycerini 150 C.c.

M

830.

℞ Quin. Sulph.,
 Potassii Bromidi,
 Acidi Citrici āā 2 Gm
 Aquæ 100 C.c.

M.

831.

℞ Quin. Sulph. 3j
 Pot. Bromidi 3j
 Syr. Pruni Virg. f̄iv
 Aquæ ad fviij

M.

832.

℞ Quininæ Sulph. 5 Gm
 Tinct. Ferri Chlor. 20 C.c.
 Glycerini 10 C.c.
 Elix. Aurantii 170 C.c.

M.

833.


℞ Quininæ Sulph. 3j
 Ferri Pyrophosph. 3j
 Strychn. Sulph. gr. j
 Acidi Phosph. Dil f̄ij
 Syrupi Zingiberis f̄ij
 Aquæ q.s. ad f̄ijv

M. ft mistura.

834.

℞ Extr. Chiratae Fl. f̄iss
 Tinct Ferri Chlor f̄ss
 Syr. Aurantii f̄ij

M.



835.

R	Quin. Sulph.....	5 Gm
	Spir. Ætheris Nitrosi.....	35 C.c.
	Acidi Sulph. Dil.....	q.s.
	Sodii Salicyl	4 Gm
	Aquæ.....	70 C.c.

M.

836.

R	Sodii Salicyl.....	3iss
	Quin. Sulph.....	gr.iiij
	Liqu. Ammon. Acet.....	f3j
	Syr. Tolut.....	ad f3iiij

M.

837.

R	Ferri Sulph.,	
	Quin. Sulph.....	āā gr.xxv
	Acidi Nitrici	gr.xxxv
	Potassii Nitratis	gr.lxxv
	Aquæ.....	q.s. ad f3iv

M.

[Gadberry's Mixture.]

838.

R	Tinct. Ferri Chloridi,	
	Tinct. Gentianæ.....	āā f3iv
	Syrupi,	
	Aquæ.....	āā f3ij

M.

839.

R	Tinct. Ferri Chloridi,	
	Tinct. Quassiae	āā f3iv
	Aquæ,	
	Syrupi.....	āā f3ij

M.

840.

R	Liquoris Ammon. Acet.....	f3iiij
	Tinct. Ferri Chlor.....	f3j

M.

841.

℞ Tinct. Ferri Chloridi.....f℥iv
 Tinct. Aurantii.....f℥ij
 Syrupi,
 Aquæ.....āā f℥iij

M.

842.

℞ Tinct. Ferri Chlor.....f℥iv
 Tinct. Cinch. Comp.....f℥iss
 Syrupi.....f℥ij
 Aquæ.....ad f℥vj

M.

843.

℞ Potassii Iodidi.....℥iv
 Tinct. Ferri Chloridi.....f℥iv
 Potassii Citratis.....℥iv
 Aquæ.....f℥ij
 Syrupi Tolut.....f℥j

M.

844.

℞ Tinct. Ferri Chloridi.....f℥ij
 Acidi Phosph. Dil.....f℥ij
 Cinchonid. Sulph.....gr.xl
 Strychn. Sulph.....gr.iss
 Aquæ Distill.....f℥iij
 Syr. Limonis.....f℥iiss

M.

845.

℞ Tinct. Ferri Chlor.....5 C.c.
 Sol Ammon. Acet.....5 C.c.
 Acid. Acet. Dil....150 C.c.


M.

846.

℞ Tinct. Ferri Chlor.....f℥iv
 Liqu. Pot. Arsen.....f℥j
 Mucilaginis.....f℥iv
 Aquæ.....f℥j

M.





847.

R̄	Liquoris Acidi Arsenosi.....	2 C.c.
	Tinct. Ferri Chloridi.....	5 C.c.
	Aquæ.....	q. s. ad 60 C.c.

M.

848.

R̄	Tinct. Ferri Chlor.....	2 C.c.
	Liqu. Pot. Arsenitis.....	1 C.c.
	Aquæ.....	30 C.c.

M.

849.

R̄	Tinct. Ferri Chloridi.....	f̄j
	Liqu. Acidi Arsenosi.....	f̄ij
	Syr. Limonis.....	f̄ss
	Syr. Simplicis,	
	Aquæ.....	āā p. æqu. q. s. ad f̄iv

M.

850.

R̄	Liqu. Acidi Arsen.....	15 C.c.
	Tinct. Ferri Chlor.....	50 C.c.
	Cinchonid. Sulph.....	10 Gm
	Strychninæ Sulph.....	100 mGm
	Syrupi Tolutani.....	100 C.c.
	Elixir Aurantii.....	100 C.c.

M. Signa: Dose one teaspoonful.

851.

R̄	Tinct. Ferri Chloridi.....	20 C.c.
	Potassii Bromidi.....	20 Gm
	Aquæ.....	300 C.c.

M.

852.

R̄	Tinct. Ferri Chlor.....	2 C.c.
	Acidi Acet. Dil.....	3 C.c.
	Liqu. Ammon. Acet.....	20 C.c.
	Elixir Aurantii.....	10 C.c.
	Syrupi.....	12 C.c.
	Aquæ.....	50 C.c.

M.

[Basham's Mixture.]

853.

℞ Tinct. Ferri Chlor..... 4 C.c.
 Liq̃uoris Potassæ..... 20 C.c.
 Syrupi Limonis..... 20 C.c.
 Aquæ Chloroformi.... 100 C.c.

M.

854.

℞ Tinct. Ferri Chloridi..... 20 C.c.
 Acidi Phosph. Dil..... 20 C.c.
 Syrupi Tolut..... 200 C.c.

M.

855.

℞ Tinct. Ferri Chloridi..... f̃ij
 Extr. Ergotæ Fluidi..... f̃v
 Spir. Chloroformi..... f̃ij
 Tinct. Quassiæ ad f̃iv

M.

856.

℞ Liqu. Acidi Arsenosi,
 Liq̃n. Dialys..... āā 1 C.c.
 Aquæ..... 30 C.c.

M.

857.

℞ Liquoris Ferri Dialys..... f̃iv
 Liquoris Potassii Arsen..... f̃ss
 Aquæ..... ad f̃vj

M.

858.


℞ Ferri et Ammonii Citr..... 5 Gm
 Aquæ..... 10 C.c.
 Syrupi Limonis..... 30 C.c.
 Mucilaginis..... 20 C.c.

M.

859.

℞ Ferri et Ammon. Citr..... 4 Gm
 Liqu. Pot. Arsenitis..... 4 C.c.
 Aquæ..... 300 C.c.

M.





860.

℞	Ferri et Pot. Tartr.....	℥iv
	Pot. Iodidi.....	℥j
	Tinct. Cinch. Comp.....	f℥j
	Aquæ.....	f℥j

M.

861.

℞	Ferri Phosphatis.....	5 Gm
	Acidi Phosph. Dil.....	20 C.c.
	Aquæ,	
	Syrupi.....	āā 40 C.c.

M.

862.

℞	Ferri Pyrophosph.....	5 Gm
	Acidi Phosph. Dil.....	20 C.c.
	Aquæ,	
	Syrupi.....	āā 40 C.c.

M.

863.

℞	Potassii Iodidi.....	℥iss
	Ferri Pyrophosph.....	℥ss
	Spir. Menthæ Pip.....	f℥ss
	Syrupi.....	f℥iv

M.

864.

℞	Ferri et Quin. Citr.....	℥ij
	Acidi Phosph. Dil.....	f℥ij
	Aquæ.....	f℥iiss
	Syr. Zingiberis.....	f℥iv
	Tinct. Card. Comp.....	f℥j

M.

865.

℞	Arseni Iodidi.....	100 mGm
	Syr. Ferri Iodidi.....	25 C.c.
	Pot. Iodidi.....	10 Gm
	Syr. Tolut.,	
	Aquæ.....	āā 100 C.c.

M.

866.

℞ Hydrarg. Chloridi Corros.....gr.iiij
 Potassii Iodidi.....ʒij
 Quin. Hydrochlor.....ʒss
 Syrupi.....fʒj
 Alcohol.....fʒj
 Aquæ.....q.s. ad fʒviij

M.

867.

℞ Syr. Ferri Iodidi15 C.c.
 Liquoris Potassæ.....25 C.c.
 Aquæ.....80 C.c.
 Syrupi Tolut.....30 C.c.

M.

868.

℞ Syr. Ferri Iodidi.....fʒiiss
 Potassii Iodidi.....ʒv
 Syr. Sarsaparillæ Comp.....fʒj
 Aquæ.....q.s. ad fʒij

M.

869.

℞ Ferri et Quin. Citr.....ʒss
 Potassii Iodidi.....ʒiss
 Aquæ,
 Syrupi.....āā fʒj

M.

870.


℞ Ferri Sulph.....4 Gm
 Potassii Iodidi.....5 Gm
 Aquæ,
 Syrupi.....āā 40 C.c.


M.

871.

℞ Magnesii Sulphatis.....ʒj
 Ferri Sulphatis.....gr.iv
 Sodii Chloridi.....ʒss
 Acidi Sulphurici Diluti.....fʒj
 Infus. Quassiae.....q.s. ad fʒiv

M.





872.

℞ Tinct. Cinch. Comp..... f̄ij
 Hydr. Chloridi Corros..... gr.ij
 Ammonii Chloridi..... gr.xx
 Aquæ,
 Syrupi..... āā f̄ijss

M.

873.

℞ Hydrarg. Chloridi Corros..... 200 mGm
 Pot. Iodidi..... 20 Gm
 Tinct. Cinch. Comp.,
 Syrupi..... āā 50 C.c.
 Aquæ..... 100 C.c.

M.

874.

℞ Pot. Iodidi..... ʒiiss
 Hydrarg. Chloridi Corros..... gr.ij
 Alcohol..... f̄iv
 Elix. Calisayæ..... f̄ijss

M.

875.

℞ Plumbi Acet..... ʒj
 Tinct. Opii..... f̄ij
 Syrupi..... f̄vj
 Aquæ..... q.s. ad f̄vij

M.

876.

℞ Hydrargyri Protiodidi..... gr.ij
 Potassii Iodidi..... ʒij
 Tincturæ Gentianæ Comp.,
 Syrupi Sarsaparillæ Comp..... āā f̄ij

M.

877.

℞ Hydrarg. Chloridi Corros..... gr.ij
 Ammonii Carb..... gr.v
 Potassii Iodidi..... gr.v
 Aquæ..... ad f̄ij

M.

878.

℞ Ferri Quin. et Strychn. Citr ℥ij
 Syrupi Limonis f℥ij
 Vini Albi f℥iv
 M.

879.

℞ Zinci Sulph gr.viiij
 Tinct. Lavand. Comp f℥ij
 Spir. Rosmarini f℥ij
 Aquæ ad f℥viiij
 M.

880.

℞ Potassii Chloratis ℥j
 Acidi Hydrochlorici ℥xvj
 Glycerini f℥j
 Aquæ ad f℥viiij
 Misce.

881.

℞ Potassii Chloratis ℥j
 Acidi Hydrochlorici Dil. f℥iss
 Misce et adde:—
 Tincturæ Ferri Chloridi f℥ij
 Aquæ Destillatæ q. s. ad f℥iv
 M.

882.

℞ Elix. Ammon. Valer 120 C.c.
 Boracis 5 Gm
 M.


883.

℞ Pot. Bromidi ℥vj
 Aquæ Camph. f℥iv
 M.

884.

℞ Acidi Nitrici Fumantis f℥j
 Tinct. Opii ℥xl
 Aquæ Camph. f℥viiij
 M.

[Hope's Camphor Mixture.]



885.

℞ Potassii Bitartratis ℥ij
 Aquæ Ferventis Oij
 Corticis Limonis,
 Sacchari, . . . āā q. s. ad conciliandum gustum.

M.

886.

℞ Extr. Bellad. gr.vj
 Pot. Iodidi ℥iv
 Vin. Colch. Rad. f℥iv
 Tinct. Guaiaci Ammon.,
 Aquæ Cinnam. āā ℥iv

M.

887.

℞ Acidi Salicylici 5 Gm
 Syrupi Zingiberis 100 C.c.

M.

888.

℞ Pot. Bromidi 20 Gm
 Extr. Conii Fl. 10 C.c.
 Aquæ 90 C.c.

M.

889.

℞ Sodii Iodidi gr.lxxv
 Sodii Bromidi ℥iiss
 Sodii Chloridi ℥v
 Aquæ Destillatæ f℥l

M.

890.

℞ Potassii Bromidi,
 Sodii Bromidi,
 Ammonii Bromidi āā ℥iij
 Potassii Iodidi,
 Ammonii Iodidi āā ℥iiss
 Ammonii Carbonat. ℥j
 Tinct. Calumbæ f℥iiss
 Aquæ q. s. ad ft. f℥viiij

M.

891.

℞ Potassii Iodidi ℥j
 Ammonii Chloridi ℥iss
 Mist. Glycyrrhizæ Comp., f℥vj

M.

892.

℞ Potassii Iodidi ℥iij
 Vini Colchici Sem.
 Tinct. Opii Camph. āā f℥ij
 Tinct. Stramonii f℥vj
 Tinct. Cimicifugæ f℥iij

M.

893.

℞ Acidi Gallici ℥v
 Acidi Sulph. Dil. f℥j
 Aquæ ad f℥viiij

M.

894.

℞ Magnesii Sulphatis 100 Gm
 Extr. Sennæ Fl. 10 C.c.
 Ferri Sulphatis 500 mGm
 Acidi Sulph. Dil. 2 C.c.
 Aquæ Menthæ Pip. q. s. ut f. 200 C.c.

M. f. sol.

895.

℞ Acid. Sulph. Arom.,
 Tinct. Opii Deod. āā 5 fGm
 Syrupi Rubi Villosi 90 fGm

M.

896.

℞ Tinct. Guaiaci,
 Glycerini āā f℥iss

M.

897.

℞ Acidi Muriatici f℥j
 Decoct. Hordei Oj
 Syrupi f℥ij

M.



898.

- ℞ Sodæ Subcarb. Cryst.....ʒiiss
 Potassæ Supertart.....ʒiij
 Aquæ.....fʒviiij

Stent in lagena bene obturata per triduum et
 deinde sit in promptu pro potu cathartico.

899.

- ℞ Inf. Sennæfʒj
 Tinct. Ejusdem et
 Tinct. Jalapæāā fʒj
 Potassii Tartr.ʒj
 Syr. Sennæfʒj

F. haustus, summo mane sumendus.

900.

- ℞ Hydrargyri Chloridi Corrosivi,gr.j
 Potassii Iodidi.gr.ij
 Bromiʒiiss
 Alcohol Diluti,fʒxxx

M. f. sol. S. A teaspoonful in wine or brandy as
 often as necessary.

901.

- ℞ Mist. Amygdfʒj
 Potassæ Carbonatisgr.x
 Syrupi Rhœadosfʒj

F. haust. cum cochl. succ. limon, in impetu effervescentiæ sumend.

902.

- ℞ Sodæ Carbonatisʒij
 Ferri Sulphatgr.ijj
 Magnesiae Subcarbʒj
 Aquæ PuræOss
 Acidi Sulph. Dilutfʒx

Infundatur primum lagenæ aqua; deinde immittantur salina, et denique acidum; illico obturetur lagena, et in loco frígido servetur.

903.

- ℞ Mist. Fuscæfʒiv

M.

904.

℞ Xylol Puri.....gr.xlv
 Mucil. Acaciæ,
 Syr. Cinnamomi.....āā fʒiis
 Aquæ Menthæ Pip.,
 Aquæ Destillatæ... āā fʒxiiss

M.

905.

℞ Propylaminæ Chloridi.....gr.xxiv
 Aquæ Menthæ Pip.....ʒvi

M. S. A tablesp. every two or three hours.

906.

℞ Agaricinæ.....gr.x
 Atropinæ Sulph.....gr.j
 Acid. Sulph. Arom.....℥ 1200

Solve et filtra.

S. Dose ten drops in syrup.

907.

℞ Cupri Ammonio-Sulphat.....gr.ij
 Syr. Aurantii Flor.....fʒj
 Aquæ.....fʒiij

M. Sig.: Two tablespoonfuls three times day.

908.

℞ Opii Contritigr.iv
 Aquæ Bullientis.....fʒiiss
 Infunde per horam et cola.
 Ad Liquoris Colati.....fʒj

Miscentur:—

Acidi Nitrici Dil.....℥x
 Tinct. Aloes Comp.....fʒj

Fiat haustus.


909.

℞ Sol. Mag.....fʒj
 Dr.

910.

℞ Spir. Mind.....fʒij

D. S. A tablespoonful every two hours.



PART VIII.

MIXTURES.

B.

911.

℞	Hydrg. Bichlor.....	gr.iss
	Tr. Ferri Chlor.....	ʒiij
	Sol. Chlor. Arsenici.....	ʒiss
	Strych. Sulph.....	gr.iss
	Glycerin.....	ʒj
	Aquæ.....	ad ʒiv

M.

912.

℞	Pulv. Pepsinæ Cryst.....	ʒij
	Acidi Muriatici Dil.....	ʒss
	Syr. Simplicis.....	ʒj
	Aquæ.....	q. s. ad ʒiij

M.

913.

℞	Bismuth. Subnit.....	ʒiij
	Spt. Vini Gal.....	fʒvj
	Spt. Myristicæ.....	fʒss
	Syr. Acaciæ.....	fʒj
	Aq. Cinnam.....	q. s. ad fʒiij

M.

914.

℞	Podophyllin.....	gr.j
	Spts. Vini Rectif.....	ʒiss
	Syr. Althæ.....	ad ʒiv

M.

915.

℞	Tinct. Opii Deodoratæ.....	gtt.xij
	Magnesii Calcinati.....	gr.xij
	Sacchari Albi.....	ʒj
	Aquæ Anisi.....	fʒiss

M.

916.

- R Tr. Digitalis.....f̄iiss
 Spt. Chloroform.....f̄vj
 Ex. Buchu Fl.....f̄j
 Spt. Juniperi Comp.....q. s. ad f̄iv
 M.

917.

- R Acid. Gallici.....j-jj
 Acid Sulphuric Dil.....f̄ss
 Tr. Lupuli.....f̄j
 Infus. Lupuli.....ad f̄vj
 M.

918.

- R Ex. Buchu Fl.....f̄j
 Potass. Citrat.....jj
 Spt. Æther Nitro.....f̄ss
 Syr. Limonis.....q. s. ad f̄ij
 M.

919.


- R Ex. Buchu Fl.,
 Ex. Uvæ Ursi.....āā f̄ij
 Syr. Acaciæ.....f̄ss
 Aq. Menthæ Viridis.....f̄j
 M.

920.

- R Oleoresinæ Filicis Maris,
 Tinct. Vanillæ.....āā ℥xlv
 Syr. Terebinthinæ.....f̄vij ℥xv
 Pulv. Acaciæ.....gr. xxx
 Aquæ Destillatæ.....f̄vj ℥xv
 Miscæ.

921.

- R Ferri Sulph.....jss
 Magnesii Sulph.....jx
 Acidi Sulph. Dil.....f̄ij
 Tinct. Cardam. Comp.....f̄ij
 Syrupi,
 Aquæ Pimentæ.....āā f̄j
 M.



922.

- R Olei Terebinthinæ.....f̄iiss
 Syrupi Simplicis.....f̄ij
 Aquæ Cinnamomi.....f̄ij
 Olei Limonis.....℥..viiij

M.

923.

- R Ol. Ricini,
 Glycerini.....āā ij
 Tinct. Aurantii.....℥xx
 Tinct. Senegæ.....℥v
 Aq. Cinnamomi.....ad f̄ss

M. ft. emulsio.

924.

- R Terebene.....3ijss
 Mucl. Acaciæ,
 Aquæ.....āā f̄ss
 Syr. Zingiberi.....q.s. ad f̄ij

M.

925.

- R Uvæ Ursæ.....f̄ij
 Lupulin.....f̄ss
 Aq. Bullient.....Oj

Dein adde:—

- Sodii Bicarb.....3ij
 Tinct. Opii Camph.....f̄iiij

M.

926.

- R Stygmataē Maydis (corn silk).....f̄iiss
 Aquæ Bullientis.....Oij

M. f. infusum.

927.

- R Quin. Sulph.....gr.xvj
 Spir. Ætheris.....f̄ij
 Spir. Ammon. Arom.....f̄iv
 Tinct. Opii.....℥xxx
 Aquæ.....ad f̄viiij

M.

928.

℞ Pelletierine Sulphatis.....gr.viiss
 Pulv. Acidi Tannici.....gr.viiss
 Syr. Simplicis.....f3ij

M.

929.

℞ Ammonii Brom.....3iij
 Tinct. Nucis Vom.....f3iv
 Spir. Chloroformi.....f3iij
 Magnesii Sulph.....3iv
 Spir. Ammoniae Arom.....f3iv
 Syr. Zingiberis.....f3j
 Aquæ Menthæ Pip.....ad f3vj

M.

930.

℞ Tr. Ferri Mur.....3iv
 Tr. Digitalis.....3ij
 Acid. Phosph. Dil.....3ss
 Potass. Acet.....3ij
 Aquæ.....ad 3vj

M.

931.

℞ Syr. Hypophos. Comp.,
 Ol. Morrhuæ.....āā f3iv

M.

932.

℞ Ferri et Quin. Cit.....3j.ss
 Potass. Citrat.....3j.ss
 Tr. Nuc. Vomie.....m40
 Syr. Simpl.....3j
 Aquæ.....ad 3x

M.


933.

℞ Quininæ.....gr.viiij
 Alcoholis.....f3j

Fiat solutio. Dein adde:—

Olei Morrhuæ.....f3iv

Solve cum leni calore.



934.

R	Quin. Sulph.....	grs. xviiij
	Sodæ Salicylas.....	ʒj
	Potass. Iodid.....	grs. xl
	Acid. Nit. Mur. Dil.....	ʒj
	Syr. Aurant.....	ʒvj
	Aquæ.....	ʒvj

M.

935.

R	Amyli Nitritis.....	fʒj
	Methylal.....	fʒix

M.

936.

R	Tinct. Ferri Chlor.....	fʒiiss
	Acidi Phosph. Dil.....	fʒiiss
	Syrupi Acidi Citratis.....	q.s. ad fʒiv

M.

937.

R	Bismuthi Trisnitr.....	ʒj
	Sodæ Bicarb.....	ʒiss
	Tinct. Cardam. Comp.....	ʒiv
	Syr. Zingiberis.....	ʒj
	Aquæ.....	ad ʒviiij

M.

938.

R	Chondri Crispi Electi,	
	Aquæ.....	āā q.s.
Coque ad fʒvj, cola, et adde—		
	Sodii Phosphatis.....	ʒiss
	Syrupi Papaveris.....	fʒij

M.

939.

R	Bals. Copaibæ.....	ʒj
	Pulv. Acacia.....	ʒiiij
	Tr. Hyoscyam.....	ʒij
	Spt. Ether Nit.....	ʒij
	Aquæ.....	ad ʒviiij

M.

940.

℞ Atropinæ Sulphat.....gr.j
 Morphiæ Sulphat.....gr.viiij
 Acid. Sulphuric. Arom.....fʒij
 Aquæ Menthæ Pip.....q.s. ad fʒj

M.

941.

℞ Hydr. Chlor.....gr.iiij
 Tinct. Cinch. Comp.....ʒviij
 Spir. Ammon. Arom.....ʒj

M.

942.

℞ Potassii Iodide.....gr.xxx
 Hydrarg. Bichlor.gr.4
 Spts. Æther nit.....fʒij

M.

943.

℞ Quininæ Sulph.....ʒj
 Acid Sulph. dil.....℥40
 Potass. acet.....ʒij
 Syr. Limonis.....ʒj
 Aq.ad ʒviij

Misce.

944.

℞ Sat. sol. Cocaini Muriatis.....ʒij
 D.

945.

℞ Tinct. Valerianæʒiiss
 Spts. Ætheris Sulph. (Ph.B.).....ʒj
 Aquæ Menthæ Pip.ʒivss
 Syr. Aurantii Flor.....ʒiiss


M. ft. haustum.

946.

℞ Ferri et Quin. Citr.....ʒij
 Spir. Chloroformi.....ʒj
 Spir. Ammon. Comp.ʒiiij
 Inf. Quassiaæad ʒviij

M.





947.

R	Acidi Salicyl.	℥ij
	Tinct. Lavand. Comp.	℥iv
	Vini Colch.	℥iss
	Sodæ Bicarb.	℥iij
	Syr. Aurantii.	℥j
	Aquæ	ad ℥xij

Misce.

948.

R	Sodii Salicyl.	℥ij
	Quin. Sulph.	℥j
	Tinct. Cardam. Comp.	℥iv
	Elixir Aurantii	℥ij
	Alcohol Dil.	℥iss

M.

949.

R	Liq. Potassii Arsenitis	℥ss
---	------------------------------	-----

Sig.: A half-drop every half-hour, for six or eight doses.

950.

R	Liq. Ammon. Acet. Conc.	℥j
	Pilocarpin Nitra	viiij grs
	Liq. Morph. Mur.	℥iss
	Syr. Simpl	℥ss
	Aquæ	ad ℥viiij

Misce. Capt ℥j in 3 horis.

951.

R	Potassii Cyanidi	gr. j
	Syrupi Limonis.	f℥ss
	Aquæ Distillatæ	f℥iiiss

M.

952.

R	Alum. Sulph.	gr. 35
	Ammon. Carb.	℥j
	Tr. Belladonnæ	℥ij
	Glycerini	℥iij
	Infus. Senegæ	ad ℥vj

Misce.

953.

℞ Vini Ipecacuanhæ ℥ss

Sig.: One minim every half-hour or more.

(Good in all cases.)

954.

℞ Phosphori Concisi gr.ij

Glycerini f℥j

Solve cum leni calore.

955.

℞ Phosphori gr.iiij

Solve in:

Carbonis Sulphurei ℥lxxv

Aquæ Destillatæ ℥v

M.

956.

℞ Phosphori gr.j

Ætheris ℥c

Glycerini f℥v

Aquæ Destillatæ q. s. ad f℥xiiss

M.

957.

℞ Phosphori gr.ij

Alcoholis Absoluti ℥xxiiij

Tinct. Vanillæ ℥ss

Olei Aurantii Cort. ℥xj

Alcoholis Absoluti q. s. ad ℥iiij

M.

958.

℞ Phosphori gr. $\frac{1}{6}$

Ol. Amygdalæ f℥viiss

Pulv. Acaciæ

Sacchar. Alb. āā ℥iv

Aq. Destillat. f℥x

M. f. emuls.

959.

℞ Tinct. Iodi,

Acidi Carbolici āā ℥j

M. S. One or two drops every 4 or 6 hours.



960.

℞	Hydrarg. perchlorid.....	gr.ij
	Potass. Iodid	ʒij
	Spt. Chlorof.,	
	Tinct. Cinchonæ	āā ʒj
	Quin. Sulph	ʒss
	Aquæ.....	ʒij

M.

961.

℞	Lithii Salicylat.	ʒij
	Potass. Iodid.	ʒss
	Cit. Ferri et Quin.	ʒj
	Aquæ Chlorof.	ad ʒviij

M.

962.

℞	Iodi.....	ʒij
	Spir. Lavand. Comp.....	fʒij
	Spir. Vini	fʒj

Fiat tinctura.

963.

℞	Butyl-chloral Hydrat.....	ʒss
	Tr. Gelsemin.....	ʒj.ss
	Spts. Chlorf	ʒj.ss
	Aq.....	ad ʒj.ss

Misce.

964.

℞	Ol. Amygdal Dulc.....	ʒiiij
	Liq. Potass	ʒss
	Vin. Ipec	ʒj
	Syr. Violæ.....	ʒss
	Aquæ.....	ad ʒiiij

M.

965.

℞	Strychninæ Sulphatis.....	gr.j
	Alcoholis.....	fʒj
	Aquæ Distillatæ.....	ad fʒiv

M. S. A teaspoonful thrice daily before meals.

966.

℞ Pulv. Sanguinariæ.....gr.xx
 Pulv. Ipecac.....gr.v
 Syr. Ipecac.....℥ij

M.

967.

℞ Bals. Copaibæ.....℥ij
 Ol. Santal.....℥ 20
 Ovi. Vitelli.....j
 Syr. Zingib.....℥iv
 Vin. Xerici.....℥ij
 Aquæ.....ad ℥viiij

M.

968.

℞ Pulv. Cubebæ.....℥ij
 Syr. Aurantii.....℥ij
 Aq. Menth. Pip.....℥ij
 Aquæ.....q.s. ad ℥viiij

Ft. mistura. Sig. A teaspoonful every 3 or 4 hours.

969.

℞ Pulv. Calcii Sulphid.....gr.xv
 Liq. Hydrarg. Perchlor.....℥vj
 Potass. Iodid.....gr.xi
 Potass. Bicarb.....℥iiss
 Aquæ Chlorof.....ad ℥viiij

M.

670.


℞ Acidi Sulphurici.....℥ss
 Morphinæ Sulphatis.....gr. $\frac{1}{3}$
 Spiritus Vini Gallici.....f℥iiss
 Aquæ Destillatæ.....f℥iiij

M.

571.

℞ Copaibæ Bals. Tolutan.,
 Pulv. Acaciæ.....āā ℥ss
 Ac. Sulph. Aromat.....℥ss
 Aquæ Destillat.....℥vj

M. Sig. Tablesp. bis vel ter in die.



972.

- R Codeinæ.....gr.viiij
 Syrupi et Aquæ.....ʒij
 M. Sig. Half teasp. thrice daily.

973.

- R Kali Iodidi.....ʒj
 Hydrarg. Chlor. Cor.....gr.iiij
 Quininæ Bisulph.....ʒj
 Elixir Ferri et Gent.....q. s. ad ʒviiij
 M.

974.

- R Ferri et Quin. Citr.....ʒj
 Ammon. Carb.....ʒij
 Tinct. Aurantii.....fʒij
 Aquæ.....ad fʒvj
 M.

975.

- R Quininæ Sulphatis.....gr.xvj
 Ext. Glycyrrhizæ.....ʒj
 Syr. Rubi Idæi (raspberry).....ʒij
 M.

976.

- R Tinct. Ferri Muriatis.....fʒj
 Decocti Uvæ Ursi.....fʒvj
 M.

977.

- R Tinct. Ferri Muriat... ʒiiij
 Tinct. Cantharidis.....ʒj
 Tinct. Guaiaci Ammon.....ʒiss
 Tinct. Aloes.....ʒss
 Syrupi.....q. s. ad ʒvj
 M.

978.

- R Quin. Sulph.....gr. xxiv
 Acidi Nitr. Dil.....℥ xxv
 Potassii Iodidi.....ʒij
 Aquæ.....ad fʒxvj
 M.

979.

℞ Caffeinæ Citratis,
 Ammonii Carbonatis.....āā ʒj
 Elixiris Guaranæ.....fʒj

M.

980.

℞ Ammonii Chloridi.....ʒij
 Morphinæ Acetatis.....gr.j
 Caffeinæ Citratis... ..ʒss
 Spts. Ammoniae Aromatici.....fʒj
 Elix. Guaranæ.....fʒiv
 Aquæ Rosæ.....fʒiv

M.

981.

℞ Potass. Brom.....ʒj
 Sodii Bicarb.....gr.xv
 Infus. Digitalis.....fʒss
 Atropinæ Sulphat.....gr. $\frac{1}{60}$

982.

℞ Potassii Bitartr.....ʒj
 Potassii Iodidi... ..ʒj
 Spir. Ætheris Nitrosi.....fʒiv
 Syr. Aurantii.....fʒj
 Aquæ.....ad fʒx

M.

983.


℞ Sodii Salicylatis.....ʒij
 Ferri Sulph.....ʒj
 Syrupi Aurantii.....fʒiv
 Aquæ Chloroformi....ad fʒvj


M.

984.

℞ Bismuthi Subnitr.,
 Sodii Bicarb.....āā ʒj
 Aquæ Menthæ Pip.....fʒv
 Syrupi.....fʒiv
 Tinct. Card Comp.....fʒij

M.





985.

R	Vini Colechici.	f̄ij
	Potassii Bicarb.	℥ss
	Tinct. Cannab. Ind.	f̄ijss
	Spir. Ammoniae Arom.	f̄ij
	Tinct. Columbæ	f̄ij
	Tinct. Gentianæ	f̄ij
	Aquæ	ad ℥vj

M.

986.

R	Sodii Iodidi.	gr. lxxv
	Sodii Bromidi.	℥iiss
	Sodii Chloridi.	℥v
	Aquæ Destillatæ	℥l

M.

Sig.: A teaspoonful every morning in a cupful of milk. "Summer Cod-liver Oil." "Contains the principal constituents of olei morrhuæ."!

987.

R	Sodii Iodidi.	gr. xv
	Sodii Phosphatis.	℥ss
	Sodii Chloridi.	℥iij
	Aquæ	q. s. ad ft sol.

M. S. To be taken in the course of twenty-four hours.

988.

R	Olei Terebinthinæ	℥iv
---	-----------------------------	-----

S. A tablespoonful twice daily, or, in addition, ten drops every hour.

989.

R	Tinct. Cannabis Indicæ	℥ij
---	----------------------------------	-----

Sig.: A half teaspoonful every few hours.

990.

R	Amyli Hydratis	℥vj
	Syr. Aurantii Cart.	f̄ij
	Aquæ	ad f̄vij

M.

991.

- ℞ Sol. Hydrogen. Dioxidī (10 vol.) ℥ij
 S A teaspoonful in a glassful of water three
 times daily.

992.

- ℞ Acidi Hydrocyanici Dil. ℥xx-xl
 Sodii Bicarbonatis ℥iij-v
 Syr. Simplicis,
 Aquæ q. ad f̄iiss
 M.

993.

- ℞ Ex. Salicis Nigræ,
 Elix. Simp. āā f̄j
 M.

994.


- ℞ Sodii Salicylatis,
 Potass. Iodidi,
 Potass. Acetatis āā ℥ij
 Ex. Cascaræ Sagradæ Fl.,
 Glycerinæ,
 Aq. Cinnam. āā f̄ss
 Aq. Menthæ Pip. ℥iij
 M. f. sol.

995.

- ℞ Potassii Chloratis ℥ij
 Syr. Ferri Iodidi f̄vj
 Vin. Antimonii f̄ss
 Spir. Chloroformi f̄ij
 Aquæ ad f̄viiij
 M.

996.

- ℞ Magnesii Carb. ℥ij
 Magnesii Sulph. ℥iiss
 Quin. Sulph. ℥ss
 Acidi Sulph. Dil. f̄iiss
 Aquæ Menthæ Pip. ad f̄iv
 M.



997.

℞ Sodii Hyposulph..... ℥j
 Acidi Sulphurosi..... f℥j
 Aquæ Rosæ..... ad f℥viiij

M.

998.

℞ Tinct. Ferri Chlor..... f℥ij
 Spir. Ætheris Nitrosi..... f℥iv
 Mucil. Acaciæ..... f℥j
 Syrupi..... ad f℥iiij

M.

999.

℞ Strychn. Sulph..... gr.j
 Potassii Bromidi..... ℥vij
 Aquæ..... q.s. ad f℥viiij

M.

1000.

℞ Pilocarpinæ Muriatis..... gr.iss
 Pepsinæ Cryst..... gr.xxx
 Acidi Hydrochlorici..... gt.iiij
 Aquæ Destillatæ..... ℥viiij

M.

1001.

℞ Tr. Guiac. Æth..... f℥j
 Tr. Cannabis Indicæ Æth..... f℥vj
 Tr. Colchici Æth..... f℥ij

M.

1002.

℞ Pepsinii Puri..... gr.xxx
 Sodii Bicarbonas..... ℥ij
 Glycerinæ..... f℥iv
 Tr. Cinchonæ Comp..... q.s. ad f℥iiij

M.

1003.

℞ Potass. Brom..... ℥ss
 Ex. Grindeliæ Rob. Fl.,
 Syr. Ipecac..... āā f℥j
 Aquæ..... f℥ij

M.

1004.

℞ Ammon. Brom..... ℥ viij
 Ammon. Chlor..... ℥ iss
 Tr. Lobeliæ..... f℥ iij
 Spt. Æther. Comp..... f℥ j
 Syr. Acaciæ..... ad f℥ iv

M.

1005.

℞ Liq. Potassi Arsenitis,
 Tr. Nucis Vomicae..... āā gtt. lxxij
 Aloini..... gtt. ij
 Aq. Menthae Pip..... q.s. f℥ iij

M.

1006.

℞ Acidi Nitro-Muriatici Diluti..... f℥ iss
 Syrupi Stillingiæ Compositi..... f℥ xiijs
 Aquæ Destillatæ..... f℥ ij

M.

1007.

℞ Potassii Iodidi..... gr. xxx
 Tinct. Iodi,
 Acidi Tannici..... āā gr. xv
 Syr. Quininæ..... f℥ viiss
 Syr. Acaciæ..... f℥ iv ℥ vss

Misce.

1008.


℞ Syr. Ferri Superphosphatis,
 Liq. Hydrogenii Perox. (10 vol.),
 Glycerini Puri..... āā f℥ iss
 Aquæ Destillatæ..... ad f℥ vj

M.

1009.

℞ Copaibæ,
 Syrupi Tolutani..... āā ℥ ss
 Spt. Etheris Nitrosi..... ℥ j
 Aquæ Menth. Pip..... ℥ ij

M. Sig. A teaspoonful every 4 hours.



1010.

℞	Tinct. Valer. Æthereæ.....	℥j
	Tinct. Castorei.....	℥ij
	Zinci Oxidi.....	gr.xx

M.

1011.

℞	Bismuthi Subnitr.....	℥ij
	Spir. Ammon. Arom.....	℥j
	Tinct. Opii.....	gtt.xvj
	Syr. Simpl.....	℥ss
	Mist. Cretæ.....	℥iss

M.

1012.

℞	Ammonii Chloridi.....	℥vj
	Ammonii Bromidi.....	℥iv
	Spt. Etheris Nitrosi.....	℥j
	Syr. Pruni Virgin.....	℥iij
	Aquæ.....	q.s. ad ℥vj

M.

1013.

℞	Bismuthi Subnitr.,	
	Magnesii Carb.....	āā gr.xvj
	Acidi Hydrocyan. Dil.....	℥x
	Aquæ.....	℥iv

M.

1014.

℞	Potassii Bromidi.....	℥j
	Ext. Guaranæ Fl.....	℥iss
	Syr. Tolutani.....	℥iij
	Aquæ.....	q.s. ad ℥vj

M.

1015.

℞	Ext. Cann. Fl.....	℥ss
	Pulv. Acaciæ.....	℥v
	Syr. Aurantii Cort.....	℥ij
	Aquæ.....	q.s. ad ℥vj

M. S. Teasp. every 3 hours.

1016.

- ℞ Potassii Bicarb.....ʒiiss
 Acidi Acetici.....ʒvj
 Aquæ.....ʒiij
 M. Sig. A teasp. as required.

1017.

- ℞ Ac. Phosphoric Dil.....ʒj
 Elixir Calisayæ.....ʒvj
 Elix. Ammonii Valerian.....ʒij
 Glycerini,
 Vini Xerici.....q.s. ad Oj
 M.

1018.

- ℞ Sodii Salicyl.....gr.xlv
 Quin. Sulph.....gr.iiij
 Liqu. Ammon. Acet.....ʒj
 Syr. Tolutani.....ʒij
 M.

1019.

- ℞ Potassii Iodidi.....ʒiss
 Aquæ,
 Spir. Ætheris Comp.,
 Syrupi... āā ʒj
 M.

1020.

- ℞ Copaibæ.....ʒj
 Mucil.ʒj
 Pot. Nitratisʒj
 Acidi Nitrici℥xx
 Spir. Chloroformiʒj
 Spir. Menthæ Vir.ʒj
 Aquæ.....ʒvj
 M.

1021.

- ℞ Hydrarg. Iodidigr.iiij
 Potassii Iodidiʒiij
 Elixir Calisayæad ʒiv
 M.



1022.

℞ Tinct. Arnicæ Flor. ʒij
 Dr. Sr. Idem.

1023.

℞ Tinct. Valerianæ Ætheræ ʒj
 Zinci Oxidi gr.xx
 M. S. Twenty-five drops four times a day.

1024.

℞ Ferri et Potassii Tartr. ʒj
 Potassii Bromidi ʒiv
 Spir. Chloroformi ʒiij
 Syr. Zingiberis ʒiv
 Aquæ Menthæ Vir. ʒvj
 M.

1025.

℞ Bals. Tolut. gr.xx
 Tinct. Tolut. ʒij
 Tinct. Benzoini Comp. ʒj
 Tinct. Capsici ʒss
 Syrupi Tolut. q. s. ad ʒiv
 M.

1026.

℞ Sodii Bicarbonatis gr.iv
 Acidi Hydrocyanici Dil. gt.j
 Syr. Lactopeptini fʒj
 M.

1027.

℞ Apiolis fʒj
 Alcoholis fʒij
 Syrupi Simplicis fʒss
 Aquæ Destillatæ fʒij
 M.

1028.

℞ Potassii Bicarb. gr.x
 Ferri et Ammonii Citratis gr.v
 Tinct. Digitalis ʒx
 Infusi Buchu fʒj
 M.

1029.

℞ Resinæ Copaibæ ℥iij
 Alcoholis f℥v
 Spiritus Chloroformi f℥j
 Mucilaginis Acaciæ f℥ij
 Aquæ Destillatæ q. s. ad f℥xij

M.

1030.

℞ Carbonei Bisulph. Puri gr. xxv
 Essentiæ Menthæ gtt. xxx
 Aquæ f℥xv

M.

1031.

℞ Pot. Nitratis 5 Gm

Solve in:—

Aquæ 50 C.c.

Adde:—

Spir. Etheris Nitrosi 15 C.c.

Vini Ipecac. 5 C.c.

Aquæ q. s. ad 200 C.c.

M.

1032.

℞ Strychniæ Sulph. gr. iiss
 Syr. Hypophos. f℥xij

M.

1033.


℞ Potass. Iodid. gr. xxx
 Tr. Iodinii gtt. xv
 Acid. Tannic. gr. xv
 Syr. Quiniæ f℥viiss
 Syr. Acaciæ f℥iv et f℥vss

M.

1034.

℞ Infusi Cinchonæ ℥vj
 Aquæ Calcis ℥ixss
 Tinct. Lupulinæ,
 Succii Conii aa ℥ij

M.



1035.

℞ Lithii Benzoat. ʒss
 Sodii Bromid.,
 Potass. Carbonat. Pura āā ʒij
 Potass. Acetat. ʒiss
 Sodii Phosphat. ʒss
 Syr. Zingiberis,
 Aq. Menthæ Pip. ad ʒvj

M.

1036.

℞ Pulv. Resinæ Guaiaci,
 Potassii Iodidi āā ʒj
 Tinct. Colchici Sem. ʒiij
 Aquæ Cinnamomi,
 Syr. Simplicis āā q. s. ad ft. ʒvj

M.

1037.

℞ Ammon. Bromidi ʒ viij
 Ammon. Chloridi. ʒiss
 Tinct. Lobeliæ ʒiij
 Spts. Ætheris Co. ʒj
 Syr. Acaciæ ad ʒiv

M.

1038.

℞ Ext. Physostigmatis gr. ij
 Aquæ Destillatæ ʒj

M. f. sol.

1039.

℞ Liq. Potass. Arsenitis ℥v
 Potass. Bicarbond.,
 Ferri et Potass. Tart. āā gr. v
 Infus. Quassiaæ fʒj

M.

1040.

℞ Potass. Bromidi gr. vj
 Ferri et Pot. Tart. gr. v
 Inf. Quassiaæ ʒj

M. Sig. To be taken three times daily.

1041.

℞ Tincturæ Iodi.....fʒss
 Mucilaginis Acaciæ.....fʒj
 Aquæ Destillatæ.....q. s. ad fʒiv
 M.

1042.

℞ Argenti Nitratis.....gr. v
 Tinct. Opii.....fʒiss
 Aquæ Anisi.....ad fʒijss

1043.

℞ Pulv. Ipecac.....ʒss
 Spt. Vini Rect.,
 Ether Sulphur.....āā fʒss
 M.

1044.

℞ Liq. Potass. Arsenit.....℥ v
 Tr. Ferri Chlor.....℥ xx
 Infus. Quassiaæ.....fʒj
 M.

1045.


℞ Tinct. Ferri Chloridi.....gtt. xx
 Liq. Sodii Arseniatis.....gtt. v
 Syrupi Simplicis,
 Aquæ.....āā q. s. ad ft. ʒj
 M.

1046.

℞ Hydrarg. Cloridi Corros.....gr. j
 Pot. Iodidi,
 Ferri et Ammon. Citr.....āā ʒiij
 Tinct. Cinch. Comp.....ʒiss
 M.

1047.

℞ Pot. Bromidi.....ʒiv
 Sodii Bicarb.....ʒj
 Inf. Digitalis.....ʒij
 Atropinæ Sulph.....1ʒ
 M. S. A tablespoonful at bedtime.



1048.

- ℞ Aconitinæ (Duquesnel) gr. $\frac{1}{2}$
 Alcohol,
 Glycerini āā ʒj
 Aquæ Menthæ Pip q. s. ad ʒij
 M. S. Teasp. 3 t. a day.

1049.

- ℞ Acidi Carbolici gr. x
 Acidi Sulphurosi fʒijj
 Glycerini,
 Tincturæ Ferri Chloridi āā fʒss
 M.

1050.

- ℞ Pot. Iodidi ʒij
 Syr. Ferri Iodidi ʒiv
 Tinct. Cinch. Comp ʒiss
 M.

1051.

- ℞ Morph. Sulph gr. iij
 Spir. Ammon. Arom ʒiv
 Syr. Zingiberis ʒiiss
 M. S. A teaspoonful every two or three hours
 when the pain is severe.

1052.

- ℞ Cinchoninæ Sulphatis ʒss
 Liquoris Potassii Arsenitis fʒiss
 Tincturæ Ferri Chloridi fʒss
 Syrupi Zingiberis fʒiss
 Aquæ Destillatæ q. s. ad fʒiv
 M.

1053.

- ℞ Ol. Morrhuæ fʒiv
 Aquæ Calcis fʒijj
 Et ad:--
 Syr. Ferri Iodidi fʒiv
 Ol. Gaultheriæ fʒss
 Syr. Simp q. s. ad fʒviiij
 M.

1055.

℞ Ferri et Pot. Tartr.....ʒj
 Pot. Iod.....ʒiv
 Syrupi Aurantii,
 Aquæ Aur. Flor.....āā ʒiv

M.

1054.

℞ Potassii Iodidi.....ʒj
 Ac. Nitrici Dil.....ʒiij
 Tinct. Bellad.....ʒj
 Ac. Salicylici.....ʒj
 Aquæ Camphoræ.....ad ʒiv

M.

1056.

℞ Potassii Iodidi.....ʒiij
 Strychn. Sulph.....gr.j
 Liqu. Pot. Arsenitis.....ʒiiss
 Aquæ Laurocerasi.....ad ʒiv

M.

1057.

℞ Acet. Plumb.....gr.xl
 Bism. Subnitr.....ʒss
 Acid. Sulph. Arom.....ʒss
 Quin. Sulph.....gr.xx
 Aquæ Anisi.....ad ʒiv

M.

1058.

℞ Pot. Bromidi.....ʒiv
 Tinct. Cannab. Ind.....ʒv
 Vin. Ergotæ.....ʒiv
 Spir. Ammon. Arom.....ʒij
 Aquæ.....ad ʒviij

M.

1059.

℞ Quin. Bisulph.....ʒss
 Extr. Eucalypt. Fl.....ʒj
 Aquæ.....ʒij

M.

1060.

- ℞ Ammonii Chloridi.....ʒiij
 Morph. Acet.....gr.j
 Caffeinæ Citr.....ʒss
 Spir. Ammonii Arom.....ʒj
 Elix. Guaranæ.....ʒiv
 Aquæ Rosæ.....ʒiv
 M. Sig.: Dessertsp. every quarter-hour until
 relieved.

1061.

- ℞ Quin. Sulph2 Gm
 Pot. Bromidi.....6 Gm
 Elix. Aurantii65 C.c.
 Syr. Pruni. Virg30 C.c.
 Extr. Glycyrrh. Fl5 C.c.
 Aquæ.....100 C.c.
 M.

1062.

- ℞ Ferri et Pot. Tartr.....5
 Pot. Brom5
 Syrupi.....15
 Aquæ.....ad 60
 M.

1063.

- ℞ Extr. Buchu Fl.,
 Extr. Cubebæ Fl.....āā ʒj
 Olei Terebinth.,
 Tinct. Hyoscyami.....āā ʒiv
 Mucil. Acaciæʒj
 M.

1064.

- ℞ Sodii Bicarbʒj
 Bism. Subnitrʒij
 Pulv. Aromʒiss
 Mucil. Acaciæ.....ʒj
 Aquæ Menth. Pip.....qu.s. ad ʒiv
 M. S. A teaspoonful 3 t. d.

1065.

R̄	Acidi Salicylici	℥ss
	Ferri Pyrophosphatis	℥j
	Sodii Phosphatis	℥x
	Aquæ	f℥vj

M.

1066.

R̄	Syr. Ferri Iodidi	℥ij
	Pot. Iodidi	℥ij
	Pot. Chloratis	℥iss
	Aquæ,	
	Syrupi	āā ℥ij

M.

1067.

R̄	Copaibæ	8
	Liqu. Potassæ	2
	Olei Gautheriæ	0.20
	Glycerini	15
	Aquæ	q.s. ut f. 60

M.

1068.

R̄	Spir. Aetheris Comp.,	
	Syrupi	āā f℥j
	Aquæ	f℥ij

M.

1069.


R̄	Pot. Iodidi,	
	Ferri et Quin. Citr	āā ℥ij
	Syrupi	f℥j
	Aquæ	f℥iij

M.

1070.

R̄	Hydrargyri Iodidi rubri	gr. ij
	Ammonii Carbonatis	℥j
	Potassii Iodidi	℥iij
	Tinct. Gentianæ Co	ad ℥iv

M.





1071.

℞ Ferri Citratis,
 Pot. Iodidi āā 2 Gm
 Aquæ Camph 60
 M.

1072.

℞ Tr. Ferri Chlor gtt. xx
 Liq. Sodii Arseniat gtt. v
 Syr. Simp.,
 Aquæ āā q.s. ad f̄ij
 M.

1073.

℞ Extr. Cubebæ Fl.,
 Extr. Buchu Fl. āā f̄ij
 Aquæ Menth. Pip f̄iv
 M.

1074.

℞ Tr. Ferri Chlor f̄ij
 Sodii Salicylat f̄ij
 Acid. Citric gr. x
 Glycerinæ f̄ij
 Liq. Ammonia Citratis (B.P.) q.s. ad f̄iv
 Ol. Gaultheriæ gr. xv
 M.

1075.

℞ Acid. Salicylic f̄ij
 Ferri Pyrophosphat f̄ij
 Sodii Phosphat f̄ij
 Aquæ q.s. ad f̄viiij
 M.

1076.

℞ Quin. Sulph ℥j
 Acidi Citrici ℥iiss
 Syr. Ferri Iodidi f̄ij
 Potassii Iodidi f̄ij
 Tinct. Iodi ℥iiss
 Aquæ ad f̄viiij
 M.

1077.

R	Ammon. Carb	℥j
	Spir. Nitri. Dulc	℥j
	Tinct. Ferri Chlor	℥ij
	Liqu. Ammon. Acet	℥iij

M.

1078.

R	Chloral	℥iss
	Pot. Brom	℥ij
	Elix. Aurantii	℥j

M.

1079.

R	Cinchoninæ Sulph	℥ij
	Tinct. Ferri Chloridi	℥v
	Aquæ	℥viiij

M.

1080.

R	Morph. Sulph	gr. xxx
	Acidi Sulph	℥ iiij
	Aquæ Destill	℥ij
	Olei Menthæ Pip.,	
	Olei Anisi	āā ℥ss
	Acidi Hydrocyan Dil	℥iij
	Chloroformi	℥ij
	Alcohol	ad ℥viiij

M. —

1081.

R	Acidi Salicylici	℥ij
	Ferri Pyrophosph	℥j
	Sodii Phosph	gr. xij
	Aquæ	℥vj

M.

1082.

R	Quin. Sulph	gr. xx
	Sodii Salicyl	℥iss
	Acidi Sulph. Dil	℥j
	Aquæ Fœniculi	ad ℥viiij

M. f. sol.

1083.

R	Chloral Hydratis.....	gr.xl
	Camphoræ.....	gr.x
	Syr. Zingiberis.....	ʒij
	Aquæ.....	ad ʒij

M.

1084.

R	Sodii Salicyl.....	gr.xx
	Spir. Ætheris Nitrosi..	ʒss
	Aquæ Anethi.....	ʒij

M.

1085.

R	Quininæ Sulphatis.....	gr.xlv
	Ferri et Potassii Tartratis.....	gr.cv
	Aquæ Destillatæ.....	fʒx
	Liquoris Potassii Arsenitis..	gtt. xxv

M.

1086.

R	Ferri Sulph.....	gr.xv
	Magn. Sulph.....	ʒij
	Pot. Bicarb.....	ʒiij
	Infusi Buchu.....	ʒviij

M.

1087.

R	Liqu. Hydr. et Arsenii Iodidi.....	10 C.c.
	Potassii Iodidi.....	5 Gm
	Tinct. Calumbæ.....	40 C.c.
	Quin. Sulph.....	3 Gm
	Acidi Sulph. Dil.....	q.s.
	Aquæ.....	300 C.c.

M.

1088.

R	Tr. Capsici,	
	Tr. Myrrh.,	
	Tr. Opium.....	āā fʒij
	Tr. Guaiac.....	fʒj
	Spts. Camphor.....	fʒij

M.

1089.

℞ Hydrarg. Chloridi Corros.....gr.iiij
 Tinct. Cinch. Comp.....f̄vij
 Tinct. Valer. Ammon.....f̄ij

M.

1090.

℞ Strychn. Sulph.....gr.j
 Hydrarg. Chloridi Corros.....gr.x
 Aquæ,
 Syrupi.....āā f̄iv

M.

1091.

℞ Sodii Salicylatis.....5 Gm
 Aquæ.....20 C.c.
 Spir. Ammoniā Arom.....15 C.c.
 Syrupi.....25 C.c.

M.

1092.

℞ Hydr. Chlor.....0.01 Gm
 Tinct. Cinch. Comp.....5 C.c.
 Spir. Ammon. Arom.....1 C.c.
 Aquæ.....25 C.c.

M.

1093.

℞ Liquoris Bismuthi,
 Mucilaginis.....āā f̄ij

M.

1094.


℞ Antipyrini.....ij
 Chloral.....ij
 Syrupi.....f̄ij
 Aquæ.....ad f̄iij

M.

1095.

℞ Liq. Pot. Arsenitis.....f̄ij
 Elix. Cinchonæ.....q. s. ad f̄ij

M.



1096.

℞	Liq. Donovanii.....	℥ij
	Potass. Iod.....	℥j
	Tr. Calumbæ.....	℥j
	Quiniæ Sulph.....	℔ij
	Acid. Sulph.....	q.s.
	Aqua Pura.....	℥viij

M.

1097.

℞	Ammonii Chloridi.....	℥vj
	Potassii Iodidi.....	℥iv
	Sodii Carbonatis.....	℥ij
	Tinct. Ferri Chlor.....	℥ij
	Liqu. Hydr. et Arsenii Iodidi.....	℥ij
	Syr. Zingiberis.....	℥ij
	Aquæ.....	℥iv

M.

1098.

℞	Strychn. Sulph.....	gr. j
	Tinct. Valer. Ammon.....	f℥j
	Liquoris Ferri Dialys.....	f℥ss
	Liquoris Pot. Arsenitis.....	f℥j
	Aquæ.....	f℥ij
	Syrupi.....	q. s. ad f℥iv

M.

1099.

℞	Strychninæ Sulph.....	0.01 Gm
	Tinct. Valer Ammon.....	5 C.c.
	Liquoris Ferri Dialysati.....	2 C.c.
	Liquoris Potassii Arsenitis.....	1 C.c.
	Aquæ.....	10 C.c.
	Syrupi.....	15 C.c.

M.

1100.

℞	Morph. Sulph.....	100 mGm
	Chlorof. Purif.....	15 fGm
	Syr. Zingiberis.....	85 fGm

M.

1101.

℞	Calcii Hypophosph.....	℥iv
	Aquæ.....	℥ij
	Tinct. Ferri Chlor.....	℥iv
	Morph. Sulph.....	gr. iv
	Syr. Tolut.....	℥iij

M. S. Dose, a dessertspoonful.

1102.

℞	Calcii et Sodii Hypophos.....	℥ss
	Liq. Potass. Arsen.....	℥j
	Tinct. Ferri Chlorid.....	℥j
	Strychnine Sulph.....	gr. j
	Acid. Phos. Dil.....	℥j
	Aqua.....	q.s. ℥iv

M.

1103.

℞	Succinat. Hydrat. Ferri Peroxidi.....	℥iss
	Aquæ.....	℥viss

M. Sig. A teaspoonful after each meal.

1104.

℞	Ext. Cannabis Ind. Fl.....	℥j
	Spt. Æther Nitrosi.....	℥j
	Copaiba.....	℥ss
	Tinct. Kino.....	℥ij
	Spt. Terebinth.....	℥ij
	Tinct. Camphor.....	℥ss
	Syr. Aurantii Cort.....	q.s. ℥iv

M.

1105.


℞	Creasote (of the beech).....	gr. xv
	Tincture of Gentian.....	f℥j
	Pure Alcohol.....	f℥viiij
	Tokay Wine.....	f℥xxij

M.

1106.

℞	Tr. Ferri Chlor.....	f℥ij
	Spt. Æther Nitro.....	f℥ss
	Infus. Quassiaë.....	q.s. ad f℥vj

M.



1107.

- ℞ Balsam Copaiva,
Tincture Catechu,
Spts. Æth. Nit.....āā ʒj
Liquor Potassa,
Tinct. Hyosciami.....āā ʒij
Ol. Gaultheria.....min. xxx
Aquæ Dist.....ad ʒiv

M.

1108.

- ℞ Apomorph. Hydrochlor.....gr. $\frac{1}{4}$
Ac. Hydrochlor. Dil.....℥iij
Syrupi Senegæ.....ʒv
Aquæ Destillat.....ʒj
- M. Sig. "A teaspoonful every 2 hours, for a child of three years as expectorant. Should be put up in a blue bottle."

1109.

- ℞ Acid. Sulph. Aromat.....fʒij
Ex. Hæmatoxylon.....fʒij
Spt. Chloroform.....fʒss
Syr. Zingiberis.....q.s. ad fʒiij

M.

1110.

- ℞ Copaibæ.....fʒvj
Liquoris Potassæ.....fʒij
Extr. Lupulini Fl.....fʒj
Tinct. Lavand. Comp.....fʒss
Syrupi.....fʒiss

M.

1111.

- ℞ Quinine Sulph.....ʒiss
Strychnine Sulph.....gr. ss
Tinct. Ferri Chlor.....ʒiss

M.

1112.

- ℞ Tinct. Lupulini.....25 C.c.
Extr. Tritici Fl.....100 C.c.

M.

1113.

℞ Tinct. Ferri Chloridi,
 Tinct. Opii.....āā ʒij
 Syrupi,
 Aquæ.....āā ʒvj

M.

1114.

℞ Syr. Ferri Iodidi.....fʒiv
 Syr. Ferri Hypophosph.....fʒj
 Quin. Phosph.....ʒij
 Acidi Phosph. Dil.....fʒiv

M.

1115.

℞ Quin. Sulph..... gr.xxx
 Potassii Iodidi..... gr.lxxx
 Extr. Pruni Virg. Fl... fʒj
 Extr. Glycyrrh. Fl..... fʒss
 Morph. Sulph..... gr.iv
 Spir. Ætheris Nitr..... fʒss
 Syr. Simpl..... fʒij
 Aquæ..... ad fʒviiij

M.

1116.

℞ Tinct. Ferri Chlor.....20 C.c.
 Potassii Iodidi.....10 Gm
 Aquæ,
 Syrupi.....āā 75 C c.

M.

1117.

℞ Strychn. Sulph..... gr.j
 Tinct. Cinch. Comp.....fʒiv
 Potassii Bromidi.....ʒiv
 Aquæ..... fʒij
 Syrupi..... fʒiss

M.

1118.

℞ Elix. Strychn. Valer.....ʒiv
 Potassii Bromidi.....ʒiiij

M.

1119.

℞	Codeia.....	gr.ij
	Acid. Hydrocyan. Dil.....	℥ss
	Tinct. Tolutani.....	℥vj
	Aquam.....	ad ℥iv

M.

1120.

℞	Acid. Salicylic	℥v
	Ferri Pyrophos.....	℥iv
	Sodii Phos.....	gr.xvj
	Aqua Destill	℥viiij

M.

1121.

℞	Sodii Salicyl	℥j
	Glycerin	℥ij
	Ol. Gaultheriæ	℥xx
	Tinct. Ferri Chlor.....	℥iv
	Acid. Citrici	gr.x
	Liqu. Ammoniaë Citrat. (B.P.)....	q.s. ad ℥iv

M.

1122.

℞	Ferri et Quin. Citr.....	℥iss
	Ammonii Chloridi.....	℥ij
	Extr. Glycyrrh. Fl.....	f℥iv
	Aquæ.....	ad f℥iv

M.

1123.

℞	Potassii Chloratis.....	8.00
	Ext. Hyoscyami	1.00
	Syr. Pruni Virginianæ	30.00
	Aquæ	150.00

M.

1124.

℞	Potassii Bromidi,	
	Chloral	āā ℥iss
	Aquæ,	
	Alcohol	āā f℥iiij
	Syr. Zingiberis	f℥vj

M.

1125.

℞ Ferri et Quin. Citr. ℥v
 Tinct. Cinch. Comp.,
 Aquæ āā fʒij
 M.

1126.

℞ Acidi Salicyl. ℥ij
 Liqu. Ammonii Acet. fʒj
 Aquæ ad fʒvj
 M.

1127.

℞ Potassii Iodidi ℥iss
 Tinct. Ferri Chloridi ℥iv
 Aquæ ad ℥vj
 M.

1128.

℞ Inf. Gent. fʒviiij
 Morph. Sulph. gr.ij
 Pot. Bicarb. ℥ij
 M. f. sol. Sr.—Tablespoonful three times a day.

1129.


℞ Sodii Salicyl. ℥ij
 Boracis ℥j
 Aquæ,
 Syrupi āā fʒij
 M.

1130.

℞ Potassii Chloratis ℥iv
 Aquæ fʒiv
 Acidi Carbolici gr.ij
 M. f. sol.

1131.

℞ Spir. Ætheris Nitrosi,
 Tinct. Guaiaci āā ℥j
 Tinct. Colehici ℥iv
 Aquæ ℥iv
 Syrupi ℥iiij
 M.



1132.

℞	Tinct. Ferri Chloridi.....	10 C.c.
	Syrupi Tolut.	50 C.c.
	Spir. Ammōniæ Arom.	75 C.c.
	Aquæ.....	ad 200 C.c.

M.

1133.

℞	Acid. Nitro-Muriat.....	℥ij
	Quinin. Sulph.....	℥ss
	Pot. Acet.	℥ij
	Ammon. Muriat.....	℥iiss
	Aquæ Dest.	℥j
	Syr. Simp.	q. s. ad ℥ij

M.

1134.

℞	Resorcini	10.00
	Glycerini.....	15.00
	Spir. Ætheris Nitrosi.....	10.00
	Aquæ	35.00

M.

1135.

℞	Antipyrin.....	℥j
	Spir. Æth. Nitr.....	℥ij
	Tr. Aconiti Rad.....	gtt. xx
	Elix. Simp.	q. s. ad ℥ij

M.

1136.

℞	Potassii Chloratis.....	℥viij
	Syr. Ferri Iodidi.....	℥ij
	Vini Antimonii	℥ss
	Spir. Chloroformi.....	℥ij
	Aquæ	ad ℥viij

M.

1137.

℞	Ferri Pyrophos	℥iiij
	Elix. Calisaya,	
	Glycerin,	
	Vin. Catawba.....	℥℥ ad Oj

M.

1138.

℞ Liquoris Bismuthi fʒj
Tinct. Nuc. Vem. fʒij

M.

1139.

℞ Ferri et Ammonii Citr. gr. lxxx
Aquæ fʒiv
Syr. Aurantii fʒj
Sol. Nitroglycerini (1%) ℥xv
Aquæ ad fʒviiij

M.

1140.

℞ Antipyrini 4 Gm
Spir. Ætheris Nitrosi 10 C.c.
Aquæ 30 C.c.
Syrupi Limonis 20 C.c.

M.

1141.

℞ Syrupi Papaveris,
Syrupi Scillæ āā ʒj

M.

1142.

℞ Morph. Sulph. 0.05 Gm
Potassii Iodidi 2.50 Gm
Ferri Sulph. 2 Gm
Aquæ 40 C.c.

M. f. sol.

1143.

℞ Potass. Acet. ʒss
Spt. Æth. Nit. ʒj
Ext. Uva Ursi ʒij
Aquam ad ʒij

M.

1144.

℞ Potassii Iodidi ʒj
Spir. Ætheris Nitrosi ʒj
Aquæ ʒj

M.



1145.

℞ Extr. Buchu Fl.,
Spir. Ætheris Nitr.,
Syrupi.....āā ̄j

M.

1146.

℞ Ferri et Pot. Tartr.....5 Gm
Aquæ.....10 C.c.
Mucilaginis15 C.c.
Syrupi.....30 C.c.

M.

1147.

℞ Acid. Salicylic.....̄vj
Soda Bicarb.̄j
Tinct. Colchici Sem.̄j
Syr. Zingiberis.....q. s. ̄vj

M.

1148.

℞ Tinct. Hamamelis℥ xl
Extr. Ergotæ Fl.....f̄j
Spir. Chloroformi.....f̄j
Syr. Papaverisf̄ij
Tinct. Nuc. Vom.℥ xl
Aquæ.....ad f̄̄viiij

M.

1149.

℞ Tinct. Nuc. Vom.f̄j
Tinct. Cinch. Comp.f̄j
Potassii Bromidi.....̄iss
Syrupif̄ij
Aquæq. s. ad f̄̄viiij

M. S. Tablespoonful 3 t. d.

1150.

℞ Ferri Sulph.1 Gm
Pot. Chloratis3 Gm
Aquæ,
Syrupiāā 50 C.c.

M.

1151.

℞ Tinct. Ferri Chlor. 5 C.c.
 Syrupi 30 C.c.
 Pot. Bicarb. 5 Gm
 Aquæ Cinnam. 120 C.c.

M.

1152.

℞ Acid Salicylic,
 Potass. Bicarb. āā ʒj
 Sulph. Quinine grs. xx
 Sodii Brom. ʒss
 Sps. Menth. Pip. gtts vj
 Glycerin ʒss
 Aquæ ad ʒiv

M.

1153.

℞ Extr. Buchu Fl.
 Spir. Ætheris Nitrosi,
 Mucil. Acaciæ āā ʒj
 Syrupi ʒiij

M.

1154.

℞ Tinct. Nux Vomica ʒij
 Arom. Spts. Ammonia,
 Tinct. Capsicum āā ʒiij
 Aqua Camph. ʒiij

M.

1155.

℞ Quinia Bisulph. ʒj
 Sod. Brom. ʒv
 Aq. Cinnamom ʒss
 Syr. Simplex ʒiiss

Sig.: ʒij in aquam t. i. d.

1156.

℞ Potassii et Sodii Tartr. 20 Gm
 Aquæ 75 C.c.
 Tinct. Ferri Chlor. 5 C.c.
 Syrupi Limonis 50 C.c.

M.

1157.

R	Ammonii Bromidi.....	3iij
	Tinct. Nuc. Vom.....	f3iv
	Spir. Chloroformi	f3iij
	Spir. Ammon. Arom.....	f3iv
	Syr. Zingiberis	f3j
	Aquæ Menthæ Pip.	ad f3vj

M.

1158.

R	Tinct. Cardam. Comp.....	f3ij
	Acidi Nitrohydrochlorici	f3iv
	Aquæ.....	q. s. ad f3iv

M.

1159.

R	Pot. Bicarb.....	3ij
	Sodii Salicyl.	3iss
	Vin. Colchici	f3iv
	Aquæ.....	ad f3viij

M.

1160.

R	Quin. Sulph.,	
	Sod. Salicylat.....	āā gr.xx
	Aquam.....	ad 3ij

M.

1161.

R	Potassii Acet.	3iv
	Spir. Ætheris Nitrosi.....	f3j
	Extr. Uvæ Ursi Fl.	f3ij
	Aquæ	ad f3ij

M.

1162.

R	Acid Salicylic.....	3viiij
	Ferri Pyrophos.....	3ij
	Sodii Salicylas.....	gr. 48
	Aquæ	q. s. ad 3vj

M.

1163.

R	Chloroformi,	
	Ætheris Fortioris.....	āā 3j

M.

PART IX.

HYPODERMATIC SOLUTIONS, GARGLES,
INJECTIONS, LOTIONS, LINIMENTS,
ETC.

HYPODERMATIC INJECTIONS.

1164.

℞ Hydrargyri Chloridi Mitis,
Sodii Chloratis.....āā gr. xv
Aquæ Destillatæ.....fʒiiss
M.

1165.

℞ Extr. Ergotæ.....5 Gm
Aquæ Camph.....10 C.c.
F. sol.
[B.P.]

1166.

℞ Apomorph. Hydrochlor.....gr.ij
Aquæ Camph.....℥C.
Fit solutio.
[B.P.]

1167.

℞ Morph. Acet.....1 Gm
Aquæ.....10 C.c.
Fit solutio.

1168.

℞ Atropinæ Sulph.....1 Gm
Aquæ Camph.....99 C.c.
Fit solutio.
[B.P.]

1169.

℞ Eserinæ Sulphatis.....gr.j
Aquæ Destillatæ.....fʒvj
M.



1170.

℞ Extracti Physostigmatis.....gr.ij
 Aquæ Destillatæ.....fʒj
 M. f. solutio.

1171.

℞ Pilocarpinæ Muriatis.....gr.ij
 Aquæ Destillatæ.....fʒj
 M. f. sol.

1172.

℞ Curaris.....gr.ij
 Aquæ.....℥C.
 M. f. sol.

GARGLES.

1173.

℞ Pot. Chloratis.....ʒj
 Mellis Despum.....fʒiss
 Inf. Herbæ Salviæ.....fʒviss
 Misce et fiat gargarisma.

1174.

℞ Corticis Granati Fructus,
 Aluminis.....āā ʒss
 Potassii Chloratis.....āā ʒij
 Quercus Albæ Contusæ.....ʒj
 Aquæ Bullientis.....Oij
 Fiat infusum.

COLLUNARIUM.

1175.

℞ Acidi Carbol.....ʒss
 Sodii Bicarb.,
 Sodii Boratis.....āā ʒj
 Glycerini.....fʒj
 Aquæ.....q.s. ad Oj
 M.

INJECTIONS.

1176.

℞ Acidi Sozolici.....1 Gm
 Aquæ.....20 C.c.
 F. sol.

1177.

℞ Anthrarobini.....3j
 Boracis.....3j
 Aquæ Rosæ.....fʒj

F. sol.

1178.

℞ Hydrarg. Salicylatis.....gr.j
 Sodii Bicarb.....gr.xv
 Aquæ Destill.....fʒv

Fit solutio.

1179.

℞ Zinci Sulph.....gr.xv
 Plumbi Acet.....ʒss
 Tinct. Catechu,
 Vini Opii.....āā fʒj
 Aquæ Rosæ.....fʒij

M.

1180.

℞ Zinci Sulphatis.....gr.vj
 Plumbi Acetatis.....gr.viiij
 Ammonii Chloridi.....gr.iv
 Aluminis.....gr.v
 Aquæ Rosæ.....fʒj

M.

1181.

℞ Quininæ Sulphatis.....ʒss
 Acaciæ.....ʒij
 Morphinæ Sulphatis.....gr.iss
 Aquæ.....q.s. ad fʒiiij

M. Sig. A tablesp. to 3½ ounces of warm water,
 which inject in 3 parts, daily.

1182.

℞ Iodoformi.....3xiij
 Glycerini.....fʒx
 Tragacanthæ.....gr.xx
 Aquæ Destillatæ.....fʒiiss

M. emulsio.



1183.

℞ Iodoformi..... ʒiij
 Ætheris..... fʒvj

F. sol.

Used as an injection in tubercular abscess.

1184.

℞ Phenol,
 Alcohol..... āā 10 C.c.
 Mucilaginis..... 30 C.c.
 Aquæ..... āā 10 C.c.

M.

1185.

℞ Tinct. Iodi..... 10 C.c.
 Alcohol..... 10 C.c.
 Mucilaginis..... 30 C.c.
 Aquæ..... ad 10 C.c.

M.

ENEMATA.

1186.

℞ Amyli..... 15 Gm
 Aquæ..... 100 Gm
 Aquæ Ebullientis..... 400 Gm

Fiat enema.

[B.P.]

1187.

℞ Sodi Chloridi ʒj
 Decocti Hordei..... fʒxx

M. f. enema.

1188.

℞ Olei Terebinth..... fʒj
 Mucil. Amyli..... fʒxv

M. f. enema.

[B.P.]

1189.

℞ Olei Terebinthinæ..... fʒiv
 Olei Ricini..... fʒij
 Vitell. Ovi..... No.j
 Decocti Hordei..... fʒxij

Misce et fiat enema.

1190.

℞ Sodii Chloridi..... ℥ss
 Olei Olivæ..... f℥ss
 Olei Terebinthinæ..... f℥j
 Aquæ Ferventis..... Oiss

M.

1191.

℞ Magnesii Sulph..... ℥j
 Mucil. Amyli..... f℥xvj

M. f. enema.

[B.P.]

1192.

℞ Tinct. Opii..... ℥xxx
 Mucil Amyli..... f℥ij

M.

[B.P.]

1193.

℞ Tabaci..... 3j
 Aquæ Bullientis..... Oj

Macerā per sextum horæ partem, et cola.

1194.

℞ Asafœtidæ..... ℥j
 Aquæ..... f℥viiij

M. f. enema.

[B.P.]

1195.

℞ Tinct. Asafœtidæ..... f℥j
 Aquæ..... f℥viiij

M.

1196.

℞ Asafœtidæ..... ℥ij
 Decocti Avenæ..... f℥x

M. pro enemate, s. a.

1197.

℞ Aloes..... gr.xl
 Potassii Carb..... gr.xv
 Mucil. Amyli..... f℥x

M. f. enema.

[B.P.]

1198.

℞ Asafoetidæ.....gr.vj
Olei Amygdalæ Dulcis ℥ iv

Tere simul, et adde:—

Pulveris Acaciæ.....℥ss
Infusi Anthemidis.....f℥j

Misce et fiat enema.

1199.

℞ Moschi.....gr.xij
Sacchari.....℥ ij
Spiritus Ammoniaë.....℥ xxx
Infusi Lini Compositi.....f℥iv

Fiat enema.

1200.

℞ Bism. Subcarb.....50 Gm
Extr. Opii.....200 mGm
Glycerini,
Mucilaginis.....āā 100 C.c.

M. S. Use two tablespoonfuls at a time as directed.

1201.

℞ Acidi Boracici.....gr.xv
Pulv. Acaciæ.....℥ij
Olei Vaselini.....℥viiss
Aquaë.....f℥xv

M. Fiat emulsio.

1202.

℞ Aluminis.....10 Gm
Glycerini.....50 Gm

Fit sol.

[E.P.]

1203.

℞ Acidi Tannici.....10 Gm
Glycerol.....50 Gm

Fit solutio.

[B.P.]

1204.

℞ Boracis.....10 Gm
 Glycerini.....40 C.c.
 Aquæ.....20 C.c.
 Fit sol.

[B. P.]

1205.

℞ Acidi Gallici.....10 Gm
 Glycerini.....50 Gm
 Fit solutio.

[B. P.]

1206.

℞ Phenyl Hydratis.....f℥j
 Glyceryl Hydratis.....f℥v
 Fit solutio.

[B. P.]

LOTIONS.

1207.

℞ Tinct. Benzoini.....15 C.c.
 Aquæ Rosæ.....225 C.c.
 M. f. lotio.

1208.

℞ Plumbi Acet.....3j
 Tinct. Opii.....f℥ij
 Aquæ.....q.s. ad f℥viiij
 M. f. lotio.

[N. F.]

1209.

℞ Liq. Plumbi Subacet. Dil.....f℥j
 Ext. Opii Aquosi.....gr.vj
 M.

1210.

℞ Extr. Opii.....1 Gm
 Plumbi Acet.....2 Gm
 Glycerini.....30 C.c.
 Aquæ.....70 C.c.
 Acidi Acet. Dil.....q.s.
 M.



1211.

℞	Plumbi Acetatis.....	gr.xij
	Liquoris Morphinæ Acetatis.....	℥xij
	Acidi Acetici Diluti.....	fʒj
	Aquæ Destillatæ.....	fʒiij

M.

1212.

℞	Plumbi Acetatis,	
	Ammonii Carb.....	āā ʒj
	Aquæ Rosæ.....	fʒviiij

Ft. lotio. Sig.—Apply on lint to allay irritation.

1213.

℞	Plumbi Acet.,	
	Boracis.....	āā 1 Gm
	Glycerini.....	20 C.c.
	Aquæ.....	80 C.c.

M.

1214.

℞	Plumbi Acet.,	
	Zinci Acet.....	āā gr.xv
	Cupri Sulph.....	gr.x
	Morph. Acet.....	gr.iij
	Aquæ Distill.....	fʒviiij

M.

1215.

℞	Plumbi Acet.....	5 Gm
	Zinci Sulph.....	5 Gm
	Ammonii Chloridi.....	3 Gm
	Aluminis.....	2 Gm
	Glycerini.....	100 C.c.
	Aquæ.....	500 C.c.

M.

1216.

℞	Sodii Boratis.....	gr.xij
	Zinci Sulphatis.....	gr.j
	Aquæ Camph.....	fʒj
	Aquæ Destillat.....	fʒj

M.

1217.

℞ Zinci Sulph.....gr.iv
 Sodii Boratis.....gr.x
 Aquæ Rosarum.....f℥ij

M. f. collyr.

1218.

℞ Aluminis.....℥j
 Zinci Sulph.....℥ss
 Sodii Boratis.....gr.iv
 Aq. Rosæ.....f℥viiij

M.

1219.

℞ Hydrarg. Chlorid. Mit.....gr.xv
 Liq. Calcis.....f℥ij

M.

1220.

℞ Hydrarg. Chlorid. Corros.....gr.j
 Liq. Calcis.....f℥viiij

M.

1221.

℞ Hydrarg. Chloridi Corros.....gr.iiij
 Aquæ.....f℥ij
 Liquoris Calcis.....f℥iiij

M.

1222.

℞ Hydrarg. Chloridi Corros.....gr.iiij
 Aquæ.....f℥ij
 Mucilag.....f℥j
 Liq. Calcis.....f℥ij

M.

1223.

℞ Arnicæ.....℥ij
 Aquæ Bullientis.....Oss


Macera per horas duas et cola.

Dein adde:—

Tincturæ Arnicæ.....f℥ij
 Tincturæ Cardamomi.....f℥vj

M.





1224.

℞	Aluminis Crudi.....	3j
	Plumbi Acetat. Cryst.....	ʒv
	Aquæ Destillatæ.....	fʒxiiss

M.

1225.

℞	Acidi Borici.....	gr.xvj
	Acidi Salicylici.....	gr.ij
	Glycerini.....	℥xl
	Aquæ Bullientis.....	ad fʒj

M.

1226.

℞	Sodii Salicylat.....	3ij
	Sodii Biborat.....	3iiij
	Glycerini.....	fʒiv
	Aquæ.....	q. s. ad fʒvj

M.

1227.

℞	Calomel.,	
	Zinci Chloridi.....	āā gr.xij
	Liquoris Calcis.....	fʒiv

M.

1228.

℞	Acidi Borici.....	gr.xx
	Mucilag. Acaciæ.....	fʒj

M.

1229.

℞	Tannic Acid.....	gr.xx
	Mucilage.....	fʒj
	Alcohol.....	fʒss

M.

1230.

℞	Sodii Biboratis.....	gr.xx
	Aquæ Camphoræ.....	fʒiiss
	Mucil. Cydonii Seminis,	
	Aquæ Laurocerasi.....	āā fʒss

M.

1231.

R Potassii Carbonatis.....3ij
 Saponis.....3i-ij
 Alcoholis.....f5ij
 M.

1232.

R Sodii Biborat.....gr.xv
 Thymol.....gr.viiss
 Aquæ Destillat.....f1xxv
 M.

1233.

R Sodii Boratis.....3vj
 Morphæ Muriatis.....gr.vj
 Aquæ Rosæ.....f3viss
 M.

1234.

R Sodii Boratis.... 3ij
 Sodii Bicarbonatis.....3ij
 Acidi Carbolici.....gr.xxiv
 Glycerini.....f3iv
 Aquæ.....q. s. ad Oj
 Fit solutio.

[Dobell's Solution.]

1235.

R Potassii Chloratis.....3ij
 Acidi Hydrochlorici Puri.....f3iv
 Aquæ.....ad f3ij
 M.

1236.

R Cocainæ Hydrochloratis.....gr.iss
 Atropinæ Sulph.....gr.iv
 Acidi Borici.....gr.ij
 Aquæ Destill.....f3j
 Fit solutio.

1237.

R Hydrarg. Salicylat.....gr.1
 Aquæ Destillatæ.....f3ij
 M.



1238.

R	Aquæ Ammoniæ.....	f5j
	Spir. Camphoræ.....	℥ xlv
	Sodii Chloridi.....	3iv
	Aquæ	q. s. ad f5viiij

M.

[Raspail's Sedative Lotion.]

1239.

R	Hydrarg. Bichlor. Corros.....	1 Gm
	Spir. Camph.....	30 Gm
	Aquæ Destill.....	300 Gm

M. f. lotio.

1240.

R	Potassii Carbonatis.....	3iiij
	Sodii Chloridi.....	3ij
	Aquæ Aurantii Flor.....	5ij
	Aquæ Rosæ.....	f5viiij

M. f. lotio.

1241.

R	Hydrargyri Chloridi Corrosivi,	
	Ammonii Chloridi.....	5ā gr.iiij
	Aquæ Destillatæ.....	f5iss

M. f. solutio et adde:—

	Albuminis Ovi.....	3iss
	Aquæ Destillatæ.....	f5v

Misce, cola, et adde:—

	Aquæ Destillatæ.....	q. s. ad f3x
--	----------------------	--------------

M.

1242.

R	Acidi Carbolici.....	30 Gm
	Sodæ.....	2 Gm
	Aquæ.....	28 Gm

Fit solutio.

[“Phenol Sodique.”]

1243.

R	Acidi Carbolici.....	3j
	Potassæ.....	3ss
	Aquæ.....	f5vj

M.

1244.

℞ Calcis Vivæ.....3j
 Sulphuris Sublimati.....3ij
 Aquæ.....f℥x
 M. et coque ad f℥vj.

1245.

℞ Aquæ Ammoniæ.....30 C.c.
 Olei Gossypii70 C.c.
 M. [U.S.P.]

1246.

℞ Olei Gossypii100 C.c.
 Aquæ Ammonii30 C.c.
 M. f. linim.

1247.

℞ Liqu. Plumbi Subacet.....f℥j
 Olei Gossypiif℥ij
 M. [U.S.P.]

1248.

℞ Extr. Bellad. Fluidi.....95 C.c.
 Camphoræ.....5 Gm
 M. f. linim. [B.P.]

1249.


℞ Camph.....5 Gm
 Extr. Aconiti Rad. Fl.....100 C.c.
 Alcohol.....50 C.c.
 M. f. linim. [B.P.]

1250.

℞ Chloroformi Venalis.....40 C.c.
 Linim. Saponis.....90 C.c.
 M. f. linim. [U.S.P.]

1251.

℞ Chloroformi,
 Linim. Camph.āā 60 C.c.
 M. f. linim. [B.P.]



1252.

℞ Tinct. Aconiti Rad.f̄j
 Chloroformif̄j
 Linim. Saponisf̄vj

M. f. linim.

[N.F.]

1253.

℞ Tinct. Opii,
 Linim. Saponisāā 50 C.c.

M. f. linim.

[B.P.]

1254.

℞ Saponis Viridisz̄j
 Aquæf̄z̄j
 Camphoræz̄ss
 Olei Terebinthf̄vij

M. f. linim.

[B.P.]

1255.

℞ Olei Terebinthf̄ij
 Acidi Acet. Glac.z̄ss
 Linim. Camph.f̄ij

M. f. linim.

[B.P.]

1256.

℞ Vitellum Ovi Unius,
 Olei Terebinthinæ90 Gm
 Conterendo mixtis sensim adduntur,
 Acidi Acetici10 Gm
 Aquæ80 Gm
 Vel ea quantitas, ut habeas linimentum,
 pondere200 Gm
 Miscentur fortiter conquassando.

[Stokes' Liniment.]

1257.

℞ Olei Tigliigtt.j
 Chloroformif̄j
 Glycerinif̄x

M.

1258.

℞ Olei Sinapis Vol. fʒiss
 Extr. Mezerei ʒj
 Camphoræ ʒiij
 Olei Ricini fʒj
 Alcohol ad fʒviiij

M.

[U.S.P.]

1259.

℞ Ungu. Hydrarg. 30 Gm
 Aquæ Ammoniaë,
 Linim. Camph. āā 30 C.c.

M. f. linim.

[B.P.]

1260.

℞ Olei Crotonis 5 C.c.
 Olei Cajuputi 20 C.c.
 Alcohol 20 C.c.

M. f. linim.

[B.P.]

1261.

℞ Camphoræ 40 Gm
 Olei Lavand 2 C.c.
 Liquoris Ammon. Fort. 80 C.c.
 Alcohol 240 C.c.

M. f. linim.

[B.P.]

1262.

℞ Saponis Animalis 16 Gm
 Potassii Iodidi 12 Gm
 Glycerini 8 C.c.
 Olei Limonis 1 C.c.
 Aquæ 80 C.c.

M. f. linim.


[B.P.]

1263.

℞ Acidi Salicylici 30 Gm
 Olei Olivæ 70 Gm

Digerendo solvitur acidum.

[Becker.]



1264.

℞ Potassæ 150 Gm
 Picis Liquidæ 300 Gm
 Aquæ q. s. ad 1,000 C.c.

Fiat solutio.

[N.F.]

1265.

℞ Phenol 5 Gm
 Olei Gossypii 95 Gm

M.

[Carbolized Oil.]

1266.

℞ Acidi Carbolici 3ij
 Extr. Opii 3ij
 Olei Olivæ fʒviiij

M.

1267.

℞ Fl. Ext. Ergot,
 Olive Oil,
 Carbolic Acid of each, equal parts

Mix.

1268.

℞ Vitelli Ovorum No. ij
 Balsami Copaibæ fʒivss

M. f. emulsio et adde:—

Olei Olivæ Oj

M. f. linimentum.

1269.

℞ Olei Terebinthinæ,
 Spir. Camphoræ,
 Aquæ Ammoniaë,
 Olei Olivæ āā fʒj

M. f. linimentum.

1270.

℞ Tinct. Iodi fʒj
 Aquæ Ammoniaë fʒij
 Olei Terebinth. fʒij
 Spir. Camph. fʒj

M.

1271.

℞ Iodi.....ʒij
 Linim. Camph. Comp.,
 Linim. Saponis Comp.....āā fʒj
 M.

1272.

℞ Tinct. Iodi.....25 C.c.
 Aquæ Ammoniæ Fort.....5 C.c.
 Phenol.....5 drops
 M.

1273.

℞ Iodi.....5 Gm
 Potassii Iodidi.....2 Gm
 Glycerini.....1 Gm
 Alcohol.....40 C.c.
 M. f. linim.

[B. P.]

COLLODIA.

1274.

℞ Iodoformi.....1 Gm
 Collodii Flexilis.....19 Gm
 Fit solutio.

[N.F.]

1275.

℞ Iodi.....1 Gm
 Collodii Flexilis.....19 Gm
 Fit solutio.

[N. F.]

1276.

℞ Olei Tiglii.....2 Gm
 Collodii Flexilis.....18 Gm
 Fit solutio.

[N. F.]

1277.

℞ Ichthyol,
 Ætheris.....āā fʒv
 Collodii.....fʒx
 M.



1278.

R̄ Hydrarg. Chloridi Corrosivi.....gr.xvj
 Collodii.....fʒss
 M.

1279.

R̄ Aqua Ammonia,
 Tinct. Iodine,
 Collodion.....āā fʒss
 M.

STYPTICS, CAUSTICS AND ESCHAROTICS.

1280.

R̄ Acidi Sulphurici.....30 Gm
 Olei Terebinthinæ.....12 Gm
 Alcohol Dil.....50 Gm

Fiat mistura styptica.

[Warren's Styptic.]

1281.

R̄ Liquoris Plumbi Subacet.....fʒiss
 Cupri Sulph.,
 Zinci Sulph.....āā ʒj
 Acidi Acet. Dil.....fʒxiiij

Fit solutio. Filtra.

[Villate's Escharotic.]

1282.

R̄ Iodi.....ʒj
 Potassii Iodidi.....ʒij
 Aquæ.....fʒiv

Fit solutio.

[Churchill's Iodine Caustic.]

1283.

R̄ Bromi.....ʒj
 Potassii Bromidi.....ʒiv
 Aquæ.....fʒiv

Fit solutio.

[Smith's Bromine Solution.]

1284.

R̄ Aluminis Crudi.....ʒj
 Plumbi Acetat. Cryst.....ʒv
 Aquæ Destillat.....fʒxiiss

M. Sig.: "Burow's Fluid."

PART X.

SUPPOSITORIES, CATAPLASMS, PLASTERS AND OINTMENTS.

SUPPOSITORIES, ETC.

1285.

℞ Butyri Cacao..... 4 Gm
Fiat suppositorium unum.

[Codex.]

1286.

℞ Extr. Bellad..... 100 mGm
Olei Theobromæ..... 8 Gm
M. f. suppos. vi.

1287.

℞ Ungu. Hydrarg..... gr. xxx
Olei Cacao..... ʒj
M. f. suppos. vi.

[B.P.]

1288.

℞ Morph. Hydrochlor..... gr. iij
Butyri Cacao..... ʒiss
M. f. suppos. vi.

[B.P.]

1289.


℞ Acidi Tannici..... gr. xvij
Olei Theobromæ..... gr. lxxij
M. f. suppos. vi.

[B.P.]

1290.

℞ Aloes Pulveris..... 500mGm
Olei Theobromæ..... 4 Gm
M. f. suppos. i.

[B. P.]



1291.

℞ Extr. Krameriae Pulv. 1 Gm
Butyri Cacao 3 Gm

M. f. suppos. i.

[B.P.]

1292.

℞ Iodoformi gr. xvij
Olei Theobromi gr. lxxij

F. suppos. vi.

[B.P.]

1293.

℞ Chloral 5 Gm
Olei Theobromæ 15 Gm

M. f. suppos. x.

1294.

℞ Opii gr. iiij
Extr. Bellad. gr. vj
Olei Theobromæ ʒss

M. f. suppos. vi.

1295.

℞ Acidi Tannici 200 mGm
Extr. Bellad. 15 mGm
Olei Cacao 2 Gm

M. f. suppositorium.

1296.

℞ Sacch. Saturni 2 Gm
Pulveris Thebaici 1 Gm
Butyri Cacao 15 Gm

M. f. suppos. xii.

1297.

℞ Plumbi Acet. gr. xvij
Opii gr. vj
Olei Theobromæ ʒj

M. f. suppos. vi.

[B.P.]

1298.

℞ Santonini gr. xij
Olei Theobromæ ʒj

M. F. suppos. vi.

1299.

℞ Iodoformi,
 Chloral.....āā gr. xxx
 Olei Theobromæ.....q.s.
 M. f. suppos. xii.

1300.

℞ Plumbi Acet.....2 Gm
 Opii Pulv.....1 Gm
 Bellad. Extr.....150 mGm
 Olei Theobromæ.....15 Gm
 M. f. suppos. xii.

1301.

℞ Iodoformi.....gr. xij
 Extr. Hyoscyami.....gr. viij
 Olei Theobromæ.....ʒvj
 M. f. supposit. No. viii.

1302.

℞ Iodoformi.....ʒj
 Bals. Peruv.....ʒij
 Magnesiae.....ʒj
 Olei Theobromæ,
 Ceræ.....āā ʒiss
 M. f. supposit. xii.

1303.

℞ Acidi Carbolicigr. vj
 Saponis Animalis.....gr. xc
 Glyceriti Amyliʒj vel q.s.
 M. f. suppos. vi.

[B.P.]

1304.

℞ Iodoformiʒj
 Bismuthi Subnitr.ʒj
 Chloralgr. viij
 Morph. Sulph.....gr. iiij
 Olei Rosæ℥x
 Gelatini,
 Glycerini.....āā q. s.
 M. f. bougia xii.



1305.

℞ Morph. Hydrochlor.....gr.iiij
 Glyceriti Amyli.....gr.xv
 Saponis Animalisgr.l
 Amyliq.s.

M. f. suppos. vi.

[B.P.]

1306.

℞ Sodii Sulph. Exsicc.....4 Gm
 Saponis.....8 Gm
 Mellisq.s.

M. f. suppos. xii.

1307.

℞ Gelatini3iv
 Glycerini3iiss
 Aquæ5iv
 Aquæ.....q.s.

Fiant supposit. No. xxiv.

[Glycerin Suppositories; B.P.]

1308.

℞ Pulveris Catechu,
 Aluminisāā 3j
 Olei Theobromæq.s.

Fiant suppositoria No. vi.

1309.

℞ Acidi Tannici.....gr.xviiij
 Glyceriti Amyli.....gr.xv
 Saponis Animalisgr.l
 Amyliq.s.

M. f. suppos. vi.

[B.P.]

1310.

℞ Zinci Sulph.....gr.vj
 Acidi Carbol.....℥iiij
 Hydrastis.....gr.xij
 Extr. Bellad.....gr.xij
 Gelatini,
 Glyceriniāā q.s.

M. f. bougia xii.

CATAPLASMS.

1311.

- ℞ Sinapis Farinæ ℥ij
 Aquæ Tepidæ ℥ij
 Lini Farinæ ℥ij
 Aquæ Ebulientis ℥vj

M. f. cataplasma.

[B.P.]

1312.

- ℞ Lini Farinæ,
 Ulmi Farinæ āā p. æq.
 Aquæ Bullientis q.s.

M. f. cataplasma.

1313.

- ℞ Lini Farinæ ℥iv
 Aquæ Ebulientis ℥viiij
 Liqu. Sodæ Chlorin. ℥ij

M. f. cataplasma.

[B.P.]

1314.

- ℞ Conii Foliorum ℥ij
 Medullæ Panis ℥vj
 Aquæ Oiss

Coquantur simul, ut fiat cataplasma.

1315.

- ℞ Pulveris Piperis,
 Pulveris Zingiberis āā ℥j
 Sinapis Nigræ Contusæ lb. ss
 Aquæ Bullientis q.s.

Misce et fiat cataplasma.

PLASTERS.


1316.

- ℞ Plumbi Oxidi 50 Gm
 Olei Olivæ 100 Gm
 Aquæ 50 C.c. vel q.s.

Fiat emplastrum.

Sec. art. leg.

[Lead Plaster.]



1317.

℞ Extr. Arnicae Rad. 25 Gm
 Empl. Resinae 50 Gm
 M. f. empl. [U.S.P.]

1318.

℞ Plumbi Iodidi 2 Gm
 Empl. Plumbi 16 Gm
 Resinae 2 Gm
 M. f. empl. [B.P.]

1319.

℞ Resinae 4 Gm
 Empl. Plumbi 32 Gm
 Saponis Animalis 2 Gm
 Fiat emplastrum. [B.P.]

1320.

℞ Opii Pulv. Subtiliss 10 Gm
 Empl. Resinae 90 Gm
 M. f. empl. [B.P.]

1321.

℞ Galbani,
 Ammoniaci,
 Ceræ Flavæ āā 10 Gm
 Empl. Plumbi 80 Gm
 F. empl. [B.P.]

1322.

℞ Menthol 6 Gm
 Ceræ Flavæ 3 Gm
 Resinae 21 Gm
 Fiat emplastrum. [Menthol Plaster; B.P.]

1323.

℞ Opii,
 Camphoræ āā ʒss
 Empl. Plumbi ʒij
 Sit scuto pectori.

1324.

℞ Extr. Hyoscyami..... 15 Gm
 Empl. Plumbi..... 40 Gm
 Empl. Resinæ..... 40 Gm
 M. f. empl. Ext. supra cor. 15×20 cm.

1325.

℞ Oleoresinæ Capsici..... 250 mGm
 Spread on resin plaster 10 cm².

OINTMENTS.

1326.

℞ Phenol..... 3 Gm
 Unguenti..... 27 Gm
 M. [U. S. P.]

1327.

℞ Balsami Peruv.,
 Unguenti..... āā 10Gm
 M. f. ungu. molle.

1328.

℞ Acidi Tannici..... 3 Gm
 Adipis Benzoinati..... 27 Gm
 M. f. ungu. [U. S. P.]

1329.


℞ Acidi Gallici..... 3 Gm
 Adipis Benzoinati..... 27 Gm
 M. f. ungu. [U. S. P.]

1330.

℞ Chrysarobini..... 4 Gm
 Adipis Benzoinati..... 36 Gm
 M. f. ungu. [U. S. P.]

1331.

℞ Gallæ Pulv..... ʒiv
 Opii..... 3ss
 Adipis Benzoin..... ʒj
 M. f. ungu. [B. P.]





1332.

℞ Barii Iodidi.....gr. iv
Adipis.....℥j

M.

1333.

℞ Ferri Subsulphatis.....℥ss
Adipis.....℥j

M. f. ungu.

1334.

℞ Gallæ Pulveris Subt.....3 Gm
Adipis Benzoin.....27 Gm

M. f. ungu

[U. S. P.]

1335.

℞ Zinci Iodidi.....℥j
Adipis.....℥j

Fiat unguentum.

1336.

℞ Zinci Oxidi.....℥ij
Adipis Benzoin.....℥j

M. f. ungu.

[U. S. P.]

1337.

℞ Hydrarg. Ammon.....℥ij
Adipis Benzoinati.....℥vj

M. f. ungu.

[U. S. P.]

1338.

℞ Calomelanos.....4 Gm
Adipis Benzoin.....26 Gm

M. f. ungu.

[B. P.]

1339.

℞ Hydrarg. Oxidi Rubri.....℥j
Butyri Recentis.....℥j
Terebinth. Venetæ.....℥j
Olei Olivæ.....℥j

M. f. ungu.

[“Fresh Butter Ointment.”]

1340.

℞ Hydrarg. Iodidi Rubri..... 1 Gm
 Unguenti..... 29 Gm

M.

[B. P.]

1341.

℞ Hydrargyri Biniodidi..... gr.vij
 Potassii Iodidi..... ℥j
 Adipis..... ℥j

Fiat unguentum.

1342.

℞ Hydrargyri Protiodidi..... gr.vj
 Morphinae Acetatis..... gr.viiij
 Adipis..... ℥j

M.

1343.

℞ Calomel..... 4 Gm
 Iodi..... 1 Gm
 Unguenti..... 30 Gm

M. f. ungu.

1344.

℞ Oxidi Hydrarg. Rubri..... 1 Gm
 Unguenti..... 9 Gm

M.

[U.S.P.]

1345.

℞ Calaminæ Præp..... 5 Gm
 Adipis Benzoin..... 25 Gm

M. f. ungu.

[B. P.]

1346.

℞ Cadmii Iodidi..... ℥j
 Adipis Præparatæ..... ℥j
 Linimenti Aconiti..... f℥ij

M. f. ungu.

1347.

℞ Sulph. Præcip..... 9 Gm
 Adipis Benzoin..... 21 Gm

M. f. ungu.



1348.

℞ Iodoformi.....1 Gm
Adipis Benzoinati.....9 Gm

M. f. ungu.

[U.S.P.]

1349.

℞ Plumbi Acet.....1 Gm
Adipis Benzoin.....35 Gm

M. f. ungu.

[B.P.]

1350.

℞ Potassii et Antimonii Tartratis.....2 Gm
Unguenti.....8 Gm

M.

[B.P.]

1351.

℞ Plumbi Carbonatis.....℥j
Adipis Benzoin.....℥ix

M. f. ungu.

[U.S.P.]

1352.

℞ Extr. Stramonii.....gr.1
Adipis Benzoin.....℥j

M. f. ungu.

[U.S.P.]

1353.

℞ Ext. Bellad. Alcoh.....3 Gm
Adipis Benzoinati.....27 Gm

M. f. ungu.

[U.S.P.]

1354.

℞ Extr. Aconiti.....2 Gm
Adipis.....28 Gm

M. f. ungu.

1355.

℞ Pulveris Opii,
Unguenti Hydrargyri,
Saponis Duræ.....āā ℥ss

M.

1356.

℞ Aconitinæ.....500 mGm
 Alcohol.....2 C.c.
 Adipis Benzoin.....30 Gm
 M. f. ungu.
 [B.P.]

1357.

℞ Unguenti Hydrargyri.....℥ij
 Ammonii Chloridi.....℥j
 Misce bene

1358.

℞ Veratrinæ.....1 Gm
 Adipis Benzoin.....24 Gm
 M. f. ungu.

1359.

℞ Ungu. Hydr. Nitratis,
 Adipis......āū ℥ss
 M.

1360.

℞ Extr. Hyoscyami.....3 Gm
 Acidi Tannici.....3 Gm
 Unguenti.....24 Gm
 M.

1361.

℞ Pot. Iodidi.....5 Gm
 Ungu. Stramonii.....20 Gm
 M. f. ungu.

1362.

℞ Iodi.....gr.xx
 Potassii Iodidi.....gr.v
 Aquæ.....gr.x
 Adipis Benzoin.....℥j
 M. f. ungu.
 [U.S.P.]

1363.

℞ Plumbi Iodidi.....5 Gm
 Extr. Stramonii.....5 Gm
 Unguenti.....40 Gm
 M.



1364.

℞ Acidi Citrici.....gr.xv
 Aquæ Lauro-cerasi.....ʒj
 Olei Rusci.....gtt.xv
 Ungu. Aquæ Rosæ.....ʒx

M.

1365.

℞ Camphoræ,
 Chloralis Hydrat.....āā ʒj
 Tere una ad liquorem, dein adde cum tritu:—
 Unguenti Aquæ Rosæ.....ʒj

M. Fiat unguentum

1366.

℞ Extr. Stramonii.....5 Gm
 Opii.....2 Gm
 Plumbi Acet.....1 Gm
 Acidi Tannici.....1 Gm
 Unguenti.....ʒi

M. S. Pile Ointment.

1367.

℞ Ung. Hydrargyri.....ʒvj
 Camphoræ.....gr.xl
 Ext. Belladonnæ.....ʒij

M. ft. unguent.

1368.

℞ Gallæ,
 Opii,
 Plumbi Acet.....āā ʒj
 Ungu. Picis Liqu.,
 Cerati.....āā ʒiv

M. f. ungu.

1369.

℞ Acidi Borici.....ʒj
 Lanolini.....ʒij
 Olei Eucalypti.....gtt.v
 Ungu. Zinci Oxidi.....ʒj
 Bismuthi Subnitr.....ʒj

M.

1370.

℞ Cadmii Iodidi.....℥ss
 Ætheris.....℥xl

Tere simul, et adde:—

Adipis.....℥j

Misce et fiat unguentum.

1371.

℞ Chloroformi.....℥ij
 Zinci Oxidi.....℥ss
 Olei Olivæ.....℥j
 Cerati Cetacei.....℥iv

M. ft. unguentum.

1372.

℞ Sulph. Loti.....gr.c
 Potassii Carb.....gr.l
 Aquæ.....q.s.
 Adipis Benzoin.....℥vj

M. f. ungu.

[U. S. P.]

1373.

℞ Hydrarg. Oxidi Flavi.....1 Gm
 Butyri Recentis.....19 Gm

M. f. ungu.

1374.

℞ Unguenti Belladonnæ.....℥iv
 Glycerini.....℥iv

M.

1375.

℞ Morphinæ Sulphatis.....gr.xvj
 Hydrarg. Oleati.....℥ij

M.

1376.

℞ Ungu. Hydrargyri Nitratis.....℥iv
 Sulphuris.....℥ij
 Creasoti.....gtt.x
 Adipis.....℥j-ij

M. f. ungu.



1377.

℞ Ichthyol.....3j
Lanolini.....3ix

M.

1378.

℞ Ungu. Hydrarg. Nitr..... 3 Gm
Acidi Tannici..... 3 Gm
Extr. Hyoscyami..... 3 Gm
Lanolini.....21 Gm

Mix.

1379.

℞ Extr. Opii.....3ij
Extr. Belladonnæ.....3vj
Ungu. Hydrarg.....3ij
Lanolini.....3ij

M. f. ungu.

1380.

℞ Barii Chloridi.....gr.xxx
Aquæ Destillatæ.....q.s. ut ft. sol.
Lanolini.....gr.ccxv
Olei Amygdalæ Dule.....℥lxxv

M. f. ungu.

1381.

℞ Calcii Carb. Præcip.....2 Gm
Sulph. Sublim.....3 Gm
Olei Cadini.....3 Gm
Saponis Viridis.....6 Gm
Adipis.....6 Gm

M. f. ungu.

[Hebra's Itch Ointment.]

1382.

℞ Phenol.....1 Gm
Petrolati.....19 Gm

M. f. ungu.

[B. P.]

1383.

℞ Acidi Borici,
Ungu. Petrolei.....℥.āā 3j

M.

1384.

R̄ Olei Eucalypti.....10 Gm
Petrolati.....20 Gm

M. f. ungu.

[B.P.]

1385.

R̄ Acidi Borici.....5 Gm
Petrolati.....30 Gm

M. f. ungu.

[B.P.]

1386.

R̄ Acidi Salicylici... ..1 Gm
Petrolati.....29 Gm

M. f. ungu.

[B. P.]

1387.

R̄ Potassæ Sulphuratæ.....2 Gm
Petrolati.....30 Gm

M. f. ungu.

[B.P.]

1388.

R̄ Sulphuris Iodidi.....2 Gm
Petrolati.....30 Gm

M. f. ungu.

[B.P.]

1389.

R̄ Ungu. Hydrarg. Nitr.....10 Gm
Petrolati.....20 Gm

M.

[B.P.]

1390.

R̄ Elemi.....5 Gm
Unguenti.....20 Gm

M. f. ungu.

[B.P.]

1391.

R̄ Naphthol.....1 Gm
Petrolati.....20 Gm

M. f. ungu.

1392.

R̄	Hydrarg. Oxidi Rubri.....	1 Gm
	Plumbi Acet.....	1 Gm
	Camphoræ.....	100 mGm
	Petrolati.....	18 Gm

M. f. ungu.

[Codex.]

1393.

R̄	Menthol.....	gr.xlv
	Cocainæ.....	gr.xv
	Chloral.....	gr.x
	Vaselini.....	3v

M. f. ungu.

1394.

R̄	Cocainæ Hydrochlor.....	gr.ij
	Extr. Belladonnæ.....	3j
	Acidi Tannici.....	3ij
	Ungu. Petrolati.....	3j

M.

1395.

R̄	Soziodol.....	3ij
	Zinci Oxidi.....	3iv
	Petrolati.....	3iss
	Glyceriti Amyli.....	3j

M. f. ungu.

1396.

R̄	Acidi Carbolici.....	gr.xxx
	Thymol.....	gr.x
	Vaselini.....	3j
	Cerati Simplicis.....	3j

M.

1397.

R̄	Zinci Oleati.....	10 Gm
	Adipis.....	20 Gm

M. f. ungu.

1398.

R̄	Cupri Oleati.....	5 Gm
	Lanolini.....	20 Gm

M. f. ungu.

1399.

℞ Olei Amygd. Expressi.....15 Gm
 Cetacei.....3 Gm
 Ceræ Albæ.....5 Gm
 Aquæ Rosæ.....9 Gm

M. f. ungu. sec. art. leg.

[Cold Cream.]

1400.

℞ Empl. Fusci Camph.....20 Gm
 Olei Olivæ.....10 Gm
 Sevi.....10 Gm

M. f. ungu.

[Mother's Salve.]

1401.

℞ Picis Liquidæ,
 Sevi.....āā ℥iv

Fiat unguentum.

[U.S.P.]

1402.

℞ Empl. Plumbi.....18 Gm
 Olei Olivæ.....12 Gm
 Olei Lavand.....400 mGm

M. f. ungu.

[U.S.P.]

1403.

℞ Chloroformi.....10 Gm
 Ceræ Albæ.....4 Gm
 Adipis.....85 Gm

M. f. ungu.

[Codex.]

1404.


℞ Emp. Plumbi.....℥ij
 Ung. Hydrargyri.....℥ss
 Olei Cadini.....℥ij

M.

1405.

℞ Zinci Oxidi.....10 Gm
 Aquæ Rosæ.....q.s.

M. f. ungu. molle.



1406.

℞	Extr. Mezerei Fluidi.....	5 Gm
	Adipis.....	16 Gm
	Ceræ Flavæ.....	2.40 Gm

M. f. ungu. sec. art.

[U.S.P.]

1407.

℞	Tinct. Benzoini.....	℥ij
	Olei Lini.....	℥iv
	Ceræ Flavæ.....	℥ij
	Glycerini.....	q.s.

M. S. Ointment.

1408.

℞	Resinæ.....	℥j
	Ceræ Albæ.....	℥ij
	Adipis.....	℥ij
	Zinci Oxidi.....	℥vij

M.

1409.

℞	Camphoræ.....	15 Gm
	Ceræ Albæ.....	20 Gm
	Cetacei.....	15 Gm
	Olei Lavand.....	2 drops
	Olei Amygd. Dulc.....	50 Gm

M. f. cerat. dur.

["Camphor Ice."]

1410.

℞	Calomel.....	℥ij
	Plumbi Acet.....	℥j
	Hydrarg. Oxidi Rubri.....	℥ss
	Ceræ Albæ.....	℥iv
	Olei Olivæ.....	℥vj ℥ij

M. f. ungu.

[Belleville Ointment.]

1411.

℞	Iodoformi,	
	Bals. Peruv.....	āā ℥ij
	Glycerini.....	℥xiv

M. f. ungu.

1412.

℞ Storacis.....fʒj
 Spiritus Vini Rectificatifʒij
 Misce, et adde:—
 Olei Olivæ.....fʒj
 M. f. ungu.

1413.

℞ Olei Amygd. Dulcisʒiiss
 Ceræ Albæʒiv
 Cetacei.....ʒiss
 Glycerinifʒij
 Aquæ Rosæ.....fʒiss
 Boracisgr.xv
 Tragacanthægr.ix
 Olei Caryoph.gtt.j
 Olei Rosægtt.liij
 M. f. ungu.

[“Glycerin Ointment.”]

1414.

℞ Sabinæ Cont.....20 Gm
 Ceræ Flavæ.....7 Gm
 Adipis Benzoin.....40 Gm
 Fiat unguentum.

[B.P.]

1415.

℞ Sulphuris30 Gm
 Saponis Viridis.....90 Gm
 Aquæ Ebullientis.....q.s.
 M. f. ungu. molle.

[Ph. Mil. Su.]

1416.

℞ Extr. Opii1 Gm
 Glyceriti Amyli9 Gm
 M. f. ungu.

1417.

℞ Zinci Oxidi10 Gm
 Glyceriti Amyli20 Gm
 M. f. ungu.

1418.

℞ Acidi Tannici 5 Gm
 Glyceriti Amyli 25 Gm
 M. f. ungu.

[Codex.]

1419.

℞ Amyli 10 Gm
 Glycerini 50 C.c.
 Aquæ 30 C.c.

Fiat unguentum sec. art. leg.

[B.P.]

1420.

℞ Potassii Iodidi 2 Gm
 Aquæ 1 Gm
 Glyceriti Amyli 17 Gm

M. f. ungu.

1421.

℞ Resorcini 1 Gm
 Glyceriti Amyli 9 Gm

M. f. ungu.

1422.

℞ Plumbi Iodidi gr. xl
 Glyceriti Amyli gr. cccxl

M. f. ungu.

1423.

℞ Hydrarg. Oxidi Flavi 1 Gm
 Glyceriti Amyli 9 Gm

M. f. ungu.

1424.

℞ Potassii Iodidi gr. lx
 Sodii Thiosulphatis gr. v
 Aquæ Fervidæ ℥ss
 Glyceriti Amyli ℥j

M. f. ungu.

1425.

℞ Ungt. Hydrarg ℥j

Ft. chart. No. viii.

Put in waxed papers.

1426.

℞ Naphthol β gr. l
Sulphuris Præcip ℥iv
Lanolini,
Saponis Viridis āā ℥ij
Leniter terendo fiat pasta.



PART XI.

MISCELLANEOUS PRESCRIPTIONS FOR EXTERNAL APPLICATIONS, ETC.

1427.

℞ Ol. Terebinth.....fʒij
Pulv. Sapo. Castil.....ʒj
Aq.....fʒij

M.

1428.

℞ Calomel.,
Zinci Chloridi.....āā gr.vj
Liquoris Calcis.....fʒij

M.

1429.

℞ Acidi Chromici.....5 Gm
Glycerini.....5 Gm
Alcohol.....5 Gm

M. S. For external use.

1430.

℞ Strychninæ.....gr.j
Glycerini.....℥xx
Aquæ.....fʒiv

M. S. Twenty minims to be used hypodermically every 10 or 20 minutes till slight muscular spasms result. (In case of Snake Bite.)

1431.

℞ Chloral Camph.,
Bismuth. Subnit.....āā ʒij
Aquæ Rosæ.....ad fʒiv

M.

1432.

℞ Extracti Belladonnæ.....ʒj
 Liquoris Plumbi Subacetatis Diluti Oj
 Misce et fiat lotio.

1433.

℞ Acidi Carbolici,
 Alcoholis..... āā fʒij
 Olei Terebinth..... fʒiv
 Tinct. Iodi..... fʒij
 Glycerini..... fʒx
 M.

1434.

℞ Hydrarg. Chlor. Corros..... gr. ½-i ½
 Zinci Sulpho-Carbolat..... gr. ii-x
 Acid. Boric..... ʒj
 Hydrogen Peroxide..... fʒj
 Aq. Destillat..... q.s. ad fʒviiij
 M.

1435.

℞ Strychninæ Sulphat..... gr. j
 Acid. Nitric. Dil..... fʒj
 Aquæ..... fʒxiij
 M.

1436.

℞ Plumbi Acetatis,
 Ammonii Carbonatis..... āā ʒj
 Tincturæ Opii..... fʒss
 Aquæ Rosæ..... fʒviiij
 M.

1437.

℞ Morph. Sulphatis..... gr. vj
 Sodii Borat..... ʒiv
 Aq. Camphoræ..... fʒj
 M.

1438.

℞ Tincturæ Benzoini Compositæ..... fʒj
 Aquæ Bullientis..... Oss
 M.

1439.

- ℞ Zinci Oxidi.....3ij
 Glycerini.....f̄ij
 Liquoris Plumbi Subacetatis.....f̄ss
 Aquæ Calcis.....q.s. ad f̄vj

M. f. lotio.

1440.

- ℞ Cocaini Muriatis,
 Morphię Muriatis.....āā gr.xij
 Aquæ Destillatæ.....5j

M.

1441.

- ℞ Morphinæ Sulphat.....gr.xvj
 Sulph. (neut.) Atropinæ.....gr.vj
 Aq. Destill.....5ij

M.

1442.

- ℞ Eserinæ.....gr.ij
 Aquæ.....f̄5j

M.

1443.

- ℞ Atropinæ.....gr.iv
 Cocaini.....gr.ij
 Acidi Oleici.....Ḑij
 Ol. Olivæ.....5vj

Dissolve alkaloids in the oleic acid by use of a water-bath, and add to the olive oil previously warmed.

1444.

- ℞ Liq. Cocaini Mur. (3 per cent.).....5vij
 Morphię Sulphatis.....gr.xij
 Gossypii Absorbentis.....5vij

M.

1445.

- ℞ Zinci Sulph.....gr.x
 Acid Tannic.....gr.x
 Cocaine Hydrochlor.....gr.x
 Aquæ Pura.. ..ad 5iv

M.

1446.

℞ Ergotinæ.....ʒj
 Glycerini.....fʒj
 Aquæ Destillatæ.....fʒviij

M.

1447.

℞ Potass. Chlorat.....ʒij
 Infus. Rhois Glabri... Oj

M.

1448.

℞ Hyoseyamie Sulphatis.....gr.ij
 Aquæ Destillatæ.....ʒxiij

M.

1449.

℞ Acid. Benzoic.....gr.iiij
 Acid. Salicylic.....gr.iiij
 Hydrochlorate Cocaine.....gr.v
 Aqua Dist.....ʒj

M. by water bath.

1450.

℞ Potass. Chlor.....ʒiiij
 Acid. Sulphurosi.....ʒiss
 Glycerinæ.....ʒj
 Aqua.....ad ʒiiij

M.

1451.

℞ Calomelanos.....ʒj
 Tinct. Iodi.....ʒj

M.

1452.

℞ Boracis.....1 Gm
 Aquæ.....15 C.c.
 Mucilaginis.....15 C.c.

M.

1453.

℞ Acidi Phenici Deliquesc.....fʒj
 Aceti Opii.....fʒiiij

M.

1454.

℞ Lini Camphoræ.....f℥viii
Dr.

1455.

℞ Acidi Salicylici.....gr.vij
Decocti Eucalypti.....℥xv
Glycerini.....℥vij
Spts. Vini Rectif.....℥iij

M.

1456.

℞ Collodii cum Cantharidi.....f℥ss
Dr.

1457.

℞ Plumbi Acetat.....℥j
Acetat. Destillat.....f℥j
Spt. Vini Methyl.....f℥ij
Aquæ.....ad f℥xxj

M. f. lotio.

1458.

℞ Calcis Calcinatæ.....℥iv
Sulphuris.....℥viiij
Aquæ.....Ov

M.

(Boil in an earthenware pan, evaporate to three pints, and filter.

1459.

℞ Resorcin.....℥iiss
Olei Ricini.....℥xiss
Alcoholis.....℥xxxviiiiss
Balsami Peruviani.....gr.viiss

M. Ft. lotio.

1460.

℞ Ex. Yerbæ Santæ Fl.,
Ex. Pinus Canaden. Fl.,
Ex. Hamamelis Fl.....āā f℥iv
Glycerinæ.....q. s. ad f℥v

M.

1461.

℞ Acidi Carbol.....ʒss
 Aquæ.....ʒiiss

M. Apply with a brush.

1462.

℞ Pot. Permang.....3 Gm
 Glycerini.....50 C.c.
 Aquæ.....250 C.c.

M. f. gargarisma.

1463.

℞ Glyceriti Iodoformi (10 per cent.).....ʒss
 D.

1464.

℞ Carbonis Bisulphidi.... ʒiv
 Pulv. Camphoræ.....q.s.

M. f. sol. saturat.

1465.

℞ Iodinii.....ʒij
 Olei Terebinthinæ.....ʒiv

M.

1466.

℞ Ex. Rhois Glab. Fl.,
 Ex. Hydrast. Canaden. Fl.āā ʒj
 Potass. Chlorat.....ʒiiss
 Aquæ.....q. s. ad ʒvj

M.

1467.

℞ Zinci Sulphatis,
 Potassii Sulphuretiāā gr. xxx
 Alcoholis℥c
 Aquæ Rosæq. s. ad ʒij

M. f. lotio.

1468.

℞ Acid. Tannic.....gr. xv
 Tr. Iodi.....gtt. ij
 Glycerinæʒss
 Aquæ.....ʒvj

M.

1469.

- ℞ Chloroformi.....f℥j
 Æther. Sulphuri℥ij
 Ess. Terebinthinæ Rect.....f℥iiss

M.

1470.

- ℞ Zinci Chloridigr.iiij
 Alcohol. Dil.j.....f℥viiij
 M. S. Gargle and mouth-wash for aphthæ in infants.

1471.

- ℞ Tinct. Iodinii.....℥ij
 Aquæ Rosæ.....℥viiij
 M. S. Use as a mouth-wash every hour or two.

1472.

- ℞ Iodoformi.....℥ij
 Glycerini℥iiss
 M. Used as in injection in abscess-cavities after evacuating the pus.

1473.

- ℞ Ol. Tigli.....gtt.j
 Glycerinæ.....℥xij
 M.

1474.

- ℞ Sulphuris Loti.....℥ij
 Spts. Camphoræ.....℥ss
 Glycerinæ.....℥ss
 Hydrargyri Bisulphidi.....℥ss
 Pulv. Amyli℥ij
 Aquæq. s. ad Oj
 M. f. lotio.

1475.

- ℞ Hydrarg. Chlor. Corros.....gr.ij
 Potass. Iodid.....gr.iv
 Aquæ℥v
 Solve et ad:—
 Bromi.....℥v
 M.

1476.

R̄ Tincturæ Iodi f̄ij
 Acidi Tannici q. s. ad saturandum
 M.

1477.

R̄ Aquæ Ammoniacæ ℥ss
 Olei Terebinthinæ ℥ij
 Aquæ ℥x
 Ft. lotio.

1478.

R̄ Bals. Peruv. f̄ij
 Olei Amygd. f̄iiss
 Mucil. Acaciæ f̄ij
 Aquæ Rosæ q. s.
 M. Sig. Apply to the nipples after each nursing.

1479.

R̄ Tinct. Cantharidis ℥iiss
 Tinct. Capsici ℥xx
 Glycerini ℥iv
 Spts. Odoratæ ad f̄vj
 M.

1480.

R̄ Spts. Æther 110
 Tinct. Benzoin 15
 M. Sig. Apply once a day.

1481.

R̄ Acidi Carbolici ℥x
 Acidi Salicylici ℥ij
 Acidi Benzoici ℥iv
 Spts. Vini Rectif. q. s. ut ft. sol
 M.

1482.

R̄ Tinct. Aconit f̄ij
 Tinct. Iodi f̄iij
 Linim Saponat.,
 Liq. Ammoniacæ āā f̄ij
 M.



1483.

℞	Olei Sinapis	f̄ss
	Olei Terebinth.....	f̄iij
	Camphoræ	̄iv
	Liq. Ammon. Fort.	f̄iij
	Tinct. Capsici	f̄iv
	Alcoholis	q. s. ad f̄vj

M.

1484.

℞	Hydrargyri Oxidi Flavi.....	̄iss
	Hydrargyri Chloridi Corrosivi	gr. ̄i
	Glycerini Puri	f̄xxv

M.

1485.

℞	Pulv. Oryzæ	̄iiss
	Plumbi Oxidi,	
	Glycerinæ.....	āā ̄viiss
	Acidi Acetici Dil.	f̄xv

M.

(Boil down to ̄xx.)

1486.

℞	Collodii Flexilis,	
	Acidi Carbolicī Cryst.....	āā ̄ij

M.

Sig.: Apply to the tooth-cavity by means of a probe wrapped on the end with cotton.

1487.

℞	Mastiches.....	gr. x
	Acidi Tannici.....	̄j
	Ætheris Sulphurici.....	f̄ss

M.

1488.

℞	Pulv. Camphoræ,	
	Chloral Hydratis... ..	āā gr. xxx
	Cocaini Hydrochloratis.....	gr. vj

M.

1489.

℞ Chloral,
Camphoræ.....āā 10 Gm
M.

1490.

℞ Hydrargyri Chloridi Corr.....gr.j
Pulv. Aluminis.....Ḑj
Pulv. Amyli.....ʒiss
Aquæ... fʒvj
M.

1491.

℞ Calomel.....ʒij
Saponis.....ʒij
Olei Gossypii.....fʒiv
Aquæ.....fʒj
M.

1492.

℞ Cocaini.....gr.x-xx
Boroglyceridi.....fʒij
M.

1493.

℞ Quininæ.....ʒj
Ol. Terebinth.....q.s. ut ft. pasta
M. S. Apply to the pustule.

1494.

℞ Acidi Sulphurici,
Pulv. Carbonis Ligni.....āā ʒss
M.
Q. s. ft magma.

1495.

℞ Potassæ.....ʒv
Calcis.....ʒvj
Alcoholis.....q.s. ut fiat magma
M.

1496.

℞ Suppositoriæ Opii.....No.j

1497.

℞ Supposit. Ext. Opii.... āā gr. v No. vj



1498.

℞ Calcis Chlorinatæ,
Glycerini..... .āā 10 Gm

M.

1499.

℞ Argenti Nitratis.....gr.xx
Ammonii Iodidi.....gr.xxx
Potassii Carb.....3j
Adipis Benzoin.....3j

M. f. ungu.

1500.

℞ Acidi Salicylici.....3ij
Emyl. Saponat.....3ij
Empl. Diachyl.....3j

M. f. unguentum.

1501.

℞ Bismuth. Subnit.....3j
Ol. Ricin.....f3ij

M.

1502.

℞ Hydrarg. Pur.....gr.o
Ungt. Hydrarg.,
Sevi Benzoinati.....āā gr.o
Adipis Benzoinati.....ad f3iv

M.

1503.

℞ Cocaine Muriat.....gr.xx
Morphinæ Sulph.....gr.v
Atropiæ Sulph.....gr.iv
Pulv. Tannin.....gr.xx
Vaseline.....3j
Ol. Rosæ.....q.s.

M.

1504.

℞ Extracti Belladon.....3j
Ung. Hydrargyri.....3vj

M. Sig. For inunction to brow.

1505.

℞ Hydrargyri Oxidi Flavæ gr.v
 Zincis Sulphatis gr.x
 Adipis ℥j
 M. f. ungu.

1506.

℞ Cetacei ℥j
 Glycerini ℥ij
 Ceræ Albæ gr.xv
 Ol. Amygd. Amaræ ℥iij

1507.

℞ Iodoformi ℥j
 Cetacei ℥j
 Ext. Conii Alcohol gr.xl
 Acidi Carbolici gtt.x
 M. Sig. Spread on lint, and cover the parts
 therewith. [For burns and scalds.]

INDEX.

	PAGES.
Boli	56
Bougies	212-213
Capsules	4, 54, 55
Cataplasms	14, 214
Caustics	209
Collodions	208-209, 235
Collunaria	38, 193
Collyria	25, 38
Confections	5, 20, 55, 56
Decoctions	106-108
Electuaries	5, 20, 55, 56
Emulsions	9-10, 108-117
Enemata	14, 26, 27, 39, 195-197
Escharotics	209
External Applications, Miscellaneous, ...	231-242
Gargles	26, 36, 37, 193, 234, 236, 237
Glycerites	197, 198
Hypodermatic Injections..	192, 193, 231, 233, 234
Infusions	12-13, 102-106
Injections	38, 39, 193-197, 237
Latinic Prescriptions	1-15
Linctus	13
Liniments	13, 24, 25, 36, 204-208, 231-240
Lotions	13, 25, 26, 37, 38, 198-204, 231-240
Masses	55, 97-99
Mixtures	10-13, 14, 21-24, 32-34, 100-191
Mucilages	102

Ointments	14, 15, 24, 35, 36, 216-230, 241-242
Pastæ	57, 58, 240
Pills	5-9, 20-21, 29-31, 62-97
Plasters	35, 214-216
Poultices	214
Powders	1-5, 19, 20, 28, 29, 41-54
Species	40
Suppositories	14, 25, 36, 37, 210-213, 240
Styptics	209
Tooth-Powders	46, 47
Triturations	49
Troches	7, 29, 58-61
Doubtful, Incorrect, Improper, Incom- patible and Dangerous Prescriptions.	93-97, 151-191, 231-242

Course of Home Study in Pharmacy

In one bound book for \$3.00. This book of First Lessons in the Study of Pharmacy has been prepared expressly for the benefit of Drug Clerks, those learning the Drug Business, Prospective College Students of Pharmacy, those preparing for State Board Examinations, and all who desire to pursue a systematic course of Home Reading in Pharmacy, Chemistry and Materia Medica. By Professor OSCAR OLDBERG of the School of Pharmacy of Northwestern University, ("Illinois College of Pharmacy"); author of "Manual of Weights and Measures," "Laboratory Manual of Pharmaceutical Chemistry," "1,500 Prescriptions," and other Pharmaceutical Works; Member of the Committee of Revision and Publication of the Pharmacopœia of the United States (1880-1900), etc.

It is a good-sized book of 540 pages, 8vo, well printed and substantially bound in cloth, illustrated with over 150 cuts.

Thousands are already reading this book, AND IT SHOULD BE FOUND IN EVERY DRUG STORE.

Employers who desire to encourage their Clerks and Apprentices can do so in an effective manner by allowing them reasonable time for useful study, and they would doubtless find that their employées will render more intelligent and valuable service as a direct consequence.

This First Reader in Pharmacy contains precisely what every student in pharmacy must read before he reads other things. To attempt a course of home reading without a book specially prepared for that purpose cannot but prove both laborious and fruitless.

The Registered Pharmacist says: "This is the book of books for the beginner in the study of pharmacy. We advise all who want to enter upon a course of study in pharmacy, whether at a college or in the store, to begin with this excellent work. Although written for beginners, and in a remarkably clear and simple style, it contains a great deal more information than one would suppose could be so well presented within the space of six hundred pages. The author has succeeded admirably in his generalizations as well as in the definitions and illustrations given. Readers of this book will, if they have intelligence and read attentively, acquire an exceptionally good idea of the nature of the sciences treated, as well as a correct knowledge of the most important facts and theories which must form the basis of a right pharmaceutical education. If the student cannot learn from this book, he cannot learn at all."

Prof. Joseph P. Remington, of the Philadelphia College of Pharmacy, says: "The book will be of great help to those for whom it has been designed."

Prof. Albert B. Prescott, Dean of the Department of Pharmacy of Michigan University: "It is of good proportions, is well adapted to its uses, and ought to be largely used."

Prof. James M. Good, of the St. Louis College of Pharmacy: "That it fills a long felt want there is no question. It fills it well also, showing throughout abundant evidence of thoroughness and painstaking care. * * * The explanations of the rather difficult science of chemistry seem to me to be clear and easy to comprehend."

The New England Druggist: "Prof. Oldberg's 'Home Study in Pharmacy' is a most useful and valuable publication, not alone for the beginner in the art of pharmacy, but it should be found upon the shelves of even those of long service in it. Unlike many of our publications, it is not a reprint of the Pharmacopœia, but its matter is original; or, if not original, it is presented in a new and fresh light that makes even trite things acquire juvenility and interest. It is not too much to say that among the works designed for the study of pharmacy the claims of this book for recognition must be conceded; for its explanations are so clear and its instructions so complete that, with the Pharmacopœia to accompany it, one hardly needs another book to fit him to take rank in his profession. The plan of organizing classes of the readers or students of the book offers great advantages to those in possession of it, for by this means things not clearly understood may be made plain by a competent instructor. *For the true interests of Pharmacy we hope to see this book in the hands of every student of the art.*"

Oldberg's Home Study in Pharmacy is sold by Wholesale Druggists and Booksellers, but if your Bookseller or Wholesale Druggist should not have it, you can get it promptly by mail from the publishers, who will send it (postage prepaid by them) to any address, upon receipt of price, which is invariably \$3.00 net.

In ordering the book from Wholesale Druggists or your Booksellers, inform them of the name and address of the Publishers.

THE APOTHECARIES' COMPANY
PUBLISHERS

Lock Box 820, CHICAGO, ILL.

Pharmaceutical and Chemical Problems and Exercises, with Rules and Explanations..

By OSCAR OLDBERG, PH.D., Professor of Pharmacy; Northwestern University.

SECOND EDITION; REVISED AND ENLARGED.

One Volume, 12mo. Cloth. \$1.50, net. Interleaved, \$2.00.

Intended as an Aid to Students, Teachers and Examiners.

Containing Several Thousand Problems and Exercises in Weights and Measures, The Metric System, Specific Weight and Volume, Percentage and Proportion, Dilution, Fortification, Mixing, "Parts by Weight," Thermometers, Hydrometers, Chemical Notation, Synthetical and Analytical Problems and Reactions, and Latinic Nomenclature.

"It is an exercise book, with nothing to learn by rote or cram. We can therefore most heartily recommend it, *especially for those who have in prospect an examination before a pharmacy board.* It contains questions and problems, the answers to which must be sought in their proper place, or in the majority of cases worked out—there is no key given and there should not be. The exercises cover the subjects of weights and measures, percentages and proportions, specific weight and specific volume, hydrometer and thermometer scales, chemical symbols and formulæ, atomic and molecular weight, chemical equations, calculations of product, materials required, etc., in synthetical operations, and, lastly, a unique feature of the work, drill in pharmaceutical nomenclature, Latin and English. *The book is one that meets a real want; even the graduate in pharmacy may find its exercises profitable.*"—*Pharmaceutical Era.*


"It is intended for the use of teachers and students, either for class work or for those who desire to prove, by solving in writing practical exercises, the knowledge obtained from study on their own accord. For the latter purpose the collection is well adapted, and decidedly preferable to similar compilations, containing the answers appended to the questions."—*The Western Druggist.*


"This is an excellent little book, and will be of great service to students, if they will carefully work out the answers and the solutions of the problems. The selection of questions is very judicious and covers the ground very effectively, so far as the curriculum of a school of pharmacy extends."—*The American Druggist.*

MAILED POSTPAID ON RECEIPT OF PRICE.

For Sale by **THE APOTHECARIES' COMPANY**

Lock Box 820, CHICAGO.







LIBRARY OF CONGRESS



00026606408

